Submission of Certificate of Completion of Building Works, Application for Occupation Permit and Submission of Record Plans and Information

Submission of Certificate of Completion of Building Works

Upon the completion of building works, a certificate of completion of building works not resulting in a new building (Form BA14/14A/14B/14C and/or Form MW02/04) or resulting in a new building (Form BA12/13) should be submitted in accordance with regulation 25 of the Building (Administration) Regulations (B(A)R). While there is no statutory time limit under the Buildings Ordinance (BO) for processing such certificates, the Buildings Department (BD) will generally provide a reply to Form BA14/14A within 28 days, and Form BA14B¹/14C² within 14 days (for non-audit case) or 28 days (for audit case) under streamlined procedures, advising the acceptance of the completed works or the outstanding issues to be rectified. As a certificate of completion of new buildings and application for an occupation permit (OP) are usually submitted together in Form BA12/13, they will be processed together within 14 days in accordance with section 21 of the BO.

2. If the same contractor is employed for both the foundation works and the superstructure works for a new building or in the alteration and addition (A&A) works to an existing building, where spread footing foundation with excavation depth not exceeding 4.5 m is adopted, the certification of completion of both the spread footing and superstructure works in such cases may be made in Form BA12/13 or a single Form BA14, as the case may be, and a separate Form BA14 for completion of the spread footing works is not required.

Simultaneous Submission of Amended Building Plans and Application for OP

3. Form BA12/13 is sometimes submitted at or about the same time as the submission of amended plans for approval. This would complicate the processing of an application for OP. In line with the declaration in Form BA12/13 that the new building has been erected in accordance with the plans approved, the Building Authority (BA) takes the view that the authorized person (AP)/registered structural engineer (RSE)/registered geotechnical engineer (RGE) should submit and secure approval of amendment plans in advance of an application for OP. The exception is that minor positional deviations from the approved plans which do not contravene the BO and its subsidiary regulations may be acceptable.

/Submission ...

See "Streamlined Procedures for Fast Track Acceptance of Completion of Demolition Works" in Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers APP-21.

² See paragraphs 18-20 of this Practice Note.

Submission of Record Plans

- 4. Where several alterations have been made to the original design, the BA may require, under regulation 46 of the B(A)R, the submission of "new plans" showing the building as completed.
- 5. For those projects (including A&A works) with approved amendment plans, AP should submit a set of general building plans when applying for OP and submitting Form BA14/BA14C for A&A works, amalgamating all the plans approved by the BA and thereby representing the building/A&A works as completed. Each of those plans should bear either the signed and dated approval chop applied by the BA or a chop giving the AP's personal certification of the plans being identical to those approved by the BA on the date specified. To limit the volume of paper and encourage paperless submission, the BA would accept record plans in hard copy photographically reduced to not less than a ratio of 1:200 or soft copy in DVD-ROM format³ as an alternative to the conventional hard copy.
- 6. Record plans should not contain any amendments which have not been approved.
- 7. In addition, the Rating and Valuation Department (RVD) has requested that for all newly completed buildings and completed A&A works, one set of record plans be supplied to them for rating purposes. As record plans are now mostly produced from computer software such as AutoCAD or Microstation which could effectively shorten the processing time and assure the accuracy of the valuation work of RVD, AP are encouraged to submit a DVD-ROM containing the softcopy of the record plans in AutoCAD or Microstation format and marked "DVD-ROM containing plans for RVD" on the cover in addition to the required paper copy for BD's onward transmission to RVD. RVD has committed that the record plans will only be used for relevant rating purposes and will not be released to other Departments or parties.

Submission of Schedule of Building Materials and Products

8. Under the BO, AP, RSE, RGE and the registered contractor (RC) have responsibilities to supervise building works including the selection and application of building materials and to certify compliance with relevant provisions of the BO upon completion of works. To expedite the processing of an application for OP, the BA requires the submission of a schedule under regulation 44 of the B(A)R, confirming the use of accepted building materials and products in construction.

/9. ...

-

The DVD-ROM should be non-rewritable in ISO/IEC 13346:1995 format containing soft copies of the record plans/documents in appropriate format which are searchable (where applicable) and properly indexed in accordance with Appendix H. Essential information, including (i) BD file reference number, (ii) project title and address, (iii) name of AP, (iv) AP's declaration: "I declare that the information in this disc is true and correct, and the disc has been finalised", and (v) disc number together with the AP's signature should be provided on the cover of the disc.

- 9. The schedule should be submitted with an application for OP. AP should confirm and certify in the schedule that the application and performance of building materials and products are in compliance with the relevant provisions of the BO and its subsidiary regulations and the RC should confirm the use of those building materials and products in construction. Except for regularly used building materials, the schedule should cover all materials and products not specified on the approved plans, the application of which would involve the structural integrity and fire safety of the building, and the cast iron pipes and fittings as stipulated in Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) APP-133. Where appropriate, a schedule should be submitted on completion of A&A works not resulting in a new building or minor works. Sample schedules for building works and minor works are provided at Appendices A and B respectively.
- 10. As an alternative to accepting test and assessment reports in the schedule, the BA will accept valid certificates of conformity of fire rated doorsets and non-loadbearing partition walls issued by the accredited certification body in accordance with the Product Conformity Certification Scheme as promulgated in paragraph 4 of PNAP APP-165.
- 11. Where the building works involve the installation of fire dampers, the fire dampers may be installed by the registered general building contractor (RGBC) of the project and a registered specialist contractor in the ventilation works category (RSC(V)) appointed for such purpose. Furthermore, under the Minor Works Control System, erection or alteration of a fire damper in a ventilation system of an existing building is designated as minor works, which may be carried out under the simplified requirements as an alternative to obtaining approval and consent under the BO. Reference can be made to Schedule 1 of the Building (Minor Works) Regulation and PNAP APP-147 respectively.
- 12. For fire dampers installed by RGBC/registered minor works contractor (RMWC), RSC(V) should be engaged to inspect and certify that the fire dampers are in safe and efficient working order pursuant to Clause E8.3 of the Code of Practice for Fire Safety in Buildings 2011. For fire dampers installed by RSC(V), the same RSC(V) could inspect and certify the fire dampers. AP/RMWC in submitting the certification on fire dampers should include an inspection certificate on fire dampers by RSC(V).

Submission of Structural Documents

13. When giving approval of foundation or structural plans, the BA may impose certain conditions and requirements under the BO and its subsidiary regulations. These conditions and requirements may include the submission of structural documents, such as material testing reports, mill certificates, method statements of tests, construction records, compliance certificates, foundation record plans, foundation reports, monitoring records, and quality assurance and quality control documents within specified time frames. It is the RSE's duties and responsibilities to ensure that these structural documents are submitted to BD in a timely manner.

- RSE should keep track of the submission status of the required structural documents and submit summary tables of approved foundation and structural plans and the required structural documents (samples are at Appendices C and D) at half-yearly intervals and at completion of the foundation works and OP application respectively. For A&A works involving approval of structural plans⁴, RSE should also submit a table of approved plans and the required structural documents (Appendix D) at half-yearly intervals, or if the duration of A&A works is less than half a year, upon completion of the works.
- 15. To facilitate the processing of Form BA14 upon completion of the foundation works, RSE should include a summary table of the as-built information of foundation works (samples are at Appendix E) in the foundation report.

Submission of Building Related Documents

- 16. To ensure all essential works and procedures have been completed and all required documents are submitted prior to or together with the submission of certificates of completion of building works, AP may make reference to the checklists at Appendices F and G as appropriate.
- 17. Upon the application for an OP, AP should submit DVD-ROM³ containing soft copies of the documents required under PNAP ADM-2, APP-126, APP-151, APP-152 and APP-156 to facilitate uploading of information to BD website.

Streamlined Procedures for Fast Track Acceptance of Completion of A&A Works

- 18. Taking into account the different scale, nature and complexity of works, A&A works which satisfy the following criteria may be subject to fast track acceptance upon completion:
 - (a) Simple A&A works approved under paragraph 29 of PNAP ADM-19;
 - (b) Repair or replacement of curtain wall, window wall and cladding approved under paragraph 32 of PNAP ADM-19; and
 - (c) Erection or alteration of signboards approved under paragraphs 8 to 10 of PNAP APP-126.
- 19. AP and RSE who wish to take benefit of fast track acceptance should follow the procedures below:
 - (a) Submit Form BA14C upon completion of the A&A works together with record plans and all the required documents (where applicable); and

/(b) ...

⁴ Including structural plans and building cum structural plans.

- (b) Submit colour record photos showing general views of the completed works, elevations of the building facades, individual components and structural elements (where applicable); and mark-up plans indicating the directions of the photos taken.
- 20. BD will carry out audit checks when processing Form BA14C. For cases not selected for audit checks, BD will generally provide a reply within 14 days, advising acceptance of the completed works or outstanding issues to be rectified. For cases selected for audit checks, AP and RSE will be informed in writing within 14 days upon receipt of Form BA14C that their case is selected for audit check, and a reply will generally be provided within 28 days, advising acceptance of the completed works or outstanding issues to be rectified, similar to that in processing Form BA14.

Paperless Submission of Documents

21. BD encourages paperless submission of documents and reports. Save for any certificates or statements confirming compliance with the relevant acceptance criteria/standards (such as Form BA 12/13/14/14A/14B/14C, Schedule of Accepted Building Materials and Products, Certificate of Completion of Vehicular Run-in and Run-out) that should be submitted in hard copies and the required documents to be submitted in soft copies as mentioned in paragraph 17 above, other documents may be submitted in DVD-ROM format³ as an alternative to the conventional hard copy.

(YU Po-mei, Clarice) Building Authority

Ref.: BD GP/BORD/10 (VIII) BD GR/BORD/93 (II) BD GR/OP/4/M BD GR/OA/177 BD GR/1-125/106 (X)

This PNAP is previously known as PNAP 53

First issue July 1978 Last revision May 2022

This revision February 2023 (AD/NB1) (Paragraphs 1, 14 and 21 amended, paragraphs 18 to 20 added, and Appendices D and G amended)



認可人士、註冊結構工程師及註冊岩土工程師作業備考PNAPAP-13

附錄 Appendix 🛕

- 請以正楷填寫,並在適當方格內加上『√』號。填寫前,請細閱《注意事項》。
- Read the "Matters to Note", complete in BLOCK LETTERS and tick the appropriate boxes.

致建築事務監督	To the Building	Authority	/

以是来事奶血目 To the building A											
甲部 由認可人士核證 Part A To be Certified by Autho	orized Person										
由認可人士填寫 To be completed by the authorize											
宇署檔號 BD Ref. No.			電郵地均	Ł				作認收	電郵之用 (電	子呈交適用	
D			E-mail A	ddress			(i)	For acl	knowledgem	ent email (e	e-submission
展地盤地址/改動或加建工程的位置											
ddress of Development Site / Locati		rks									
	工程指明使用認可的建築物料和產品	品。	本人並依	據《建	築物	勿(管理) 規例	》第44	4條的規定	· 正式批簽	§所夾附的 建
■ 物科和産吅明細衣(附件A)。	accepted building materials and pro	oduc	cts have l	oeen si	oec	ified in th	ie abo	ve buil	ding const	ruction. Pu	ursuant to
	inistration) Regulations, I duly endo										
I hereby certify that the building ma	的建築物料和產品·根據相關的建築 aterials and products listed in the at olication and performance of these p	ttac	hed Sche								
可人士資料 etails of the Authorized Person											
	① 姓氏先行 Surname first		註冊證明]書編5	虎*(Certifica	te of	Regist	ration Nun	nber*	
			AP()			/				
文姓名* Name in English*	i 姓氏先行 Surname first		註冊屆滿	 話日期*	Da	ate of Ex	piry c	of Regi	stration*		
			∃dd	月mm	1	年 ууу	y				
ignature of the Authorized Person*											
	Any fals	se c	證或聲明□ certificatio bject to le	n or de	clar	ation					
	日期 Da	ate	,								
		T					Г				
	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	- F	∃ mm	年 yy	уу						
										8077538E	■
									100 m	2015年6月2日	<i>16</i> 0

^{*} 根據註冊記錄

^{*} In accordance with the registration record

乙部 由註冊承建商核證 Part B To be Certified by the Registered Contractor	
由註冊承建商填寫 To be completed by the registered contractor	
屋宇署檔號 BD Ref. No.	2. 移民地般地址/小新式加建工和价价等
BD	發展地盤地址/改動或加建工程的位置 Address of Development Site / Location of Alteration and Addition Work
註冊承建商資料 Details of the Registered Contractor	
中文名稱* Name in Chinese*	獲授權簽署人姓名(中文)* Name of Authorized Signatory (Chinese)*
英文名稱* Name in English*	獲授權簽署人姓名(英文)* Name of Authorized Signatory (English)*
註冊證明書編號* Certificate of Registration Number* 註冊屆滿日期* Date of Expiry of Registration* 日dd 月mm 年 yyyy 本人/我們為註冊承建商・現確認所夾附明細表中列明的認可建築物料和產	註冊承建商類別 Type of Registered Contractor 註冊一般建築承建商 Registered General Building Contractor 註冊專門承建商・類別: Registered Specialist Contractor, category:
I/We, registered contractor, hereby confirm that the accepted building mat properly applied in the above building construction. 註冊承建商簽署* Signature of the Registered Contractor*	
eignature of the registered contactor	任何失實核證或聲明可引致法律行動。## Any false certification or declaration may be subject to legal action.##
	日期 Date 日 dd 月 mm 年 yyyy



^{*} 根據註冊記錄 * In accordance with the registration record

丙部 由註冊專門承建商(通風系統工程類別)核證 Part C To be Certified by Registered Specialist Cor 由註冊專門承建商(通風系統工程類別)填寫 To be completed by the registered specialist contractors			gory
屋宇署檔號 BD Ref. No.			
вр		發展地盤地址/改動或加建工和	锃的位置 e / Location of Alteration and Addition Work
		Address of Development Site	E / Education of Alteration and Addition Work
註冊專門承建商(通風系統工程類別)資料 Details of the Registered Specialist Contractor in the	Ventilatio	n Works Category	
中文名稱* Name in Chinese*	Vontiliatio		ame of Authorized Signatory (Chinese)*
			3 7 7
英文名稱* Name in English*		進授權簽署人姓名(英文)* Na	ame of Authorized Signatory (English)*
註冊證明書編號* Certificate of Registration Number*			
註冊屆滿日期* Date of Expiry of Registration*			
日 dd 月 mm 年 yyyy			
本人/我們為註冊專門承建商(通風系統工程類別)·於下述根據《建築物消防安全守則》第E8.3條·所有這些防火擋板即以來,registered specialist contractor in the ventilation works construction on the following completion date of inspection pursuant to Clause E8.3 of the Code of Practice for Fire Sat	均處於安全 s category, and hereby fety in Build	和有效的操作狀態。 have inspected every fire damper certify that all the fire dampers ar ings.	r installed in the above building re in safe and efficient working order
本人/我們為註冊專門承建商(通風系統工程類別)·現確認 查日期已就安裝在上述建築工程中的每一個防火擋板進行檢 安全和有效的操作狀態。	8所处附明紐 查。本人/我	表列明的防火擂板,已在上娅建等	A 上程中妥富安装。本人/我們於下延完成檢 引則》第E8.3條,所有這些防火擋板均處於
I/We, registered specialist contractor in the ventilation works been properly installed in the above building construction. I/ completion date of inspection and hereby certify that all the Code of Practice for Fire Safety in Buildings.	/We have in	spected every fire dampers instal	lled in the above premises on the following
完成檢查日期			
Completion Date of Inspection			
日 dd 月 mm 年 yyyy			
註冊專門承建商(通風系統工程類別)簽署* Signature of the Registered Specialist Contractor in the Ventilation Works Category*			
	Any false	g證或聲明可引致法律行動。## certification or declaration ubject to legal action.##	
	☐ dd	月 mm 年 yyyy	面源起業製

^{*} 根據註冊記錄 * In accordance with the registration record

注意事項

任何人如作出虛假聲明或就重要事項作出失實陳述即屬觸犯刑事罪行可能會被檢控。

甲. 個人資料

收集的目的

- 1. 屋宇署會使用透過本表格所獲得的個人資料作下列用途:
 - (a) 處理你在本表格中所呈交的文件的相關事務
 - (b) 處理有關上述擬進行工程、《建築物條例》及有關法例的相關事務; 及
 - (c) 方便屋宇署與你聯絡。
- 2. 你必須提供本表格所要求的個人資料。假如你未能提供所需資料,可能 導致處理你所呈交的文件時出現延誤,或甚至導致無法處理你的申請。

獲轉交資料的部門/人士

3. 本署可能會向其他政府部門、決策局、機構或任何人士披露你透過本表格所提供的個人資料,以作上述第1段所列的用途。

索閣個人 資料

4. 根據《個人資料(私隱)條例》,你有權查閱及改正你所提交的個人資料。屋宇署有權就有關資料索閱的要求收取合理費用。如要求查閱及改正你的個人資料,請與屋宇署聯絡。

乙. 填寫表格

- 1. 請填妥表格載列所有有關的部分·並在表格上簽署。請附上所有證明文 件。
- 2. 所提供的資料如有不全或錯誤,屋宇署將不能處理呈交的文件。
- 3. 如對本表格有任何疑問,請與屋宇署聯絡。

丙. 呈交方法

1. **郵寄/親身呈交**-本表格連同有關文件應郵寄或親身呈交至屋宇署:

呈交有關勸諭信/命令/通知/指示的表格:

九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部地下一般查詢 及收件處。

呈交至拓展部有關其他事宜的表格:

香港太古城太古灣道14號7樓屋宇署收發處。

丁. 聯絡資料

屋宇署

地址:九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部

電話: 2626 1616 (由 "1823" 接聽)

傳真: 2537 4992

電郵:enquiry@bd.gov.hk

Matters to Note

Any person making a false declaration or misrepresenting a material fact shall be guilty of a criminal offence and subject to prosecution.

A. Personal Data

Purposes of Collection

- The personal data provided by means of this form will be used by the Buildings Department for the following purposes:
 - (a) activities relating to the processing of your submission in this form;
 - (b) activities relating to the above proposed works, and administration of the Buildings Ordinance and other legislations; and
 - (c) facilitating communication between the Buildings Department and yourself.
- It is obligatory for you to provide the information as required in the form. If you fail to provide the required data, delay may be caused in processing of your submission or even result in rejection of the application.

Classes of Transferees

3. The personal data you provided by means of this form may be disclosed to other government departments, bureaux, organisations or any persons for the purposes mentioned in paragraph 1 above.

Access to Personal Data

4. You have the right of access and correction with respect to the personal data as provided under the Personal Data (Privacy) Ordinance. The Buildings Department has the right to charge a reasonable fee for the processing of any data access request. Request for personal data access and correction should be addressed to the Buildings Department.

B. Completion of Form

- Please ensure that all relevant parts of the form are duly completed, and the form is signed. Please enclose all supporting documents.
- If incomplete or erroneous information is provided in the form, the Buildings Department may not be able to process the submission.
- Enquiries regarding this form should be addressed to the Buildings Department.

C. Submission Methods

 By Post / In Person - This form together with the relevant documents shall be posted to or submitted in person to the Buildings Department:

For submissions relating to advisory letter/order/notice/direction:

General Enquiry and Receipt Counter, G/F, Buildings Department Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon.

For other submissions to the New Buildings Division:

Receipt & Despatch Counter, Building Department, 7/F, 14 Taikoo Wan Road, Taikoo Shing, Hong Kong.

D. Contact Details

Buildings Department

Address: Buildings Department Headquarters, North Tower, West Kowloon

Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon

Tel No.: 2626 1616 (handled by "1823")

Fax No.: 2537 4992 Email: enquiry@bd.gov.hk

Schedule of Building Materials and Products

Building Product	Product Name	Name of Manufacturer and Place of		esistance (minutes)	Compliance with Relevant			Remarks Comment				
			Manufacture (City and Country)	Integrity	Insulation	Building Regulations and Codes of Practice	Name of Laboratory Accreditation Body	Name of Laboratory / Assessing Organisation	Report No.	Date of Test / Assessment Report	Validity Date	
a) Fire rated doorset	٨						•					
b) Lift landing door	^											
c) Fire rated glazing	^											
d) Fire-stop or sealing in wall/floor/curtain etc.												
e) Fire dampers [•]												
f) Others (e.g. propri products, fire shutt												
The performance on Corresponding legen Part C of the Certific	d in appro	ved plan sho	ald be specified wh	ere applical	ble. ppendix A o	of PNAP APP-13	3 should be comple	eted by RSC(V).				
								Date	Signat	ure# of author	rized perso	on

Schedule of Building Materials and Products

Product Name Manufa and Pla	Name of Manufacturer and Place of	Fire Resistance Rating @(minutes)		Compliance with Relevant		CoC Scheme	Remarks/ Comments					
	Manufacture (City and Country)	Integrity	Insulation	Building Regulations and Codes of Practice	Name of Accreditation Body	Name of Certification Body	CoC No.	Date of CoC	Validity Date			
n) Fire rated ^												
o) Non- ^ loadbearing fire partition												
The performance o Corresponding lege	end in approved						D	Pate	Signatu	re [#] of auth	orized pers	son

Schedule of Building Materials and Products

		Manufacturer and Place of	Compliance with Relevant Building Regulations and		Details of Test or	rissessment i	Сероге		Remarks/ Comments
	Manufacture (City and Country)	Codes of Practice	Name of Laboratory Accreditation Body	Name of Laboratory / Assessing Organisation	Report No.	Date of Test / Assessment Report	Validity Date		
a) Glazing barrier				·					
b) Cast iron pipes and fittings									
c) Others									
I confirm of these products comp			g products have bee ulations.	en tested or assess	sed as stated and h	ereby certif	ry that the appli	ication and	l performan

(Rev. 9/2021)



認可建築物料和產品證明書 (小型工程)

屋 宇 署
Certificate of Accepted Building Materials and Products
DEPARTMENT (Minor Works)

認可人士、註冊結構工程師及 註冊岩土工程師作業備考 PNAP **APP-13**

附錄 Appendix B

請以下楷填寫	, 並在適當方格內加上	『√』號	填寫前,	請細閱	《注意事項》	۰

 Read the "Matters to Note 	', complete in BLOCK LETTERS	and tick the appropriate boxes
---	------------------------------	--------------------------------

必須填寫 MUST COMPLETE				
小型工程呈交編號 (如能提供): Minor	Works		或地址 (如未能提供呈交編號):	Location or address
Submission Number (if available) :		of the minor wo	rks (if minor works submission	no. is not available):
MW				
【電子郵件 ☐ 作認收電题 E-mail Address ☐ For acknown	郵之用 (電子呈交號 wledgement ema	通用) il (e-submission)		
- India / Ida / Id	wioagomoni oma	ii (o odbiiilooloii)		
致建築事務監督 To the Building A	uthority			
甲部 由已獲委任的認可人士或認	注冊檢驗人員核證	(適用於第I級別	小型工程 	
Part A To be Certified by Autho				ss I minor works)
由己獲委任認可人士或註冊檢驗				
To be completed by the authorize				
本人為認可人士/註冊檢驗人員填寫型工程)規例》第56條·正式批				n建築物料和產品。本人依據 《 建築物(小
I, authorized person OR registered	l inspector, confirm	that accepted bu	ilding materials and products have	ve been specified in the carrying out of mino
works in the above mentioned sub Schedule of Building Materials and	mission no. Pursua I Products for Mino	ant to section 56 or r Works (Annex E	of the Building (Minor Works) Reg 3).	gulations, I duly endorse the attached
-				
本人現證明,所夾附明細表中列明				核等產品的應用和效能感到滿意。 products under relevant building regulations
and that I am satisfied with the app	plication and perfor	mance of these p	roducts.	nodadis ander relevant sanding regulations
已獲委任的認可人士或註冊檢驗人員	昌咨 料			
Details of the Authorized Person		Registered Ins	pector	
中文姓名* Name in Chinese*	① 姓氏先行	∃ Surname first	註冊證明書編號* Certificate	of Registration Number*
			AP()	/
			`	
英文姓名* Name in English*	① 姓氏先行	Surname first	註冊屆滿日期* Date of Expir	y of Registration*
			日 dd 月 mm 年 yyyy	
認可人士簽署*				
Signature of the Authorized Person*				
任何失實核證或聲明可引致法律行動。##				(minuscus cum
Any false certification or declaration				国 (1975年)

日dd 月mm

日期 Date

年уууу

^{*} 根據註冊記錄 * In accordance with the registration record

乙部 由已獲委任的訂明註冊承建商核證

Part B To be Certified by the Prescribed Registered Contractor Appointed



由已獲委任的訂明註冊承建商填寫

To be completed by the prescribed registered contractor appointed

已獲委任的訂明註冊承建商資料 Details of the Prescribed Registered Contractor appointed 中文名稱* Name in Chinese*	獲授權簽署人姓名(中文)* Name of Authorized Signatory (Chinese)*
英文名稱* Name in English*	獲授權簽署人姓名(英文)* Name of Authorized Signatory (English)*
註冊證明書編號* Certificate of Registration Number*	
註冊屆滿日期* Date of Expiry of Registration*	
日 dd 月 mm 年 yyyy	
和產品明細表(附件B)中列明的認可建築物料和產品。 (For Class I minor works) I / We, prescribed registered contractor, her	進行上述編號的小型工程時,已使用及適當應用所夾附小型工程建築物料eby confirm that the accepted building materials and products listed in the s (Annex B) have been used and properly applied in the carrying out of minor
明所夾附明細表中列明的建築物料和產品,根據相關建築物規例, (For Class II or Class III minor works) Pursuant to section 56 of the Bu	uilding (Minor Works) Regulation, I / we prescribed registered contractor, duly aterials and products listed in the attached Schedule are acceptable products
訂明註冊承建商簽署* Signature of the Prescribed Registered Contractor*	
	任何失實核證或聲明可引致法律行動。## Any false certification or declaration may be subject to legal action.##
	日期 Date 日 dd 月 mm 年 yyyy



^{*} 根據註冊記錄

^{*} In accordance with the registration record

丙部 由被已獲委任的註冊專門承建商(通風系統工程類別)核證(適用於小型工程項目2.42)

Part C To be Certified by Registered Specialist Contractor in the Ventilation Works Category appointed (for minor work item 2.42)

由已獲委任的註冊專門承建商 (通風系統工程類別)填寫

To be completed by the registered specialist contractor in the ventilation works category appointed

已獲委任註冊專門承建商	(資料
口没女什叫!!!!		무가

Details of the Registered Specialist Contractor in the 中文名稱* Name in Chinese*	e Ventilation Works Category appointed 獲授權簽署人姓名(中文)* Name of Authorized Signatory (Chinese)*
英文名稱* Name in English*	獲授權簽署人姓名(英文)* Name of Authorized Signatory (English)*
註冊證明書編號* Certificate of Registration Number*	
註冊屆滿日期* Date of Expiry of Registration* 日dd 月mm 年 yyyy	
人/我們現證明根據《建築物消防安全守則》第E8.3條·所I/We, registered specialist contractor in the ventilation wor	rks category, have inspected every fire damper installed in the location of the minor works completion date of inspection and hereby certify that all the fire dampers are in safe and
	認所夾附明細表列明的防火擋板·已在上述編號的小型工程的位置中中妥當安裝。本人/我 立置中的每一個防火擋板進行檢查。本人/我們現證明根據《建築物消防安全守則》第E8.3
been properly installed in the location of the minor works with the location of the minor works with the above-mentioned	rks category, hereby confirm that the fire dampers listed in the attached Schedule have with the above-mentioned submission no. I/We have inspected every fire dampers installed submission no. on the following completion date of inspection and hereby certify that a sursuant to Clause E8.3 of the Code of Practice for Fire Safety in Buildings.
完成檢查日期 Completion Date of Inspection 日dd 月mm 年 yyyy	
註冊專門承建商(通風系統工程類別)簽署* Signature of the Registered Specialist Contractor in the Ventilation Works Category*	
	任何失實核證或聲明可引致法律行動。## Any false certification or declaration may be subject to legal action.##
	日期 Date

∃dd

月mm

年уууу

^{*} 根據註冊記錄

^{*} In accordance with the registration record

注意事項

##任何人如作出虛假聲明或就重要事項作出失實陳述即屬觸犯刑事罪行可能會被檢控。

甲. 個人資料

收集的目的

- 1. 屋宇署會使用透過本表格所獲得的個人資料作下列用途:
 - (a) 處理你在本表格中所呈交的文件的相關事務
 - (b) 處理有關上述擬進行工程、《建築物條例》及有關法例的相關事務; 及
 - (c) 方便屋宇署與你聯絡。
- 2. 你必須提供本表格所要求的個人資料。假如你未能提供所需資料,可能 導致處理你所呈交的文件時出現延誤,或甚至導致無法處理你的申請。

獲轉交資料的部門/人士

3. 本署可能會向其他政府部門、決策局、機構或任何人士披露你透過本表格所提供的個人資料,以作上述第1段所列的用途。

索閣個人 資料

4. 根據《個人資料(私隱)條例》,你有權查閱及改正你所提交的個人資料。屋宇署有權就有關資料索閱的要求收取合理費用。如要求查閱及改正你的個人資料,請與屋宇署聯絡。

乙. 填寫表格

- 1. 請填妥表格載列所有有關的部分·並在表格上簽署。請附上所有證明文 件。
- 2. 所提供的資料如有不全或錯誤,屋宇署將不能處理呈交的文件。
- 3. 如對本表格有任何疑問,請與屋宇署聯絡。

丙. 呈交方法

- 1. **郵寄/親身呈交** 本表格連同有關文件應郵寄或親身呈交至: 九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部地下一般查詢 及收件處
- 2. 電子郵件傳送 透過電子郵件傳送本表格及附上有關文件(全部必須獲香港郵政署長發出的數碼證書認證·或根據《電子交易條例》認可的其他核證機關所發出的數碼證書認證) 到屋宇署的電子收件處·電郵地址為 receipt@bd.gov.hk。
- 3. 電子呈交 按本表格上的「提交」傳送本表格及有關文件(全部必須附上數碼證書認證)。請使用 Acrobat Reader 中的「附加檔案」功能・附上已數碼認證的文件。

Matters to Note

Any person making a false declaration or misrepresenting a material fact shall be guilty of a criminal offence and subject to prosecution.

A. Personal Data

Purposes of Collection

- The personal data provided by means of this form will be used by the Buildings Department for the following purposes:
 - (a) activities relating to the processing of your submission in this form;
 - (b) activities relating to the above proposed works, and administration of the Buildings Ordinance and other legislations; and
 - (c) facilitating communication between the Buildings Department and yourself.
- It is obligatory for you to provide the information as required in the form. If you fail to provide the required data, delay may be caused in processing of your submission or even result in rejection of the application.

Classes of Transferees

3. The personal data you provided by means of this form may be disclosed to other government departments, bureaux, organisations or any persons for the purposes mentioned in paragraph 1 above.

Access to Personal Data

4. You have the right of access and correction with respect to the personal data as provided under the Personal Data (Privacy) Ordinance. The Buildings Department has the right to charge a reasonable fee for the processing of any data access request. Request for personal data access and correction should be addressed to the Buildings Department.

B. Completion of Form

- Please ensure that all relevant parts of the form are duly completed, and the form is signed. Please enclose all supporting documents.
- If incomplete or erroneous information is provided in the form, the Buildings Department may not be able to process the submission.
- Enquiries regarding this form should be addressed to the Buildings Department.

C. Submission Methods

- By Post / In Person This form together with the relevant documents shall be posted to or submitted in person to: General Enquiry and Receipt Counter, G/F, Buildings Department
 - Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon.
- Through Email Email this form together with the relevant documents, all
 with identity authenticated by a digital certificate issued by the Postmaster
 General or other certification authorities recognized under the Electronic
 Transactions Ordinance to the e-Counter of the Buildings Department at
 receipt@bd.gov.hk.
- 3. Through e-Submission Click the Submit button to electronically submit this form together with attachment of the relevant documents, all with identity authenticated by your digital certificates. You may attach all authenticated documents using Acrobat Reader's "Attachments " function.

丁. 聯絡資料

屋宇署小型工程小組

地址:九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部

電話: 2626 1616 (由 "1823" 接聽)

傳真: 3162 0006

電郵:enquiry@bd.gov.hk

D. Contact Details

Minor Works Unit of the Buildings Department

Address: Buildings Department Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon

Tel No.: 2626 1616 (handled by "1823")

Fax No.: 3162 0006

Email: enquiry@bd.gov.hk

Schedule of Building Materials and Products for Minor Works

Minor works sub	omission n	o. (if available): MV	V							
			, •		nission no. is not	available):					
(A1) Fire Resis	sting Prod	ucts with Test	1	esistance	ort 						
		Name of Manufacturer		ting@	Compliance with		Details of Test of	etails of Test or Assessment Report			
Building Product	Product Name	and Place of Manufacture (City and Country)	Integrity	nutes) Insulation	Relevant Building Regulations and Codes of Practice	Name of Laboratory Accreditation Body	Name of Laboratory / Assessing Organisation	Report No.	Date of Test / Assessment Report	Validity Date Remarks/ Comments	
a) Service lift ^ landing door						-					
b) Fire rated ^ glazing											
c) Fire-stop or sealing system in wall, floor, etc.											
d) Fire dampers [†]											
e) Others											
The performance Corresponding le Part C of the Cert	gend in preso	ribed plans or pla	ns should b	e specified wh	nere applicable. Appendix B of PNAP	APP-13 should be	e completed by F	RSC(V).			
f In accordance wi ☐ Enter "✓" in the a				Date		ignature [#] ofappointed	prescribed by prescribed re	<i>uilding profe</i> gistered con	inor works wit essionals appo tractor (for mi ing profession	ointed) inor works	ed)

Schedule of Building Materials and Products for Minor Works

Minor works su	ıbmiss	sion no. <i>(i</i>	if available) :	MW									
Location or ad	dress o	of the min	nor works <i>(if m</i>	inor work	as submiss	sion no. is n	ot available):						
(A2) Fire Res	sisting	Products	s with Certificat	te of Con	formity (CoC)							
Building Product Product Name			Name of Manufacturer and Place of	Ra	esistance ting@ nutes)	Compliance with Relevant		D	etails of CoC			CoC Scheme	Remarks/ Comments
			Manufacture (City and Country)	Integrity	Insulation	Building Regulations and Codes of Practice	Name of Accreditation Body	Name of Certification Body	CoC No.	Date of CoC	Validity Date	•	
a) Fire rated doorset	^												
b) Non- loadbearing fire partition	^												
			to be demonstrated bed plans or plans s			re applicable.							
t In accordance v ☐ Enter "✓" in the		•	n record	D	ate		Signature# of appointed	prescri	<i>bed building</i> bed registere	for minor work g professionals ed contractor (f building profe	appointed) for minor w	orks	

Schedule of Building Materials and Products for Minor Works

Duilding		Name of	Compliance with	Details of Test or Assessment Report					
Building Product	Product Name	Manufacturer and Place of Manufacture (City and Country)	Relevant Building Regulations and Codes of Practice	Name of Laboratory Accreditation Body	Name of Laboratory / Assessing Organisation	Report No.	Date of Test / Assessment Report	Validity Date	Remark Commen
Glazing barrier									
Cast iron pipes & fittings									
Others									
		ne above mentioned b Building Regulations.	uilding products ha	ve been tested or	assessed as stated and l	hereby certify	that the applic	ation and p	perfo

(Rev. 9/2021)

BD Ref. : Updated on: (Date)

Structural Submissions	Approval Date	Letter/ Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
Foundation (Large Diameter Bored	dd.mm.yy	Letter	Monitoring records	dd.mm.yy	1 st submission (from dd.mm.yy to dd.mm.yy)
Piles)				dd.mm.yy	2 nd submission (from dd.mm.yy to dd.mm.yy)
			Performance review report (if specified)	dd.mm.yy	
		App I	Predrilling records	dd.mm.yy	
			Construction record (date of construction, quality and quantity of materials used, excavation records)	dd.mm.yy	
			Results of rock specimen tests		outstanding
			Results of ultrasonic echo sounder test		outstanding
			Results of ultrasonic crosshole sonic logging test		outstanding
			Post-installation proof drilling records		outstanding
			Assessment report with rockhead contour plan		outstanding
			Reinforced Concrete Works		
			Test results of steel reinforcing bars with RSE's statement	dd.mm.yy	
			Test results of concrete test cube with RSE's statement	dd.mm.yy	
			Certificate of quality scheme for the production and supply of concrete		outstanding
			Foundation record plans	dd.mm.yy	
		App II	Type 1 mechanical coupler		
			Results of strength tests with RSE's statement	dd.mm.yy	
			Mill certificates of constituent materials used to produce the coupler with RSE's statement	dd.mm.yy	

BD Ref. : _____ Address of Site: _____ Updated on: __(Date)

Structural	Approval	Letter/	Imposed Conditions/Requirements	Date of Submission of	Remarks
Submissions	Date	Appendix		Structural Documents	
Foundation (Driven Steel Bearing Piles)	dd.mm.yy	Letter	Monitoring records	dd.mm.yy dd.mm.yy	1st submission (from dd.mm.yy to dd.mm.yy) 2nd submission (from dd.mm.yy to dd.mm.yy)
			Performance review report (if specified)	dd.mm.yy	
		App I	Reports of non-destructive tests for welded joints in spliced sections of the piles	dd.mm.yy	
			Structural Steel Works		
			Mill certificates with RSE's Statement	dd.mm.yy	
			Test results of structural steel (Class 2) with RSE's statement	dd.mm.yy	
			Construction record (date of installation, quality and quantity of materials used and driving performance)		outstanding
			Foundation record plans		outstanding

BD Ref. : _____ Address of Site: _____ Updated on: <u>(Date)</u>

Structural Submissions	Approval Date	Letter/ Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
Foundation (Steel Bearing Piles Driven to Bedrock) dd.mm.yy	Letter	Monitoring records	dd.mm.yy	1 st submission (from dd.mm.yy to dd.mm.yy) 2 nd submission (from dd.mm.yy to dd.mm.yy)	
			Performance review report (if specified)	dd.mm.yy	
		App I	Reports of non-destructive tests for welded joints in spliced sections of the piles	dd.mm.yy	
			Pre-drilling records	dd.mm.yy	
			Post-installation proof drilling records		outstanding
			Reports of dynamic load tests		outstanding
			Structural Steel Works		
			Mill certificates with RSE's Statement	dd.mm.yy	
			• Test results of structural steel (Class 2) with RSE's statement	dd.mm.yy	
			Construction record (date of installation, quality and quantity of materials used, driving performance, test on the bearing strata)		outstanding
			Assessment report with rockhead contour plan		outstanding
			Foundation record plans	dd.mm.yy	

BD Ref. : Updated on: (Date)

Structural Submissions	Approval Date	Letter/ Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
Foundation (Socketed Steel H-	dd.mm.yy	Letter	Monitoring records	dd.mm.yy	1 st submission (from dd.mm.yy to dd.mm.yy)
piles)			dd.mm.yy	2 nd submission (from dd.mm.yy to dd.mm.yy)	
			Performance review report (if specified)	dd.mm.yy	
		App I	Test installation report	dd.mm.yy	
			Predrilling records	dd.mm.yy	
			Post-installation proof drilling records		outstanding
			Reports of test on bearing strata		outstanding
			Reports of non-destructive tests for welded joints in spliced sections of the piles	dd.mm.yy	
			Grout cube test reports with RSE's statement	dd.mm.yy	
			Structural Steel Works		
			Mill certificates with RSE's Statement	dd.mm.yy	
			• Test results of structural steel (Class 2) with RSE's statement	dd.mm.yy	
			Construction record (date of construction, quality and quantity of materials used, grouting records, excavation and boring records)		outstanding
			Assessment report with rockhead contour plan		outstanding
			Foundation record plans	dd.mm.yy	

BD Ref. : _____ Address of Site: _____ Updated on: __(Date)

Structural Submissions	Approval Date	Letter/ Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
Foundation (Minipiles)	dd.mm.yy	Letter	Monitoring records	dd.mm.yy dd.mm.yy	1 st submission (from dd.mm.yy to dd.mm.yy) 2 nd submission (from dd.mm.yy to dd.mm.yy)
			Performance review report (if specified)		
		App I	Predrilling records	dd.mm.yy	
			Post-installation proof drilling records		outstanding
			Reports of test on bearing strata		outstanding
			Grout cube test reports with RSE's statement	dd.mm.yy	
			Test results of steel reinforcing bars with RSE's Statement	dd.mm.yy	
			Construction record (date of construction, quality and quantity of materials used, grouting records, excavation and boring records)		outstanding
			Assessment report with rockhead contour plan		outstanding
			Foundation record plans	dd.mm.yy	
		App II	Type 1 mechanical coupler • Results of strength tests with RSE's statement	dd.mm.yy	
			Mill certificates of constituent materials used to produce the coupler with RSE's statement	dd.mm.yy	

BD Ref. : _____ Address of Site: _____ Updated on: __(Date)

Structural Submissions	Approval Date	Letter/ Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
Foundation (Spread Footings/Rafts) with	dd.mm.yy	Letter	Monitoring records	dd.mm.yy	1 st submission (from dd.mm.yy to dd.mm.yy)
Foundation Units Founded on Soil				dd.mm.yy	2 nd submission (from dd.mm.yy to dd.mm.yy)
		App I	Reinforced Concrete Works		
			Test results of steel reinforcing bars with RSE's statement	dd.mm.yy	
			Test results of concrete test cube with RSE's statement	dd.mm.yy	
			Certificate of quality scheme for the production and supply of concrete		outstanding
			Test reports for static plate loading tests	dd.mm.yy	
			Construction record (date of construction, quality and quantity of materials used and excavation records)		outstanding
			Foundation record plans	dd.mm.yy	
		App II	Type 1 mechanical coupler		
			Results of strength tests with RSE's statement	dd.mm.yy	
			Mill certificates of constituent materials used to produce the coupler with RSE's statement	dd.mm.yy	

BD Ref.: Updated on: (Date)

Structural	Approval	Letter/	Imposed Conditions/Requirements	Date of Submission of	Remarks
Submissions	Date	Appendix		Structural Documents	
Foundation (Spread	dd.mm.yy	Letter	Monitoring records	dd.mm.yy	1 st submission
Footings/Rafts) with					(from dd.mm.yy to dd.mm.yy)
Foundation Units				dd.mm.yy	2 nd submission
Founded on Rock				dd.mm.yy	(from dd.mm.yy to dd.mm.yy)
		App I	Reinforced Concrete Works		
			Test results of steel reinforcing bars with RSE's statement	dd.mm.yy	
			Test results of concrete test cube with RSE's statement	dd.mm.yy	
			Certificate of quality scheme for the production and supply of concrete		outstanding
			Predrilling records	dd.mm.yy	
			Construction record (date of construction, quality and quantity of materials used, excavation records, results of rock specimen tests, predrilling records and assessment report with a rockhead contour plan)		outstanding
			Foundation record plans	dd.mm.yy	
		App II	Type 1 mechanical coupler		
			Results of strength tests with RSE's statement	dd.mm.yy	
			Mill certificates of constituent materials used to produce the coupler with RSE's statement	dd.mm.yy	

(5/2022)

Summary of Approved Structural Plans and Required Structural Documents

BD Ref.: _____ Address of Site: _____ Updated on: <u>(Date)</u>

Structural Submissions	Approval Date	Appendix	Imposed Conditions/Requirements	Date of Submission of Structural Documents	Remarks
e.g. Superstructure	dd.mm.yy	I	Reinforced Concrete Works Test results of steel reinforcing bars with RSE's statement Test results of concrete test cube with RSE's statement	dd.mm.yy dd.mm.yy dd.mm.yy	1 st submission 2 nd submission
		II	Structural Steel Works • Mill certificates with RSE's statement • Test results of structural steel (Class 2, 3 or 1H) with RSE's statement	dd.mm.yy	outstanding
e.g. Superstructure – Curtain Wall / Window Wall / Cladding	dd.mm.yy	I	Structural Steel Works • Mill certificates with RSE's statement • Test results of structural steel (Class 2, 3 or 1H) with RSE's statement	dd.mm.yy	outstanding
or Structural (A&A) / Building & Structural (A&A) – Curtain Wall / Window Wall /		II	Curtain Wall / Window Wall Works Safety test results of curtain wall with RSE's statement Compliance certificate for structural sealant Certificate to demonstrate seal durability of IGU Mill certificate of structural steel for connection of support with RSE's statement Test reports for surface compressive stress of glass	dd.mm.yy dd.mm.yy	outstanding outstanding
Cladding			 Test report of impact resistance of glass Compliance report of heat soak test of tempered glass Quality supervision report for heat soak process with RSE's statement 	,,	outstanding outstanding outstanding
		III	Structural Aluminium Works • Mill certificates with RSE's statement	dd.mm.yy	
		IV	Cladding Works • Strength test results of stone and individual stone anchorage with RSE's statement • Aged strength test results for limestone with RSE's statement • Performance test results of metal interlocking connection with RSE's statement	dd.mm.yy dd.mm.yy	outstanding

Summary of Approved Structural Plans and Required Structural Documents

BD Ref. : Updated on: (Date)

Structural	Approval	Appendix	Imposed Conditions/Requirements	Date of Submission of	Remarks
Submissions	Approvai Date	Appendix	imposed Conditions/Requirements	Structural Documents	Kemarks
e.g. Structural (A&A)/	dd.mm.yy	I	Structural Steel Works	Structural Documents	
Building & Structural			Mill certificates with RSE's statement	dd.mm.yy	
(A&A)			• Test results of structural steel (Class 2, 3 or 1H) with RSE's statement		outstanding
		II	Drilled-in Anchor Works • Strength test results		outstanding
			Method statement on anchor test	dd.mm.yy	
		III	Structural Aluminium Works • Mill certificates with RSE's statement	dd.mm.yy	
		IV	Signboard Works • Mill certificates with RSE's statement • Test results of structural steel (Class 2, 3 or 1H) with RSE's statement	dd.mm.yy	outstanding
			 Compliance certificate of vinyl display surface with RSE's statement 	dd.mm.yy	
	4		 Compliance certificate of polycarbonate sheeting display surface with RSE's statement 	dd.mm.yy	

(Rev. 2/2023)

BD Ref.:	Address of Site:		

Large Diameter Bored Pile

PIL NO	E PILE D. CAP MARK	PILE MARK	SHAFT DIA. ABOVE ROCK SOCKET (mm)	SHAFT DIA. IN ROCK SOCKET (mm)	BELL-OUT DIA. (mm)	EXISTING GROUND LEVEL (mPD)	PILE CUT-OFF LEVEL (mPD)	TENTATIVE ROCKHEAD LEVEL (TRHL) (mPD)	AS-BUILT ROCKHEAD LEVEL (ARHL) (mPD)	ROCKHEAD LEVEL DIFF (ARHL-TRHL) (m)	FOUNDING	AS-BUILT FOUNDING LEVEL (AFL) (mPD)	FOUNDING LEVEL DIFF (AFL - TFL) (m)	AS-BUILT PILE BASE LEVEL (mPD)	TENTATIVE EFFECTIVE ROCK SOCKET LENGTH (TERSL) (m)	AS-BUILT EFFECTIVE ROCK SOCKET LENGTH (AERSL) (m)	EFFECTIVE ROCK SOCKET LENGTH DIFF (AERSL - TERSL) (m)	TENTATIVE TOTAL ROCK SOCKET LENGTH (TRSL) (m)	AS-BUILT TOTAL ROCK SOCKET LENGTH (ARSL) (m)	TOTAL ROCK SOCKET LENGTH DIFF (ARSL - TRSL) (m)	TENTATIVE PILE NET LENGTH (TPL) (m)	AS-BUILT PILE NET LENGTH (APL) (m)	PILE NET LENGTH DIFF (APL-TPL) (m)	RELATED PREDRILL HOLE	ROCKHEAD LEVEL OF PREDRILL HOLE (mPD)	BOTTOM LEVEL OF PREDRILL HOLE (mPD)	INTERFACE LEVEL OF POSTDRILL HOLE (mPD)
1		BP1	3000	2850	4950	+3.75	-9.175	-10.60	-10.89	-0.29	-17.18	-17.63	-0.45	-17.85	3.705	3.870	+0.165	6.575	6.740	+0.165	8.005	8.455	+0.450	PDBP1	-10.55	-21.00	-17.85
2		BP2	3000	2850	4950	+3.83	-9.175	-13.30	-13.67	-0.37	-20.72	-21.16	-0.44	-21,25	4.550	4.620	+0.070	7.420	7.490	+0.070	11.545	11.985	+0.440	PDBP2	-13.21	-22.50	-21.25
3		BP3	3000	2850	2850	+3.47	-9.175	-17.90	-18.21	-0.31	-25.20	-25.98	-0.78	-26.16	7.000	7.470	+0.470	7.300	7.770	+0.470	16.025	16.805	+0.780	PDBP3	-17.79	-28.00	-26.16
4		BP4	3000	2850	2850	+3.72	-9.175	-18.50	-18.98	-0.48	-26.40	-26.98	-0.58	-27.07	7.600	7.700	+0.100	7.900	8.000	+0.100	17.225	17.805	+0.580	PDBP4	-18.40	-27.60	-27.07
5	PC1	BP5	3000	2850	4950	+3.73	-9.175	-9.75	-9.92	-0.17	-18.75	-19.03	-0.28	-19.10	6.130	6.240	+0.110	9.000	9.110	+0.110	9.575	9.855	+0.280	PDBP5	-9.73	-20.30	-19.10
6		BP6	3000	2850	4950	+3.66	-9.175	-17.60	-17.68	-0.08	-22.53	-22.98	-0.45	-23.11	2.055	2.430	+0.375	4.925	5.300	+0.375	13.355	13.805	+0.450	PDBP6	-17.55	-26.90	-23.11
7		BP7	3000	2850	4950	+3.62	-9.175	-10.00	-10.21	-0.21	-18.92	-19.31	-0.39	-19.48	6.050	6.230	+0.180	8.920	9.100	+0.180	9.745	10.135	+0.390	PDBP7	-9.91	-19.40	-19.48
8		BP8	3000	2850	4950	+4.22	-9.175	-14.10	-14.19	-0.09	-19.72	-19.98	-0.26	-20.03	2.750	2.920	+0.170	5.620	5.790	+0.170	10.545	10.805	+0.260	PDBP8	-14.00	-25.10	-20.03
9		BP9	3000	2850	4950	+4.54	-9.175	-21.00	-21.13	-0.13	-25.30	-25.87	-0.57	-25.97	1.430	1.870	+0.440	4.300	4.740	+0.440	16.125	16.695	+0.570	PDBP9	-20.88	-27.60	-25.97
10)	BP10	3000	2850	2850	+4.22	-9.175	-34.20	-34.30	-0.10	-37.70	-37.89	-0.19	-38.03	3.200	3.290	+0.090	3.500	3.590	+0.090	28.525	28.715	+0.190	PDBP10	-34.16	-43.96	-38.03

Max.	-0.08	Max.	-0.19						
Min.	-0.48	Min.	-0.78	Min.	+0.070	Min.	+0.070	Min.	+(

Maximum value in the range of difference +ve: As-built levels shallower than the tentative Minimum value in the range of difference +ve: As-built levels shallower than the tentative As-built levels shallower than the tentative shallower that the tentative shallower than the tentative shallower that the tentative shallower than the tentative shallower the tentative shallower than the tentative shallower than the tentative shallower that the tentative shallower than the tentati

+ve : As-built length longer than the tentative

BD Ref.:	Address of Site:		
		4	

Socketed Steel H-Pile/Mini-Pile

PILE NO.	PILE CAP MARK	PILE MARK	EXISTING GROUND LEVEL (mPD)	PILE CUT- OFF LEVEL (mPD)	TENTATIVE ROCKHEAD LEVEL (TRHL) (mPD)	AS-BUILT ROCKHEAD LEVEL (ARHL) (mPD)	ROCKHEAD LEVEL DIFF (ARHL - TRHL) (m)	TENTATIVE FOUNDING LEVEL (TFL) (mPD)	AS-BUILT FOUNDING LEVEL (AFL) (mPD)	FOUNDING LEVEL DIFF (AFL - TFL) (m)	MIN. ROCK SOCKET LENGTH (m)	AS-BUILT ROCK SOCKET LENGTH (m)	ROCK SOCKET LENGTH DIFF. (m)	TENTATIVE PILE NET LENGTH (TPL) (m)	AS-BUILT PILE NET LENGTH (APL) (m)	PILE NET LENGTH DIFF. (APL - TPL) (m)	RELATED PREDRILL HOLE	ROCKHEAD LEVEL OF PREDRILL HOLE (mPD)	BOTTOM LEVEL OF PREDRILL HOLE (mPD)	RELATED POSTDRILL HOLE	ROCKHEAD LEVEL OF POSTDRILL HOLE (mPD)	BOTTOM LEVEL OF POSTDRILL HOLE (mPD)	PILE UNDER TENSION
1		AHP1	31.00	29.800	+24.00	+24.11	+0.11	+13.70	+13.32	-0.38	10.00	10.49	+0.49	16.10	16.48	+0.38							-
2		AHP2	31.00	29.800	+24.00	+24.07	+0.07	+13.70	+13.28	-0.42	10.00	10.49	+0.49	16.10	16.52	+0.42				-	-	-	-
3		AHP3	31.00	29.800	+25.00	+25.08	+0.08	+14.00	+13.61	-0.39	10.00	11.17	+1.17	15.80	16.19	+0.39							YES
4	CP1	AHP4	31.00	29.800	+24.00	+24.06	+0.06	+13.70	+13.25	-0.45	10.00	10.51	+0.51	16.10	16.55	+0.45	ADH18	+24.43	+0.18	PS3	+24.66	+11.91	-
5		AHP5	31.00	29.800	+24.00	+24.04	+0.04	+13.70	+13.25	-0.45	10.00	10.49	+0.49	16.10	16.55	+0.45							YES
6		AHP6	31.00	29.800	+24.00	+24.01	+0.01	+13.70	+13.19	-0.51	10.00	10.52	+0.52	16.10	16.61	+0.51							YES
7		BHP1	31.00	30.850	+25.00	+25.35	+0.35	+14.00	+11.98	-2.02	10.00	13.07	+3.07	16.85	18.87	+2.02							-
8		BHP2	31.00	30.850	+26.00	+26.55	+0.55	+14.00	+12.16	-1.84	10.00	14.09	+4.09	16.85	18.69	+1.84							-
9	CP2	BHP3	31.00	30.850	+26.00	+26.15	+0.15	+14.00	+11.72	-2.28	10.00	14.13	+4.13	16.85	19.13	+2.28	ADH20	+25.71	+1.34	-	-	-	YES
10		BHP4	31.00	30.850	+25.00	+25.25	+0.25	+14.00	+12.76	-1.24	10.00	12.19	+2.19	16.85	18.09	+1.24							YES
11		BHP5	31.00	30.850	+26.00	+26.15	+0.15	+14.00	+12.61	-1.39	10.00	13.24	+3.24	16.85	18.24	+1.39							YES
12		CHP1	31.00	30.850	+24.00	+24.28	+0.28	+13.70	+13.25	-0.45	10.00	10.73	+0.73	17.15	17.60	+0.45							-
13	GD2	CHP2	31.00	30.850	+22.00	+22.37	+0.37	+11.70	+11.32	-0.38	10.00	10.75	+0.75	19.15	19.53	+0.38			0.44				-
14	CP3	CHP3	31.00	30.850	+25.00	+25.26	+0.26	+14.00	+13.49	-0.51	10.00	11.47	+1.47	16.85	17.36	+0.51	AHD19	+26.31	-0.44	PS4	+25.30	+10.45	YES
15		CHP4	31.00	30.850	+25.00	+25.10	+0.10	+14.00	+13.22	-0.78	10.00	11.58	+1.58	16.85	17.63	+0.78				-	-	-	-

Max. +0.55

Min. +0.01

Min. -2.28

Min. +0.49

Min. +0.38

Legend:

Maximum value in the range of difference Minimum value in the range of difference

+ve : As-built levels shallower than the tentative
-ve : As-built levels deeper than the tentative

+ve : As-built length longer than the tentative

-ve : As-built length shorter than the tentative

BD Ref. :	Address of Site:		

Driven Steel H-Pile

Legend:

PILE NO.	PILE CAP MARK	PILE MARK	EXISTING GROUND LEVEL (mPD)	PILE CUT- OFF LEVEL (mPD)	TENTATIVE FOUNDING LEVEL (TFL) (mPD)	AS-BUILT FOUNDING LEVEL (AFL) (mPD)	FOUNDING LEVEL DIFF (AFL- TFL) (m)	TENTATIVE PILE NET LENGTH (TPL) (m)	AS-BUILT PILE NET LENGTH (APL) (m)	PILE NET LENGTH DIFF (APL-TPL) (m)	PILE UNDER TENSION
1		HP1	+12.50	+7.875	-11.800	-12.420	-0.62	19.675	20.295	+0.62	-
2	PC1	HP2	+12.50	+7.875	-12.000	-12.770	-0.77	19.875	20.645	+0.77	-
3		HP3	+12.50	+7.875	-12.500	-12.693	-0.19	20.375	20.568	+0.19	-
4		HP4	+12.50	+8.875	-10.850	-11.050	-0.20	19.725	19.925	+0.20	YES
5		HP5	+12.50	+8.875	-10.110	-10.520	-0.41	18.985	19.395	+0.41	-
6		HP6	+12.50	+8.875	-9.310	-9.490	-0.18	18.185	18.365	+0.18	-
7		HP7	+12.50	+8.875	-7.130	-7.420	-0.29	16.005	16.295	+0.29	-
8		HP8	+12.50	+8.875	-5.120	-5.700	-0.58	13.995	14.575	+0.58	-
9		HP9	+12.50	+8.875	-6.110	-6.540	-0.43	14.985	15.415	+0.43	-
10	PC2	HP10	+12.50	+8.875	-5.700	-5.710	-0.01	14.575	14.585	+0.01	YES
11		HP11	+12.50	+8.875	-10.930	-11.171	-0.24	19.805	20.046	+0.24	YES
12		HP12	+12.50	+8.875	-9.920	-10.034	-0.11	18.795	18.909	+0.11	YES
13		HP13	+12.50	+8.875	-7.580	-8.171	-0.59	16.455	17.046	+0.59	-
14		HP14	+12.50	+8.875	-6.830	-7.346	-0.52	15.705	16.221	+0.52	-
15		HP15	+12.50	+8.875	-8.110	-8.540	-0.43	16.985	17.415	+0.43	-
16		HP16	+12.50	+8.875	-6.080	-6.120	-0.04	14.955	14.995	+0.04	YES
17		HP17	+12.50	+8.875	-11.960	-12.520	-0.56	20.835	21.395	+0.56	YES
18	PC3	HP18	+12.50	+8.875	-12.370	-13.050	-0.68	21.245	21.925	+0.68	-
19		HP19	+12.50	+8.875	-13.200	-13.850	-0.65	22.075	22.725	+0.65	-

 Max.
 -0.01
 Max.
 +0.77

 Min.
 -0.77
 Min.
 +0.01

+ve : As-built founding levels shallower than the tentative

-ve : As-built founding levels deeper than the tentative

+ve : As-built pile length longer than the tentative

-ve : As-built pile length shorter than the tentative

Maximum value in the range of difference Minimum value in the range of difference

BD Ref. :	Address of Site:		
		_	

Driven Steel H-Pile (Driven to Refusal)

PILE NO.	PILE CAP MARK	PILE MARK	EXISTING GROUND LEVEL (mPD)	PILE CUT- OFF LEVEL (mPD)	TENTATIVE FOUNDING LEVEL (TFL) (mPD)	AS-BUILT FOUNDING LEVEL (AFL) (mPD)	FOUNDING LEVEL DIFF (AFL- TFL) (m)	TENTATIVE PILE NET LENGTH (TPL) (m)	AS-BUILT PILE NET LENGTH (APL) (m)	PILE NET LENGTH DIFF (APL-TPL) (m)	RELATED PREDRILL HOLE	ROCKHEAD LEVEL OF PREDRILL HOLE (mPD)	BOTTOM LEVEL OF PREDRILL HOLE (mPD)	RELATED POSTDRILL HOLE	ROCKHEAD LEVEL OF POSTDRILL HOLE (mPD)	BOTTOM LEVEL OF POSTDRILL HOLE (mPD)	PILE UNDER TENSION
1		HP1	+12.50	+7.875	-11.800	-12.420	-0.62	19.675	20.295	+0.62	PHP1	-12.37	-18.68	-	-	-	-
2	PC1	HP2	+12.50	+7.875	-12.000	-12.770	-0.77	19.875	20.645	+0.77	PHP1	-12.37	-18.68	PRHP1	-12.31	-20.97	-
3		HP3	+12.50	+7.875	-12.500	-12.693	-0.19	20.375	20.568	+0.19	PHP1	-12.37	-18.68		-	-	-
4		HP4	+12.50	+8.875	-10.850	-11.050	-0.20	19.725	19.925	+0.20	PHP3	-10.51	-17.03	-	-	-	YES
5		HP5	+12.50	+8.875	-10.110	-10.520	-0.41	18.985	19.395	+0.41	PHP3	-10.51	-17.03	-	-	-	-
6		HP6	+12.50	+8.875	-9.310	-9.490	-0.18	18.185	18.365	+0.18	PHP2	-9.38	-15.97		-	-	-
7		HP7	+12.50	+8.875	-7.130	-7.420	-0.29	16.005	16.295	+0.29	PHP4	-6.51	-13.45			-	-
8		HP8	+12.50	+8.875	-5.120	-5.700	-0.58	13.995	14.575	+0.58	PHP5	-5.23	-11.98				-
9		HP9	+12.50	+8.875	-6.110	-6.540	-0.43	14.985	15.415	+0.43	PHP4	-6.51	-13.45	-	-	-	-
10	PC2	HP10	+12.50	+8.875	-5.700	-5.710	-0.01	14.575	14.585	+0.01	PHP5	-5.23	-11.98	-		-	YES
11		HP11	+12.50	+8.875	-10.930	-11.171	-0.24	19.805	20.046	+0.24	PHP3	-10.51	-17.03	-		-	YES
12		HP12	+12.50	+8.875	-9.920	-10.034	-0.11	18.795	18.909	+0.11	PHP2	-9.38	-15.97	-		-	YES
13		HP13	+12.50	+8.875	-7.580	-8.171	-0.59	16.455	17.046	+0.59	РНР6	-8.11	-14.78	PRHP2	-8.09	-17.03	-
14		HP14	+12.50	+8.875	-6.830	-7.346	-0.52	15.705	16.221	+0.52	PHP8	-6.97	-13.87	-	-	-	-
15		HP15	+12.50	+8.875	-8.110	-8.540	-0.43	16.985	17.415	+0.43	PHP6	-8.11	-14.78	-	-	-	-
16		HP16	+12.50	+8.875	-6.080	-6.120	-0.04	14.955	14.995	+0.04	РНР9	-6.09	-12.87		-	-	YES

-0.01 Max.
Min. -0.77 Min. +0.01

Legend: Maximum value in the range of difference
Minimum value in the range of difference

+ve: As-built founding levels shallower than the tentative +ve: As-built pile length longer than the tentative

-ve : As-built founding levels deeper than the tentative -ve : As-built pile length shorter than the tentative

(5/2022)

Checklist for Temporary Occupation Permit/Occupation Permit Application (Form BA12/13)

Addı	ess c	of Site : Bl	D File Ref. :			
PAR	T 1	- SITE WORKS		Yes	No	N/A
1.1	Hav	re all proposed works been completed?				
1.2	Has	run in/out been constructed?				
1.3	Hav	ve connections to public sewers been completed?				
1.4	Hav	ve the hoarding/sheds been removed?				
1.5	Has	shoring, wall-ties or follow up action on adjoining buildings been dealt w	ith?			
1.6		ve MiC modular units been completed with preinstalled finishes, fittures (PNAP APP-161 & ADV-36)?	tings and			
PAR	aT 2	- DOCUMENTS SUBMITTED ¹		Yes	No	N/A
2.1	Are	the contents of Form BA12/13* in order? (hard copy)				
2.2	All	consents to amendment plans issued by BA?				
2.3	Fire	e Certificate (FS 172)				
2.4	Fire	e Services Water Completion Advice				
2.5	Wa	ter Certificates (Potable)				
		(Flushing)				
2.6	Cer	tificates for fireman's lifts, accessible lifts/vertical lifting platforms				
2.7	Cer	tificate of Completion of Vehicular Run-in and Run-out (PNAP APP-1-y)	44) (hard			
2.8		formance review under section 17(1)6(g) of BO (PNAP APP-30 & Ard copy)	APP-115)			
2.9	Doc	cuments under PNAP APP-13				
	(a)	Certificate of Accepted Building Materials and Products (Appendix copy)	A) (hard			
	(b)	Schedule of Building Materials and Products (Annex A of Appendix copy)	A) (hard			
	(c)	Test reports/supplier's certificates/certificates of conformity of building and products	materials			
	(d)	Record plans for BD				
	(e)	Record plans for RVD (hard and soft copies)				
	(f)	Summary of Approved Structural Plans and Required Structural D (Appendix D) (hard copy)	ocuments			
2.10		cord plans related to maintenance and repair access for referral to partment (Appendix F of CoP on Access for External Maintenance 200 y)				
2.11	Pla	n index for record imaging (PNAP ADM-10)				
2.12	Doo	cuments under PNAP ADM-2				
	(a)	Checklist on valid Forms BD106 (Appendix F)				
	(b)	Conditions imposed in Forms BD106 incorporated into the latest approve	ed GBP			
	(c)	Final bounding conditions of the accepted fire engineering report incinto the latest approved GBP	orporated			
	(d)	Summary of GFA Concessions (Appendix H) (bilingual in soft copy ²)				

	Yes	No	N/A
2.13 Documents under PNAP APP-67			
(a) OTTV summary sheet (soft copy)			
(b) Final OTTV report including updated calculations, test certificates or published specifications for building materials used			
(c) Finalised OTTVs of external walls and roofs of building and shading coefficient of glass incorporated into the latest approved GBP			
2.14 Documents under PNAP APP-151, APP-152 & APP-156			
(a) Declaration on Annual Energy Use of a Building Development (Appendix B of PNAP APP-151) (soft copy ²)			
(b) Provisional Assessment Result under BEAM Plus certification (PNAP APP-151)			
(c) Plans showing location of greenery areas and schedules with area calculations and illustrated diagrams showing greenery areas (Appendix F of PNAP APP-152) (soft copy ²)			
(d) Final energy efficiency report for domestic and composite development (PNAP APP-156)			
 Updated calculations, test certificates or published specifications for building materials used, RTTV summary sheet (soft copy²)/ OTTV_{RRF} summary sheet (soft copy²), and extent of compliance with NV_{TC} requirements (soft copy²) 			
- Finalised RTTV _{Wall} , RTTV _{Roof} , OTTV _{RRF} , VLT _{Glass} and ER _{Glass} of building and shading coefficient of glass incorporated into the latest approved GBP			
2.15 Certificate of completion of EV charging-enabling facilities for car parks by RPE (PNAP APP-2)			
2.16 Has the developer's undertaking letter been registered in Land Registry (PNAP APP-104/APP-152/JPN1/JPN2/Form BD106)?			
2.17 Documents for surrender/dedication			
(a) Execution of Agreement to Surrender has been completed and registered in Land Registry (PNAP APP-20)			
(b) Signing of Deed of Dedication has been completed and registered in Land Registry (APP-108)			
2.18 Documents for drainage works			
(a) Certificate on Completion of Drain Test (Appendix A of PNAP APP-58) (hard copy)			
(b) Certificate on Completion of Inspection of Drainage Pipes Concealed by Architectural Features (Annex 3 of Appendix B of PNAP APP-93) (hard copy)			
2.19 Signboard related information (Appendix N of PNAP APP-126) (soft copy³)			
2.20 Has the accepted finalised fire engineering report been submitted?			
2.21 Documents under PNAP ADV-36			
(a) Documentary proof on provision of accepted user manual to individual owners/occupants/users/property manager for buildings adopting MiC (Appendix C)			
(b) Audit reports from AP, RSE and AS of RGBC on checking the quality of MiC modular units			
2.22 Documents specifically required for the project Please specify:			

Note ¹ Note ² Note ³ Unless otherwise specified, documents may be submitted in either hard or soft copy For uploading onto BD website For uploading onto GeoInfo Map

PART 3 - OTHER ASPECTS

		Yes	No	N/A
3.1	Has Form BA 14 been acknowledged in respect of -			
	(a) Substructure works?			
	(b) Site formation works?			
	(c) Street works?			
3.2	Has the lot description/address been confirmed?			
3.3	Have the conditions imposed in the modifications given in Forms BD106 been fully complied with?			

^{*}Delete whichever is inapplicable

(5/2022)

Checklist for Completion of Building Works Not Resulting in a New Building (Form BA14/BA14C) (For A&A Works only)

Address of Site : BD File Ref.		·:		
PAR	T 1 - SITE WORKS	Yes	No	N/A
1.1	Have all proposed works been completed?	1 55		
1.2	Has the hoarding been removed?			
PAR	T 2 - DOCUMENTS SUBMITTED ¹	Yes	No	N/A
2.1	Are the contents of Form BA14/BA14C in order? (hard copy)			
2.2	All consents to amendment plans issued by BA?			
2.3	Fire Certificate (FS 251) if A&A works involve change of FSI indicated on approved A&A plans			
2.4	Certificates for fireman's lifts, accessible lifts/vertical lifting platforms			
2.5	Documents under PNAP APP-13			
	(a) Certificate of Accepted Building Materials and Products (Appendix A) (hard copy)			
	(b) Schedule of Building Materials and Products (Annex A of Appendix A) (hard copy)			
	(c) Test reports/supplier's certificates/certificates of conformity of building materials and products			
	(d) Record plans for BD			
	(e) Record plans for RVD (hard and soft copies)			
	(f) Summary of Approved Structural Plans and Required Structural Documents (Appendix D) (if applicable) (hard copy)			
2.6	Record plans related to maintenance and repair access for referral to Labour Department (Appendix F of CoP on Access for External Maintenance 2021) (if applicable) (hard copy)			
2.7	Plan index for record imaging (PNAP ADM-10)			
2.8	Documents under PNAP ADM-2			
	(a) Checklist on valid Forms BD106 (Appendix F)			
	(b) Conditions imposed in Forms BD106 incorporated into the latest approved GBP			
	(c) Final bounding conditions of the accepted fire engineering report incorporated into the latest approved GBP			
2.9	Documents under PNAP APP-67			
	(a) OTTV summary sheet (soft copy)			
	(b) Final OTTV report including updated calculations, test certificates or published specifications for building materials used			
	(c) Finalised OTTVs of external walls and roofs of building and shading coefficient of glass incorporated into the latest approved GBP			
2.10	Certificate of completion of EV charging-enabling facilities for car parks by RPE			

	Yes	s No	N/A
2.11 Documents for drainage works			
(a) Certificate on Completion of Drain Test (Appendix A of PNAP APP-58 copy)	3) (hard		
(b) Certificate on Completion of Inspection of Drainage Pipes Concea Architectural Features (Annex 3 of Appendix B of PNAP APP-93) (hard of			
2.12 Signboard related information (Appendix N of PNAP APP-126) (soft copy²)			
2.13 Has the accepted finalised fire engineering report been submitted?			
2.14 Colour record photos of the completed works with mark-up plans indicat directions of photos taken for Form BA14C submission submitted?	ing the		
2.15 Documents specifically required for the project Please specify:			

Unless otherwise specified, documents may be submitted in either hard or soft copy For uploading onto GeoInfo Map

Note ¹ Note ²

PART 3 - OTHER ASPECTS


		Yes	No	N/A
3.1 Have the condition complied with?	s imposed in the modifications given in Forms BD106 been fully		_	_

(Rev. 2/2023)


DVD-ROM (Disc No. 1) (GBP record plans for BD)

Folder	PDF Files
Drawing title	Plans/elevations/sections/calculations

DVD-ROM (Disc No. 2) (GBP record plans for RVD)



DVD-ROM (Disc No. 3) (required for uploading onto BD website/GeoInfo Map)



DVD-ROM (Disc No. 4) (other documents where applicable)

