

CODE OF PRACTICE

FOR

THE PROVISION OF MEANS OF ESCAPE

IN CASE OF FIRE

1996

BUILDING AUTHORITY

HONG KONG

FOREWORD

Fire safety in a building is determined by a number of factors one of which is the provision of adequate means of escape in case of fire. Requirements for means of escape for buildings are laid down in section 41(1) of the Building (Planning) Regulations. This Code of Practice provides guidance on compliance with these requirements.

This Code will be reviewed regularly. Suggestions for improving it are welcome.

Building Authority

First issue : December 1959

This revision : June 1996

C O N T E N T S

Paragraph		Page
Part I - GENERAL PROVISIONS		
1.	Use of the Code	1
2.	Objectives	1
3.	Two Approaches to Fire Safety	1
4.	Interpretations	3
5.	Application	6
Part II - GENERAL PROVISIONS OF MEANS OF ESCAPE		
6.	Special Hazard Occupancy	7
7.	Assessment of Accommodation	7
8.	General Requirements of Exit Routes	9
9.	Buildings with a Single Staircase	11
10.	Exits from Rooms	12
11.	Exits from Storeys	13
12.	Exits at Ground Storey	15

13.	Access to Staircase(s) within a Building	15
14.	Direct Distance and Travel Distance	17
15.	Discharge Value and Width of Staircase	21
16.	Doors in Relation to Exits	25
17.	Construction of Staircases	27
18.	Ramps	28
19.	Lift Lobbies	28
20.	Basements	28
21.	Refuge Floors	29

**Part III - PROVISIONS OF MEANS OF ESCAPE IN PLACES OF
PUBLIC ENTERTAINMENT**

22.	Site	33
23.	Cinemas in Multi-storey Non-domestic or Composite Buildings	34
24.	Exit, Notices, etc.	35
25.	Entrance and Exit Routes	36
26.	Staircases	37
27.	Barriers	38
28.	Chains and Padlocks	38

29.	Gangways and Seatways	39
30.	Non-slippery Surfaces	39
31.	Edges of Steps	39
32.	Exit from Stages	39
33.	Lighting	40
34.	Temporary Buildings	40
COMMENTARIES		42
DIAGRAMS 1-7		