

Appendix B 附錄B

(PNAP APP- 151)

(《認可人士、註冊結構工程師及註冊岩土工程師作業備考-151》)

Declaration on Annual Energy Use of a Building Development 櫻字發展項目每年能源消耗量聲明

Part	1: Building Particular	S
笙	部分: 樓字詳情	
11	ELLH CXA. CVAN	

(a)			
	Buil	ding name 樓宇名稱 (if known 如知悉): (English)	(中交)
(b)	Add	ress of site 地盤地址: (English) 1 North Point Estate Lane, North	Point, Hong Kong.
		(中文) 香港北角北角邨里一號	
(c)	Lot	number 地段編號: I.L. 9020	
(d)		e of building 樓宇類型: mestic Building 住宅樓宇 / Non –domestic Building 非住宅樓宇/Composite	Building 綜合用途樓宇
(e)	Pro	ision of Central Air Conditioning 提供中央空調	*YES是/ NO百
(f)	Pro	ision of Energy Efficient Features 提供具能源效益的設施	*YES是/ NO 否
(g)		se list the * proposed / installed Energy Efficient Features (add separate sheet (出 * 擬安裝 / 已安裝的具能源效益的設施 (如有需要,請另頁說明)	if necessary)
		English	中文
	1,	HIGH COP CHILLER	
	2.	CARPARK VENTILATION SYSTEM WITH CO SENSOR	
	3.	ALL LIFTS ARE ACVVVF DRIVE WITH REGEMERATIVE POWER	

Part II: Predicted Annual Energy Use[®] of * Proposed / Completed * Building / Part of Building 第二部分: * 擬興建 / 已竣工 * 櫻宇 / 部分櫻宇預計每年能源消耗量®

Type of Development 發展項目類型	Location 位置	Internal Floor Area Served (m²) 使用有關裝置的內部樓面面積	B (m 基線模字の	rgy Use of Baseline uilding ⁽²⁾ G ² /annum) D每年能源消耗量 S方米/年)	Proposed/C (n 擬*興建/已	Energy Use of completed Building of/annum) 竣工樓宇每年能源 消耗量 5方米/年)
		(平方米)	Electricity 電力 kWh 千瓦小時	Town Gas / LPG 媒氣 / 石油氣 unit 用量單位	Electricity 電力 kWh 干瓦小時	Town Gas/ LPG 煤氣 / 石油氣 unit 用量單位
Domestic Development (excluding Hotel) 住用發展項目 (不 包括源底)	Central building services installation 中央屋宇裝備裝置®	NA	NA	NA	NA	NA
Non-domestic Development	Podium(s) (central building services installation) 平台(中央厘字裝備裝置)	17124	342.7	NA	250.0	NA
非生用發展項目の	Podium(s) (non - central building services	NA	NA	NA	NA	NA

(包括護店)	installation) 平台(非中央屋宇裝備裝置)					
	Tower(s) (central building services installation) 塔樓 (中央屋宇裝備裝置)	34006	416.9	NA	308.0	NA
	Tower(s) (non - central building services installation) 塔樓(非中央壓字裝備裝置)	NA	NA	NA	NA	NA

Note: In general, the lower the estimated "Annual Energy Use" of the building, the more efficient the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

註:一般來說,樓宇的預計每年每平方米能源消耗量愈低,樓宇的能源消耗愈有效。例如,如果擬興建樓 宇的預計每年能源消耗量少於基線樓宇預計的每年能源消耗量,則表示擬興建樓宇的預計能源使用較基線樓宇 有效・減少愈多・效能愈大。

Part III 第三部分

The following installation(s) ** / are * designed / completed in accordance with the relevant Codes of Practice published by the Electrical and Mechanical Services Department:-

以下装置乃接機單工程署公布的相關實務守則 設計/完成:-

Type of Installations 装置類型	YES是	NO 否	N/A 不適用
Lighting Installations 照明裝置			
Air Conditioning Installations 空調裝置	1		
Electrical Installations 電力裝置	1		
Lift & Escalator Installations 升降機及自動梯的裝置	V		1.00 October 11.00 October 11.
Performance-based Approach 以總能源爲本的方法			/

Please (🗸) where appropriate 調在適當方格內镇上(🗸)號

Signature 簽署

(Registered Professional Engineer計冊專業工程師/ Registered Energy Assessor 註冊能源效益評核人)

EA00641 / G

Certificate of Registration No. 註冊證書編號#

25-10-2022

Date of expiry of registration 註冊到期日#

Signature簽署 (Authorized Person 認可人士)

AP(A) 109/00

Certificate of Registration No. 註冊證書編號

10 May 2020

Company Chop公司印章 Signature of applicant 申請人簽署

6 July 2017

Date日期

^{*} In accordance with the registration record 根據註冊記錄

^{*} Delete whichever is inapplicable 請刪去不適用者

The predicted annual energy use per m² per annum, in terms of electricity consumption (kWh) and town gas/LPG consumption (unit) of the development by the internal floor area served, where:-

預計存年每平月光能等流耗量(以耗電量(千瓦小時)及煤原石油與消耗量用量單位)計算)·指路發展項目的每年能源消耗總量所以使用有關裝置的內部樓面面被所得出的商、其中;

ta) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and 每年能源消耗量。與海建標于BEAM Plus標準(理行版本)第4節及附錄8中的「年能源消耗」具有相同涵義:及

b) "internal floor area", in relation to a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

(孝子、空間或單位的 "為部標面單種"、指外裔及成共利職的內壁之內表面起量度出來的模面面積。

² "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).

[&]quot;基線樓宇"與新建樓宇BEAM Plus標準;現行版本)第4節及附錄8中的"基準建築物模型(零分標準)"具有相同涵 表

^{**}Central Building Services Installation* has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the electrical and Mechanical Services Department.

[&]quot;中央医宁装備裝置"與裝置工程署發出的《星宇裝備裝置能源煮益資務守則》中的函義相同。

Podium(s) normally means the lowest part of the development (usually the lowest 15m of the development and its basement, if any) carrying different use(s) from that of the tower(s) above. For development without clear demarcation between podium(s) and tower(s), the development, as a whole, should be considered as tower(s).

平台一般指發環項目的最低部分 (油常轉發展項目最低15米部分及其地庫(如適用)),並與其上的塔樓與有不同用途、對於並無明確翻分平台與塔樓的發展項目,應襲整個發展項目為塔樓。