

樓宇發展項目每年能源消耗量聲明 Declaration on Annual Energy Use of a Building Development

認可人士、註冊結構工程師及 註冊岩土工程師作業備考 PNAP

APP-151

附錄 Appendix 🖥

無いて地事資	並在適當方格內加上	『√』號。墳:	寫前·請細閱	《注意事項》	
 京告 C / 1 F 本端 工具 36 	・ 3版は12回 10 10 10 10 10 10 10 10 10 10 10 10 10	A "II 3N/P 5364	tid kind in man there is set	A Note Little A - No B	

Read the "Matters to Note", complete in BLOCK LETTERS and tick the appropriate boxes.

文建	築事務監督 To the Building Authority				
	−部 樓宇詳情 t 1 Building Particulars				
樓宇名稱(如知悉) (中文) Name of Building (if known) (Chinese)		樓宇類型 Type of Building 住宅樓宇 Domestic Building □ 非住宅樓宇 Non-domestic Building			
	名稱(如知悉) (英文) Name of Building (if known) (English) outh Island Place	綜合用途樓字 Composite Building 提供中央空調 Provision of Central Air Conditioning			
也盤	地址(中文) Address of Site (Chinese)	型是 □ A No			
香	港黃竹坑道8-10號	── Yes ── No 提供具能源效益的設施 Provision of Energy Efficient Features ☑ 是 否 No			
	地址(英文) Address of Site (English)				
No	o.8-10, Wong Chuk Hang Road, Hong Kong				
也形	g編號 Lot No.				
Ho	ong Kong A.I.L. 461				
擬宝 Pro	安裝/已安裝的具能源效益的設施 posed / Installed Energy Efficient Features ### Proposed /	☑ 已安装 Installed			
	中文 Chinese	英文 English			
	4=4 4-五 - ½ - ½ - ½ - ½ - ½ - ½ - ½ - ½ - ½ -	Water-cooled chillers with VSD			
1.	變頻式水冷式製冷機	Water cooled crimere with Yes			
1.	變頻式水冷式製冷機	Chilled water pumps with VSD			

擬興建 Proposed	☑ 已竣工 Completed	▼ 樓宇 Building / □ 部分樓宇 Part of Building	① 見註 See Note (1)
-----------------	--------------------	---	-------------------

發展項目類型 Type of Development	位置 Location	使用有關裝置的 內部樓面面積 Internal Floor Area Served (平方米 m²)	基線樓字每年能源淌耗量 Annual Energy Use of Baseline Building (平方米/年 m*/annum) ① 見註 See Note (2)		擬興建/已竣工樓宇 毎年能源消耗量 Annual Energy Use of Proposed/Completed Building (平方米/年 m³/annum)	
			電力 Electricity 千瓦小時 kWh	煤氣 / 石油氣 Town Gas / LPG 用量單位 Unit	電力 Electricity 干瓦小時 kWh	煤氣 / 石油氣 Town Gas / LPG 用量單位 Unit
住用發展項目 (不包括酒店) Domestic Development (excluding Hotel)	中央屋字裝備裝置 Central building services installation ① 見註 See Note (3)	N/A	N/A	N/A	N/A	N/A
非住用發展項目 (包括酒店) Non-domestic Development (including Hotel) ①見註 See Note (4)	平台 (中央屋宇裝備裝置) Podium(s) (central building services installation)	4,212.388	84.323	N/A	66.850	N/A
	平台 (非中央屋宇装備裝置) Podium(s) (non-central building services installation)	N/A	N/A	N/A	N/A	N/A
	塔樓 (中央屋宇裝備裝置) Tower(s) (central building services installation)	19,956.479	342.394	N/A	250.433	N/A
	塔樓 (非中央屋宇裝備裝置) Tower(s) (non-central building services installation)	N/A	N/A	N/A	N/A	N/A

一般來說,樓宇的預計每年每平方米能源消耗量愈低,樓宇的能源消耗愈有效。例如,如果擬 興建樓宇的預計每年能源消耗量少 於 基線樓宇預計的每年能源消耗量,則表示擬興建樓宇的預 計 能源使用較基線樓宇有效。減少愈多,效能愈大。

In general, the lower the estimated "Annual Energy Use" of the building, the more efficient the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

按機電工程署公布的相關實務守則設計/完成的裝置 第三部 Installation(s) Designed / Completed in Accordance with the Relevant Codes of Practice Published by the Electrical Part 3 and Mechanical Services Department 以下裝置 乃按機電工程署公布的相關實務守則 設計 In accordance with the relevant Codes of Practice published by designed / completed : the Electrical and Mechanical Services Department, the following installation(s) is / are 裝置類型 분 否 不適用 Type of Installations Yes No N/A 照明裝置 Lighting Installations \checkmark 空調裝置 Air Conditioning Installations \checkmark 電力裝置 Electrical Installations V 升降機及自動梯的裝置 Lift & Escalator Installations \checkmark 以總能源為本的方法 Performance-based Approach \checkmark 註冊專業工程師/註冊能源效益評核人資料 Details of the Registered Professional Engineer / Registered Energy Assessor 註冊證明書編號* Certificate of Registration Number* 中文姓名* Name in Chinese* ① 姓氏先行 Sumame first 2077481 袁敏輝 註冊屆滿日期* Date of Expiry of Registration* 英文姓名* Name in English* ①姓氏先行 Surname first 2 3 0 0 4 0 1 YUEN, Man Fai 日 dd 月 mm # VVVV 專業身份 Professional Capacity ☑ 註冊專業工程師 Registered Professional Engineer 註冊能源效益評核人簽署 Registered Energy Assessor 申請人資料 Details of the Applicant 姓名/公司名稱(中文) Name / Company (Chinese) 姓名/公司名稱(英文) Name / Company (English) (N/A)HARETON LIMITED c/o SWIRE PROPERTIES PROJECTS LIMITED 聲名 第四部 Declaration Part 4 認可人士姓名(中文)* 註冊證明書編號* Certificate of Registration Number* Name of Authorized Person (Chinese)* ① 姓氏先行 Surname first AP(A 9 8 8 7 吳永順 註冊屆滿日期* Date of Expiry of Registration* 2 2 0 2 0 認可人士姓名(英文)* Name of Authorized Person (English)* ①姓氏先行 Surname first 月 mm 年 yyyy NG WING SHUN, ANTHONY VINCENT 本人在載有此聲明書的唯讀光碟上簽署並謹衷誠作出此項鄭重聲明確信上述資料為真確無訛。 By signing the DVD Rom containing this declaration, I make this solemn declaration conscientiously believing the information contained in this declaration is true. 日期 Date El dd 月mm 年 yyyy

* 根據註冊記錄

* In accordance with the registration record

認可人士·註冊結構工程師及註冊岩土工程師作業備考APP-151 (附錄B) PNAP APP-151 (Appendix B) (08/2016) - P.3/4

注意事項

##任何人如作出虛假聲明或就重要事項作出失實陳述即屬觸犯刑事罪行可能會·被檢控·

註

- 預計每年每平方米能源消耗量(以耗電量(干瓦小時)及 煤氣/石油氣消耗 量用量量 位〕計算).指將發展項目的每年能源消耗總量除以使用有關裝 置的內部 樓面面積所得出的商,其中:
 - (a) "每年能源消耗量"與新建樓宇BEAM Plus標準(現行版本)第4節及附錄8中的「年能源消耗」具有相同涵義;及
 - (b) 樓宇 · 空間或單位的 "內部樓面面積" · 指外牆及/或共用牆的內壁 之內表面起量度出來的樓面面積。
- "基線樓字"與新建樓字BEAM Plus標準(現行版本)第4節及附錄8中的"基準建築物模型(零分標準)"具有相同涵義。
- "中央屋字裝備裝置"與機電工程署發出的《屋字裝備裝置能源效益實務守則》中的涵義相同。
- 平台一般指發展項目的最低部分(通常為發展項目最低15米部分及其地庫(如適用))·並與其上的塔樓具有不同用途。對於並無明確劃分平台與 塔樓的發展項目。應視整個發展項目為塔樓。

甲. 個人資料

收集的目的

- 1. 屋宇署會使用透過本表格所獲得的個人資料作下列用途:
 - (a) 處理你在本表格中所呈交的文件的相關事務
 - (b) 處理有關上述擬進行工程,《建築物條例》及有關法例的相關事務; 及
 - (c) 方便屋宇署與你聯絡。
- 你必須提供本表格所要求的個人資料。假如你未能提供所需資料,可能 糧效處理你所呈交的文件時出現延誤,或甚至導致無法處理你的申請。

獲轉交資料的部門/人士

獲轉交資料的部分人工 3. 本署可能會向其他政府部門、決策局、機構或任何人士披露你透過本表 格所提供的個人資料,以作上述第1段所列的用途。

索閱個人資料

根據《個人資料(私隱)條例》·你有權查閱及改正你所提交的個人資料。屋字署有權就有關資料索閱的要求收取合理費用。如要求查閱及改正你的個人資料·請與屋字署聯絡。

乙. 填寫表格

- 1. 請填妥表格載列所有有關的部分。請附上所有證明文件。
- 所提供的資料如有不全或錯誤,屋宇署將不能處理呈交的文件。
- 3. 如對本表格有任何疑問·請與屋宇署聯絡。

Matters to Note

Any person making a false declaration or misrepresenting a material fact shall be guilty of a criminal offence and subject to prosecution.

Note

- The predicted annual energy use per m² per annum, in terms of electricity consumption (kWh) and town gas/LPG consumption (unit) of the development by the internal floor area served, where:-
 - (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and
 - (b) "internal floor area", in relation to a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
- "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).
- "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.
- 4. Podium(s) normally means the lowest part of the development (usually the lowest 15m of the development and its basement, if any) carrying different use(s) from that of the tower(s) above. For development without clear demarcation between podium(s) and tower(s), the development, as a whole, should be considered as tower(s).

A. Personal Data

Purposes of Collection

- The personal data provided by means of this form will be used by the Buildings Department for the following purposes:
 - (a) activities relating to the processing of your submission in this form:
- (b) activities relating to the above proposed works, and administration of the Buildings Ordinance and other legislations; and
- (c) facilitating communication between the Buildings Department and yourself.
- It is obligatory for you to provide the information as required in the form. If you fail to provide the required data, delay may be caused in processing of your submission or even result in rejection of the application.

Classes of Transferees

The personal data you provided by means of this form may be disclosed to other government departments, bureaux, organisations or any persons for the purposes mentioned in paragraph 1 above.

Access to Personal Data

4. You have the right of access and correction with respect to the personal data as provided under the Personal Data (Privacy) Ordinance. The Buildings Department has the right to charge a reasonable fee for the processing of any data access request. Request for personal data access and correction should be addressed to the Buildings Department.

B. Completion of Form

- Please ensure that all relevant parts of the form are duly completed. Please enclose all supporting documents.
- If incomplete or erroneous information is provided in the form, the Buildings Department may not be able to process the submission.
- Enquiries regarding this form should be addressed to the Buildings Department.

丙, 呈交方法

1. **郵寄/親身呈交**-本表格連同有關文件應郵寄或親身呈交至屋宇署:

呈交有關勸諭信/命令/通知/指示的表格: 九龍旺角彌敦道750號始創中心12樓屋宇署收發處。

呈交至拓展部有關其他事宜的表格:

香港鰂魚涌太古灣道14號太古城中心第三期7樓屋宇署收發處。

丁, 聯絡資料

地址:九龍旺角彌敦道750號始創中心12樓電話:2626 1616 (由 "1823" 接聽) 傳真:2537 4992

電郵:enquiry@bd.gov.hk

C. Submission Methods

By Post / In Person - This form together with the relevant documents shall be posted to or submitted in person to the Buildings Department:

For submissions relating to advisory letter/order/notice/direction: Receipt & Despatch Counter, Building Department, 12/F Pioneer Centre, 750 Nathan Road, Kowloon.

For other submissions to the New Buildings Division:

Receipt & Despatch Counter, Building Department, 7/F Cityplaza Three, 14 Taikoo Wan Road, Quarry Bay, Hong Kong.

D. Contact Details

Buildings Department

Address: 12/F, Pioneer Centre, 750 Nathan Road, Kowloon.

2626 1616 (handled by "1823") Tel No.:

Fax No.: 2537 4992

Email: enquiry@bd.gov.hk

附錄B (認可人士、註冊結構工程師及註冊岩土工程師作業備考APP-151) 的附加頁 Additional Page of Appendix B (PNAP APP-151)

附加頁 Additional Page No.

1

擬安裝/已安裝的具能源效益的設施 Proposed / Installed Energy Efficient Features

	中文 Chinese	英文 English
1.	自動照明控制 - 日光感應控制	Automatic Lighting Control - Daylight Responsive
2.	自動照明控制 - 用戶感應控制	Automatic Lighting Control - Occupancy Sensing
3.	電力質素 - 功率因數修正器	Power Quality - Power Factor Correction Device
4.	電力質素 - 諧波修正器	Power Quality - Harmonic Correction Device
5.	計量及監察設施	Metering and Monitoring Facilities
6.	升降機反饋制動	Lift Motor Drive - Provision of Regenerative Braking
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		