Summary of GFA Concessions

BD Ref: BD 2/4010/12

including bonus GFA (m²) % Area # (m²) % Are	Building Name and Address	Approved Domestic & Non-domestic Gross Floor Area (GFA) including bonus GFA	Disregarded GFA (Carpark and loading/unloading areas excluding PTT)		Disregarded GFA other than carpark and loading/unloading areas (e.g. plant rooms and similar services)		Disregarded GFA in hotel under Building (Planning) Regulations 23A(3)		Exempted GFA of green features under Joint Practice Note No. 1 & 2		Exempted GFA of amenity features and other exempted items		Bonus GFA		Feature Subject to the Overall Cap@	
Total Non-domestic GFA = 11814.221m² GF GFA GF			(m²)				(m²)		(m ²)	%		%		%		9%
GFA = 11814.221m ² GF Caparix Area =91.933 S.776 Caparix Area =91.933 GF Caparix Area =99.458 Total @ = 391.966 S.776 S.776 Caparix Area =99.458 S.776 S.776				(C) - (B/A)	(D)	(E) = (D/A)			(H)	(I) = (H/A)	(J)	(K) = (I/A)	713	(84) - (1/4)		
	Hong Ked Cross Headquarters Run Run Shaw Building, 19 Hoi Ting Road	GFA = 11814.221m²	Carpark Area =91.933 1.2 M/F Carpark Area =590.458 Total=	5.776	Non-mandatory or non-essential plant room, such as A/C plant room, AHU Room, etc. = 391.966	3.318	N/A	N/A	N/A	N/A	Counter, office, store, guard room and lavatory for watchman and management staff, owners' corporation office =16.680 22. Pipe duct, air duct for non-mandatory or non-essential plant room = 12.646	0.248			2.3 14 22 Total@=	3.568

I, (name in full) Che Kwai Leung, Chris , authorized person, confirm that for the GFA concessions in respect of the captioned development site are summarized in the above summary. , authorized person, confirm that for the purpose of Building (Administration) Regulations 44,

Signature of authorized person

Certificate of Registration No.: AP(A) 77/86 Date of expiry of registration:

Item number please refer to Appendix G of PNAP ADM-2 2.

Item 2, 3, 5, 6, 11, 12, 14, 15, 17 to 20, 22, 25 to 27 are subject to the overall cap (applicable to new building plans submitted for approval on or after 1.4.2011. For items subject to overall cap (see Notes 2. above).