

屋 宇 響 樓宇發展項目每年能源消耗量聲明 BUILDINGS Declaration on Annual Energy Use of a Building Development

認可人士、註冊結構工程的及 註冊岩土工程師作業開考 PNAP APP-151

附錄 Appendix 🔒

• 請以正楷填寫	· 並在適當方格內加上	- " V J	號·填料	寫前・請細限	《注意事項》	
----------	-------------	---------	------	--------	--------	--

• Read the "Matters to Note", complete in BLOCK LETTERS and tick the appropriate boxes.

致建築事務監督 To the	Building Authority
----------------	--------------------

XXXXXXIII TO THE DUTING THE TOTAL OF THE TOT						
第一部 樓字詳情 Part 1 Building Particulars						
梭宇名稱(如知悉) (中文) Name of Building (if known) (Chinese)	樓宇類型 Type of Building					
愛海頌第3座及第5座	住宅楼宇 非住宅楼宇 Non-domestic Building					
樓宇名稰(如知悉) (英文) Name of Building (if known) (English)	☑ 綜合用途搜字 Composite Building					
Seaside Sonata Tower 3 and Tower 5	CONTRACTOR OF THE CONTRACTOR CONT					
地盤地址(中文) Address of Site (Chinese) 海壇街/桂林街及通州街(地盤C)	提供中央空調 Provision of Central Air Conditioning 是 否 Yes No					
	提供具能源效益的設施 Provision of Energy Efficient Features					
	☑ 是 古 Yes □ No					
地盤地址(英文) Address of Site (English)	Tes No					
Hai Tan Street/ Kweilin Street and						
Tung Chau Street (Site C)						
地段編號 Lot No.						
NKIL 6506						
擬安裝 / 已安裝的具能源效益的設施 Proposed / Installed Energy Efficient Features 操安裝 / 日本 操安裝 Proposed / Installed Energy Efficient Features Proposed / Installed Energy	☑ 已安裝 Installed					
中文 Chinese	英文 English					
1. 高效能空調系統	High Performance air conditioning system					
2. 提供高效能燈具	Energy efficient lighting fixtures are provided					
3.						
① 知至位不數數/ If space is inst	用:虽於附加頁增寫。 ufficient, please fill in the additional sheet(s). S加附加頁					

第二部 擬興建 / 已竣工樓宇 / 部分樓宇預計每年能源消耗量 Part 2 Predicted Annual Energy Use of Proposed / Completed Building / Part of Building

#3I	1122	已修工		機空 一	部分继生	2
Pro	^{嗅建} posed / ✓	Completed	\checkmark	Building /	Part of Building	i) 見註 See Note (1)

發展項目類型 Type of Development	位置 Location	使用有關裝置的 内部模面面積 Internal Floor Area Served (平方米 m²)	基線搜字每年能源消耗量 Annual Energy Use of Baseline Building (平方米/年 m*/annum) ① 見註 See Note (2)		擬興建/已竣工樓字 每年能源消耗量 Annual Energy Use of Proposed/Completed Building (平方米/年 m²/annum)	
			電力 Electricity 千瓦小時 kWh	煤氣 / 石油氣 Town Gas / LPG 用量單位 Unit	電力 Electricity 千瓦小時 kWh	煤氣 / 石油氣 Town Gas / LPG 用量單位 Unit
住用發展項目 (不包括酒店) Domestic Development (excluding Hotel)	中央屋字裝備裝置 Central building services installation ① 見註 See Note (3)	8,785.4	185.02	N/A	159.90	N/A
非住用發展項目 (包括酒店) Non-domestic Development	平台 (中央屋宇裝備裝置) Podium(s) (central building services installation)	5,083.2	212.24	N/A	178.41	N/A
(including Hotel) ① 兒莊 See Note (4)	平台 (非中央屋宇裝備裝置) Podium(s) (non-central building services installation)	4,033.7	220.15	N/A	209.56	N/A
	塔傑 (中央屋宇裝備裝置) Tower(s) (central building services installation)	N/A		·		
	塔樓 (非中央屋宇装備装置) Tower(s) (non-central building services installation)	N/A				

一般來說, 雙宇的預計每年每平方米能源消耗显愈低, 雙宇的能源消耗愈有效。例如,如果提 奧建樓宇的預計每年能源消耗量少 於 基線樓宇預計的每年能源消耗量,則表示擬與建樓宇的預 計 能源使用較基線裡宇有效。減少愈多,效能愈大。

In general, the lower the estimated "Annual Energy Use" of the building, the more efficient the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

第三部 按機電工程署公布的相關實務守則設計/完成的裝置 Part 3 Installation(s) Designed / Completed in Accordance and Mechanical Services Department	with the Relevant Codes of Practice Publishe	ed by tl	ne Elec	trical	
以下裝置乃按機電工程署公布的相關實務守則 In accordance with the relevant Codes of Practice published by the Electrical and Mechanical Services Department, the following installati	設計 / ^{完成} completed :				
裝置類型 Type of Installation	ons	是 Yes	否No	不適用 N/A	
照明裝置 Lighting Installations		V			
空調裝置 Air Conditioning Installations					
電力装置 Electrical Installations		\square			
升降機及自動梯的裝置 Lift & Escalator Installations					
以總能源為本的方法 Performance-based Approach				\Box	
註冊專業工程師 / 註冊能源效益評核人資料 Details of the Registered Professional Engineer / Registered E 中文姓名* Name in Chinese* ① 姓氏尤征 Surname first		mhor*			
陳國璋	E A 0 0 1 2 4 / G	nder			
英文姓名* Name in English* ① 佐氏先行 Surname first CHAN, KWOK CHEUNG 目 dd 月 mm 件 yyyy					
★ 註冊專業工程師 Registered Professional Engineer 申請人資料 Details of the Applicant 姓名/公司名稿(中文) Name / Company (Chinese)	姓名/公司名稱(英文) Name / Company (English				
第四部 聲名 Part 4 Declaration					
認可人士姓名(中文)* Name of Authorized Person (Chinese)* ①姓氏先行 Surname first 認可人士姓名(英文)* Name of Authorized Person (English)* ② 昨年五行 Surname first	註冊證明書編號* Certificate of Registration Num AP(A) 2 / 9 9 註冊屆湖日期* Date of Expiry of Registration*	nber*			
Name of Authorized Person (English)** ① 姓氏元行 Surname first NG KWOK FA 本人在報有此聲明書的唯證光碟上簽署並謹衷誠作出此項鄭重聲明確信上述 By signing the DVD Rom containing this declaration, I make this solemn de pelieving the information contained in this declaration is true.					
日期 Date 1 9 1 0 2 0 2 0 日 dd 月 mm 年 yyyy					

^{*} 根據註冊記錄
* In accordance with the registration record

注意事項

##任何人如作出處假聲明或就重要事項作出失實際述即屬觸犯刑事罪行。 可能會被檢控。

註

- 1. 預計每年每平方米能源消耗量 (以耗電量(千瓦小時)及 煤氟/石油氖消耗 显用显單位]計算)·指將發展項目的每年能源消耗總量除以使用有關裝 質的內部樓面面積所得出的商,其中:
 - "每年能源消耗品"與新建楼宇BEAM Plus標準(現行版本)第4節及附
 - 之內表面起量度出來的楼面面積。
- "基線樓字"與新建樓字BEAM Plus標準(現行版本)第4節及附錄8中 的"基準建築物模型(零分標準)"具有相同涵義。
- 3. "中央屋字装備裝置"與機電工程署發出的《屋字裝備裝置能源效益實 務守則〉中的涵義相同。
- 4. 平台一般指發展項目的最低部分 (通常為發展項目最低15米部分及其地 庫(如適用))·並與其上的塔樓具有不同用途·對於並無明確劃分平台與 塔樓的發展項目,應視整個發展項目為塔樓。

甲. 個人資料

收集的目的

- 1. 屋宇署會使用透過本表格所獲得的個人資料作下列用途:
 - (a) 處理你在本表格中所呈交的文件的相關事務:
 - (b) 處理有關上述擬進行工程、(建築物條例) 及有關法例的相關事務;
 - (c) 方便屋宇署與你聯絡·
- 2. 你必須提供本表格所要求的個人資料。假如你未能提供所需資料。可能 **学致處理你所呈交的文件時出現延誤,或甚至導致無法處理你的申請。**

獲轉交資料的部門/人士

3. 本屬可能會向其他政府部門、決策局、機構或任何人士披露你透過本表 格所提供的個人資料,以作上述第1段所列的用途。

4. 根據《個人資料(私隱)條例》·你有權查閱及改正你所提交的個人資 料・屋宇署有權就有關資料索閱的要求收取合理費用・如要求查閱及改 正你的個人資料、請與屋宇署聯絡。

乙. 填寫表格

- 1. 請填妥表格載列所有有關的部分。請附上所有證明文件。
- 2. 所提供的資料如有不全或錯誤, 屋宇署將不能處理呈交的文件。
- 3. 如對本表格有任何疑問·詩與屋宇署聯絡·

Matters to Note

Any person making a false declaration or misrepresenting a material fact shall be guilty of a criminal offence and subject to prosecution.

Note

- 1. The predicted annual energy use per m² per annum, in terms of electricity consumption (kWh) and town gas/LPG consumption (unit) of the development by the internal floor area served, where:-
 - (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and
 - "Internal floor area", in relation to a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
- 2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).
- 3. 'Central Building Services Installation' has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.
- 4. Podium(s) normally means the lowest part of the development (usually the lowest 15m of the development and its basement, if any) carrying different use(s) from that of the tower(s) above. For development without clear demarcation between podium(s) and tower(s), the development, as a whole, should be considered as tower(s).

A. Personal Data

Purposes of Collection

- 1. The personal data provided by means of this form will be used by the Buildings Department for the following purposes:
- (a) activities relating to the processing of your submission in this form;
- (b) activities relating to the above proposed works, and administration of the Buildings Ordinance and other legislations; and
- (c) facilitating communication between the Buildings Department and vourself.
- 2. It is obligatory for you to provide the information as required in the form. If you fall to provide the required data, delay may be caused in processing of your submission or even result in rejection of the application.

Classes of Transferees

3. The personal data you provided by means of this form may be disclosed to other government departments, bureaux, organisations or any persons for the purposes mentioned in paragraph 1 above.

Access to Personal Data

4. You have the right of access and correction with respect to the personal data as provided under the Personal Data (Privacy) Ordinance. The Buildings Department has the right to charge a reasonable fee for the processing of any data access request. Request for personal data access and correction should be addressed to the Buildings Department.

B. Completion of Form

- 1. Please ensure that all relevant parts of the form are duly completed. Please enclose all supporting documents.
- 2. If incomplete or erroneous information is provided in the form, the Buildings Department may not be able to process the submission
- 3. Enquiries regarding this form should be addressed to the Buildings Department.

丙. 呈交方法

1. 郵寄/親身呈交 - 本表格連同有關文件應郵寄或親身呈交至屋字器:

星交有開對論信/命令/通知/指示的表格: 九點油麻地海庭道11號西九罷政府合署北座屆宇署總部地下一般查詢及收件 成。

呈交至拓展部有關其他事宜的表格: 香港太古城太古灣道14號7個屋宇岩收發處・

丁. 聯絡資料

地址:九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部

電話: 2626 1616 (由 "1823" 接聽)

傅真: 2537 4992

電郵: enquiry@bd.gov.hk

C. Submission Methods

By Post / In Person - This form together with the relevant documents shall be posted to or submitted in person to the Buildings Department:

For submissions relating to advisory letter/order/notice/direction: General Enquiry and Receipt Counter, G/F, Buildings Department Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon,

For other submissions to the New Buildings Division: Receipt & Despatch Counter, Buildings Department, 7/F, 14 Taikoo Wan Road, Taikoo Shing, Hong Kong

D. Contact Details

Buildings Department

Address: Buildings Department Headquarters, North Tower, West Kowloon
Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon
Tel No.: 2626 1616 (handled by "1823")

2537 4992 Fax No.:

Email: enquiry@bd.gov.hk

附錄B (認可人士、註冊結構工程師及註冊岩土工程師作業備考APP-151) 的附加頁 Additional Page of Appendix B (PNAP APP-151)

附加頁 Additional Page No.

擬安裝 / 已安裝的具能源效益的設施 Proposed / Installed Energy Efficient Features

	中文 Chinese	英文 English
1.		
2.		
3.		
4.		
5.	3	
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		