



住戶康樂設施總熱傳送值的摘要匯表

OTTV of Resident's Recreational Facilities Summary Sheet

電郵地址 E-mail Address

作認收電郵之用 (電子呈交適用) For acknowledgement email (e-submission)

PNAP APP-156 附錄 Appendix B


地址: PROPOSED RESIDENTIAL DEVELOPMENT AT K.I.L. NO.195 PRINCE EDWARD ROAD WEST, KOWLOON, HONG KONG 屋宇署檔號 BD Ref. No. BD2/4027/08

Building Type / Use: Resident's Recreational Facilities. OTTV calculated by: 1. Registered Professional Engineers. Classification: Podium / Tower. No. of Storeys (RRF): 1. Gross Floor Area: 203.265 m². Usable Floor Area: 157.901 m². Total External Wall Area: 277.12 m². Total Window Area: 166.74 m². Total Skylight Area: 0. Weighted Average U-value: Opaque Wall 2.59, Window 4.62, Opaque Roof 0.26, Skylight. Window Glass Type: Clear, Area=166.74 m², SC=0.6, VLT=70%, ER=5%. Weighted Average Absorptivity: Wall 0.68, Roof 0.87. Weighted Average Density: Wall 426.5 kg/m², Roof 3,809.5 kg/m². OTTV_RRF: Wall 61.17 W/m², Roof 1.81 W/m², Overall Average 54.98 W/m².


註: ER = 外部反射率, SC = 遮光系數, VLT = 可見光透光率, **按面積加權計算, 應以發展項目中使用比例最高的窗戶和天窗的資料為準。

請在適當的方格內填上「√」號。 Please tick in box as appropriate.

Notes: ER = External Reflectance, SC = Shading Coefficient, VLT = Visible Light Transmittance, ** Weighted by area, Window and skylight data should represent the major proportion of its use in the development.



簽署*
Signature*




任何失實核證或聲明可引致法律行動。##
Any false certification or declaration
may be subject to legal action.##

日期 Date

0	5	0	2	2	0	2	1
---	---	---	---	---	---	---	---

日 dd 月 mm 年 yyyy



注意事項

任何人如作出虛假聲明或就重要事項作出失實陳述即屬觸犯刑事罪行，可能會被檢控。

甲. 填寫表格

1. 請填妥表格載列所有有關的部分。請附上所有證明文件。
2. 所提供的資料如有不全或錯誤，屋宇署將不能處理呈交的文件。
3. 如對本表格有任何疑問，請與屋宇署聯絡。

乙. 呈交方法

1. 郵寄/親身呈交 - 本表格連同有關文件應郵寄或親身呈交至屋宇署：

呈交有關勸諭信 / 命令 / 通知 / 指示的表格：

九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部地下一般查詢及收件處

呈交至拓展部有關其他事宜的表格：

香港太古城太古灣道14號7樓屋宇署收發處。

丙. 聯絡資料

屋宇署

地址：九龍油麻地海庭道11號西九龍政府合署北座屋宇署總部

電話：2626 1616 (由“1823”接聽)

傳真：2537 4992

電郵：enquiry@bd.gov.hk

Matters to Note

Any person making a false declaration or misrepresenting a material fact shall be guilty of a criminal offence and subject to prosecution.

A. Completion of Form

1. Please ensure that all relevant parts of the form are duly completed. Please enclose all supporting documents.
2. If incomplete or erroneous information is provided in the form, the Buildings Department may not be able to process the submission.
3. Enquiries regarding this form should be addressed to the Buildings Department.

B. Submission Methods

1. **By Post / In Person - This form together with the relevant documents shall be posted to or submitted in person to the Buildings Department:**

For submissions relating to advisory letter/order/notice/direction:

General Enquiry and Receipt Counter, G/F, Buildings Department Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon

For other submissions to the New Buildings Division:

Receipt & Despatch Counter, Buildings Department, 7/F, 14 Taikoo Wan Road, Taikoo Shing, Hong Kong

C. Contact Details

Buildings Department

Address: Buildings Department Headquarters, North Tower, West Kowloon Government Offices, 11 Hoi Ting Road, Yau Ma Tei, Kowloon

Tel No.: 2626 1616 (handled by “1823”)

Fax No.: 2537 4992

Email: enquiry@bd.gov.hk