

Download Draft

Print

Reset

Save

Submit



住戶康樂設施總熱傳送值的摘要匯表
OTTV of Resident's
Recreational Facilities
Summary Sheet

電郵地址 E-mail Address 作認收電郵之用 (電子呈交適用) For acknowledgement email (e-submission)

PNAP APP-156 附錄 B Appendix


Address: PROPOSED RESIDENTIAL DEVELOPMENT AT 128 WATERLOO ROAD, KOWLOO 屋宇署編號 BD Ref. No. BD2/4012/17

Building Type / Use: Resident's Recreational Facilities
OTTV calculated by: 1. Registered Professional Engineers
Classification: Podium / Tower
Gross Floor Area: 100.267(G/F), 332.727 (2/F)
Usable Floor Area: 47.048 (G/F), 269.142 (2/F)
Total External Wall Area: 278.38
Total Window Area: 222.74
Total Skylight Area: 0
Average U-value: Opaque Wall 2.53, Window 3.608, Opaque Roof 0.24, Skylight 0
Window Glass Type: Tinted Clear (IGU) Area=53.01, Clear (19mm+2.28PVB+19mm) Area=169.73
Average Absorptivity: Wall 0.3, Roof 0.4
Average Density: Wall 1,097, Roof 4,641.9
Overall Average: 55.85

註: ER = 外部反射率
SC = 遮光系數
VLT = 可見光透光率
**按面積加權計算
應以發展項目中使用比例最高的窗戶和天窗的資料為準。


請在適當的方格內填上『√』號。
Please tick in box as appropriate.

Notes: ER = External Reflectance
SC = Shading Coefficient
VLT = Visible Light Transmittance
** Weighted by area
Window and skylight data should represent the major proportion of its use in the development.



簽署*
Signature*

Mok Chi Fun Patrick (RP0197297)



任何失實核證或聲明可引致法律行動。##
Any false certification or declaration
may be subject to legal action.##

日期 Date

2	5	1	0	2	0	2	1
---	---	---	---	---	---	---	---

日 dd 月 mm 年 yyyy

