

Central Data Bank List of Building Components
--

A. General

Department:	Buildings
Type of building component:	Fire Resisting Doorsets

B. Acceptance criteria**Testing standards:**

Testing of fire resisting doorsets shall be carried out in accordance with BS 476 : Parts 20 to 24 : 1987. Other standards or technical criteria may be accepted if the fire resisting doorsets can be shown to comply with the necessary performance requirements.

Conditions of Acceptance:

NA

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A001	Fire doorset	Ming Wah Engineering	30	30	UKAS	Warrington Fire Research	C123531	28/2/2002	1/3/2007	23/5/2005	
BD-A002	1 Hr. fire rating doorset	-	60	-	IANZ	Branz Red	FR2496 (Timber Door),13L07C&13J15 C (Steel Door)	3/9/1998	-	8/9/2005	
BD-A003	FD-2013 and FD-2014 Fire Doorsets (Single Leaf)	-	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FR2496 Assessment FAR1652	3/9/1998	-	8/9/2005	
BD-A004	Firetech-60FT	First Top Engineering Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	BRANZ test report no. FR3101 BRANZ assessment no. FAR1915 BRANZ assessment no. FAR 1948	5/4/2002 5/4/2002 6/11/2002	-	8/9/2005	
BD-A005	Wright Style Insulated Glazed Doorsets	Wright Style Ltd.	30	30	UKAS	Building Research Establishment (BRE)	CC 206754	1/7/2002	1/7/2007	8/9/2005	
BD-A006	Humphrey & Stretton	Lahine Engineering Ltd.	240	-	UKAS	Building Research Establishment (BRE)	CC 202354D	4/3/2003	4/3/2008	8/9/2005	Fire rated steel door
BD-A007	Hung Kwong Timber Works	Hung Kwong Timber Works	150	150	HOKLAS	RED	I4E09	27/5/2004	26/5/2006	8/9/2005	
BD-A008	Fire Doorset	Tian Lian Engineering Co. Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FAR 1787	1/10/2001	-	8/9/2005	
BD-A009	Timber Doorsets	Crownwood Engineering Ltd.	60	60	HOKLAS / UKAS	Warrington Fire Research Centre Ltd.	WFRAP No. 001771A	23/3/2004	31/3/2009	8/9/2005	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A010	-	Hung Tat Timber Trading Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	SC2286/A	27/2/2001	31/12/2008	8/9/2005	
BD-A011	Fire Rated Timber Door(FD60)	Kamet Fire Engineering & Consultancy	60	-	UKAS	Chiltern International Fire Ltd.	CHILT/A02090 Serial No.WH6957-WH6958	17/6/2002	17/6/2007	8/9/2005	
BD-A012	Door 1	Tung Fai Kai Wooden Materials Co. Ltd.	30	30	NATA	Building Research Association of New Zealand (BRANZ)	FR 1820	10/8/1993	-	8/9/2005	
BD-A013	IHR FRP Timber Door	Kin Hing Door & Wood Co. Ltd.	120	-	UKAS	Warrington Fire Research Centre Ltd.	WFRC No. C127992 WFRC No. C115166/B	23/10/2002 14/8/2000	-	8/9/2005	
BD-A014	Firetect	First Top Engineer	30	30	IANZ	BRANZ WFRC	FR3030 APC2748	5/10/2001 15/12/2003	31/12/2008	8/9/2005	
BD-A015	Solid Core FD60 fire Resisting Doorsets	Kamet Fire Engineering and Consultancy	60	-	UKAS	Chiltern International Fire Ltd.	CHILT/A02090 revision A	17/6/2002	17/6/2007	8/9/2005	
BD-A016	timber doorset	Uni-found Ltd	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	I4M22 I4G08	8/03/2005 19/8/2004	7/3/2007	8/9/2005	
BD-A017	Timber set	Charter Ace Building Material Ltd.	30	30	Hong Kong Laboratory Accreditation Scheme	Research Engineering Development Façade Consultants Ltd.	14H17 & 14H13	8/8/2004	7/8/2006	31/1/2007	
BD-A018	D1-01	Wang Lee Wooden Products	60	60	SAC	PSB Corporation	54 S023086/2/JC	26/8/2002	25/8/2005	31/1/2007	
BD-A019	Ali - Porte	Tak Woo H.K. Engineering Ltd.	60	-	HOKLAS	RED	I4A01	25/2/2004	25/2/2006	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A020	-	Ming Wah Engineering	30	30	UKAS	Warrington Fire Research Centre Ltd.	W00109A	29/7/1999	1/9/2009	31/1/2007	
BD-A021	-	Kamet Fire Engineering and Consultancy	30 60	30 60	UKAS	Chiltern International Fire Ltd.	Chilt/A04049, Chilt/A02090 (Rev.A)	30/4/2004 17/6/2002	30/4/2007 17/6/2007	31/1/2007	
BD-A022	Winbo FD-4001	Tung Fai Kee Wooden Materials Co. Ltd.	30	30	International Accreditation New Zealand	Building Research Association of New Zealand (BRANZ)	FR2125 Issue 2	25/3/2002	-	31/1/2007	
BD-A023	Timber door	Kwong Yin Wing Koo Timber Co. Ltd.	30 60	-	UKAS Endorsed by Mr. Peter E Jackman	WFRC IFC	WFRS- SC2678.2 IFCA-95017 (Rev.c)	17/7/2003 5/2/2004	30/6/2008 5/2/2007	31/1/2007	
BD-A024	Solid Core FD60 Fire Resisting doorset	Kamet Fire Engineering & Consultancy	60	-	UKAS.	Chiltern International Fire Ltd.	CHILT/A 2090 (Rev.A)	17/6/2002	17/6/2007	31/1/2007	
BD-A025	-	Yue Kee Construction Material Co.	30	30	UKAS	Warrington Fire Research Centre Ltd.	WFRC C125693 Warres No C63155 WFRC No 114773	1/7/2002 31/1/1995 27/7/2000	1/8/2007 1/6/2005	31/1/2007	
BD-A026	Giraffe Industries single & double leaf hinged steel doorsets	Giraffe Industrial Pte Ltd.	241	-	UKAS	BRE Fire and Risk Sciences Division	BRE Assessment Report : CC90901	25/4/2002	25/4/2007	31/1/2007	
BD-A027	Q4E24-Double Leaf Timber Doorset with Clear Glass Panels	Hung Kwong Timber Works	63	63	HOKLAS	Research Engineering Development Façade Consultants Ltd.	I4E08 I4E09	24/5/2004	26/5/2006	31/1/2007	
BD-A028	Timber Doorset (Door mark:D2&D3)	Onare Company	30	30	UKAS	Warrington Fire Research Centre Ltd.	Assessment Report WFRAP No. 002771B Assessment Report WFRS NO. SC2019	20/2/2002 15/10/1999	31/3/2009 14/10/2001	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A029	Single Leaf Metal Door	Abla Co. Ltd.	60	-	UKAS	Warrington Fire Research Centre and PSB Corporation	WFRAPNo. 002768 PSB:54S036602/KKC PSB:54S050035/JC	23/6/2004 27/12/2005	30/6/2009 4/1/2008	31/1/2007	
BD-A030	-	Giraffe Industries Pte Ltd.	240	-	UKAS	Building Research Establishment (BRE)	CC90901	25/4/2002	25/4/2007	31/1/2007	
BD-A031	Ali-Porte	Ali-Porte Inc.	60	-	HOKLAS	Research Engineering Development Façade Consultants Ltd.	I4A01	25/2/2004	25/2/2006	31/1/2007	
BD-A032	1 HR FRP Fire rated Timber Door	Humphrey & Stretton (Asia) Ltd.	60	60	UKAS	Building Research Establishment (BRE)	CC202354A	4/3/2003	4/3/2008	31/1/2007	
BD-A033	1 HR FRP Fire rated Metal door	Kuen Wai Industrial Company	60	46	HOKLAS	Research Engineering Development Façade Consultants Limited	I4M07	4/4/2005	-	31/1/2007	
BD-A034	Timber Based Doorsets	Yui Kee Const. Material Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	Warres No. C63174 C114773 C147221B C125693	1/7/2002	1/8/2007	31/1/2007	
BD-A035	Fire Resistant Steel Doorset	Kin Hing Door & Wood Co. Ltd.	120	-	Aisa Pacific Laboratory Accreditation Cooperation (APLAC)	PSB Corporation	54S035850/MW (with manufacturer certificate CTCE2530-1)	12/4/2004	12/4/2007	31/1/2007	
BD-A036	Fire Door	Flemming Door Product Ltd.	120	120	UKAS	Warrington Fire Research Centre Ltd.	120751	7/9/2001	6/9/2006	31/1/2007	
BD-A037	Single leaf timber door	Hung Tat Timber Trading Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	SC2628A	3/5/1996	31/1/2008	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A038	Fire Door	Alliances Marketing Pte Ltd.	60	60	UKAS	Warrington Fire Research Centre Ltd.	SC2489A (Main Body) (appendix 6)	1/4/2002	1/4/2007	31/1/2007	
BD-A039	-	Faith Mark Consultants Limited	60	60	Singapore Accreditation Council	PSB Corporation Fire Test Laboratory	54S023086/2/JC	20/8/2002	26/8/2008	31/1/2007	
BD-A040	First Top Doorset	First Top Engineering Ltd.	130	-	IANZ	Building Research Association of New Zealand (BRANZ)	FR2869	30/11/2000	indefinite	31/1/2007	
BD-A041	Single-action double leaf doorset	Ming Wah Engineering (Development) Co. Ltd.	60	60	UKAS	Warrington Fire Research Centre Warrington Fire Research Consultancy (UK)	141499 141501 C124928 C112686 W00109B W00109	12/8/04 12/8/04 23/5/2002 3/3/2000 29/7/1999 29/7/1999	1/9/09 1/9/09 1/6/2007 - - -	31/1/2007	
BD-A042	1 hr FRP wooden door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128 Revision B	21/8/2001	21/8/2006	31/1/2007	
BD-A043	Glass Door	Sam Tat Engineering (Development) Ltd.	60	60	CNACL	Building Engineering Testing Centre	BETC-NHPG-2005-35	2/8/2005	2/8/2008	31/1/2007	
BD-A044	D1(size:200 x 945 x2430mm)	Kamet Fire Engineering & Consultancy	30	30	UKAS	Chiltern International Fire Ltd.	Chilt/A04049	30/4/2004	30/4/2009	31/1/2007	
BD-A045	Door with frame	Yee Hong Kee Wood Works Co., Ltd.	60	60	Building Research Establishment Ltd.	Building Research Establishment (BRE)	CC90028A	18/9/2001	24/12/2006	31/1/2007	
BD-A046	"Ali-Porte	-	60	-	HOKLAS	Research Engineering Development Façade Consultants Ltd.	I4A01	9/12/2003	25/2/2006	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A047	-	Granter Woodwork Engineering Co. Ltd.	60 30	60 30	HOKLAS	Research Engineering Development Façade Consultants Ltd.	I3C17 I3H15	28/04/2003 17/12/2003	- 16/12/2005	31/1/2007	
BD-A048	B13955 B13956	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F 99128 Rev B	21/8/2001	21/8/2006	31/1/2007	
BD-A049	CLP Stainless Steel door set with wicket door	First Top Engineering Ltd.	120	-	UKAS	Warrington Fire Research Centre Ltd.	WFRAP 002796	19/5/2004	31/5/2009	31/1/2007	
BD-A050	Firetech - 60E	First Top Engineering Ltd.	60	60	UKAS of United Kingdom NATA of Australia	Warrington Fire Research Centre CSIRO - National Building Technology Center	WFRS no. SC2525 SI 2007 (reference report in WFRS no. SC 2525)	1/6/2002 21/5/1987	1/6/2007 -	31/1/2007	
BD-A051	Hatrin Fire Rated Metal Door System	Ying Kee Iron Works	60	60	China National Accreditation Board	Fire Test Lab, BETC, China Academy of Building Research	BETC-NHPG-2004-21	11/10/2004	11/10/2006	31/1/2007	Fire rated steel door
BD-A052	Timber door	Kwong Yin Wing Koo Timber Co. Ltd.	30	30	UKAS	Warrington Fire Research Centre Ltd.	WFRS- No.SC2678.2	17/7/2003	30/6/2008	31/1/2007	
BD-A053	Single Leaf door with Door Frame	Uni-Found Ltd.	60	60	HOKLAS	Research Eng. Development Façade Consultants Ltd	14M22	8/8/2005	7/3/2007	31/1/2007	
BD-A054	2 Hr. Fire Resisting Door	Uni-Found Limited	120	120	UKAS	Warrington Fire Research Centre Ltd.	WFRC C81143	31/3/2003	31/3/2008	31/1/2007	
BD-A055	Fire rated doorset	Faith Mark Consultants Ltd.	30	30	SAC	PSB Corporation	54S023724/JC	21/9/2002	21/9/2008	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A056	Single and Pair Leaf Steel Doorsets	Yokah International Ltd.	120	-	NATA	Building Research Association of New Zealand (BRANZ)	FAR2397	31/3/2005	Indefinite	31/1/2007	
BD-A057	Timber Doorset	Charter Ace Building Material Ltd.	60	60	SAC	PSB Corporation	Test Report 54S022286/KKC Assessment Report 54S023086/2/JC	29/7/2002 26/8/2002	26/8/2008	31/1/2007	
BD-A058	Yokah	Yokah International Ltd.	120	60	IANZ	Building Research Association of New Zealand (BRANZ)	FAR 2397	31/3/2005	Indefinite	31/1/2007	
BD-A059	Fire rated timber doorset	Yokah International Ltd.	60	60	UKAS	Building Research Establishment (BRE)	BRE assessment report no. CC211123	21/2/2003	21/2/2008	31/1/2007	
BD-A060	Doorsets	Kin Hing Door & Wood Co., Ltd.	30	-	UKAS	Chiltern International Fire Ltd.	F00021 (Rev. D) F00020 (Rev. C)	25/5/2002	25/5/2007	31/1/2007	
BD-A061	Faithmark H-30	Faith Mark Consultant Ltd.	30	30	SAC	PSB Corporation	54S023724/JC	21/9/2002	21/9/2008	31/1/2007	
BD-A062	Wooden Door FD-2013 & FD 2014	Tung Fai Kee Wooden Materials Co. Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	99/1433 -FR2496	17/8/1999 3/9/1998	-	31/1/2007	
BD-A063	1/2 hr FRP wooden door	Leung's Wooden Co.	30	30	UKAS	Warrington Fire Research Centre Ltd.	WARRES No. 122029 and WFRC assessment no. C122077 and WFRAP assessment no. 002759 (Appendix 9)	27/11/2001	27/11/2006	31/1/2007	
BD-A064	Firetech	-	30	30	IANZ	Building Research Association of New Zealand (BRANZ)	BRANZ no. FR2847	24/1/2001	-	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A065	Laminated Core Doorsets	East Centre Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	FEA/F99133 (REV.B)	21/8/2001	21/8/2006	31/1/2007	
BD-A066	Fire Door	Guangdong/ China R&R Fire Material Co.	60	60	HOKLAS	Research Eng. Development Façade Consu. Ltd	R05L27	4/7/2006	6/4/2009	31/1/2007	
BD-A067	1 HR FRP STEEL DOOR	SHEN ZHEN PJLD SECURITY PRODUCTS CO. LTD.	60	36	CNACL	BUILDING ENGINEERING TESTING CENTRE	BETC-2001-F-008	15/6/2001	-	31/1/2007	
BD-A068	Single-leaf Duraleaf Pivoted Doorsets	Cape, Calsil System Ltd.	60	-	UKAS	Building Research Establishment (BRE)	Assessment report No. CC 208229	17/4/2002	17/4/2007	31/1/2007	
BD-A069	FRP Door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128 Revision B	21/8/2001	21/8/2001	31/1/2007	
BD-A070	Pyroplex	Rediplex Group Plc	201	-	UKAS	Warrington Fire Research Centre Ltd.	C103808 issue 3	2/9/2003	1/10/2008	31/1/2007	
BD-A071	Faithmark H-60	Faithmark	60	60	SAC	PSB Corporation	54S023086/2/JC	29/7/2002	26/8/2008	31/1/2007	
BD-A072	-	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128(Rev B) CHILT/A01152B	21/08/2001 21/08/2001	21/08/2006 21/08/2006	31/1/2007	
BD-A073	Timber doorsets	Yui Kee Construction Material Co.	62	62	UKAS	Warrington Fire Research Centre Ltd.	WFR C114773, C125693, C1472216	7/6/2004 27/7/2000 1/7/2002 7/6/2005	13/12/2000 1/8/2002 1/8/2007 1/6/2010	31/1/2007	
BD-A074	steel doorset	New Century Engineering Co.	60	-	UKAS	Warrington Fire Research Centre Ltd.	WFR CSC 2669	20/5/2003	31/5/2008	31/1/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A075	Uni-Door FD 60	Uni-Found Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	Assessment Report No. 1 4M22	08/03/2005	07/03/2007	31/1/2007	
BD-A076	Single-acting, Double-leaf, Timber Doorset	Yui Kee Const. Material Ltd.	60	-	UKAS	Warrington Fire Research Centre Ltd.	Warres No. C63174 WFRC No. C125693	14/12/1995	1/8/2007	30/4/2007	
BD-A077	Double Door with 30mmthk. Longdian Fire Resistant Clear Glass	SPV Contrafi Limited	60	60	HOKLAS HOKLAS	BETC, CABR RED	BETC-NH-2003-9 14F12	26/2/2003 10/1/2005	N/A 9/1/2007	30/4/2007	
BD-A078	"Tung Fai Kee" steel door	Tung Fai Kee Wooden Materials Co. Ltd.	120	30	IANZ	Building Research Association of New Zealand (BRANZ)	FAR 2012 FR 2649	10/9/2002 31/5/1999	N/A Indefinite	30/4/2007	
BD-A079	ICEWALL (HK) Ltd.	ICEWALL Co. Ltd.	120	120	CNACL	Building Engineering Testing Centre	BETC-NH-2002-99 and Fax from BETC dated 20/9/2002	13/12/2002	13/12/2007	30/4/2007	
BD-A080	Faithmark H-30 Faithmark H-60	Faith Mark Consultants Ltd.	30 30	30 30	SAC	PSB Corporation Fire Test Laboratory	54S023724/JC 54S022254/CYW	20/9/2002 16/7/2002	20/9/2005 16/7/2002	30/4/2007	
BD-A081	Faith Mark S-120	-	120	-	SAC	PSB Corporation Fire Test Laboratory	54S023086/1/JC	23/8/2002	3 yrs	30/4/2007	
BD-A082	Halspan 30 Prima Doorsets	Halspan Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	FEA/F97174 Revision C	21/8/2003	21/8/2008	30/4/2007	
BD-A083	"Thermosafe" Fire-rated glass doorset	Joint Billion International Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	14D03 Rev 1 (with manufacturer certificate JBT-050277-FY)	30/4/2004	29/4/2006	30/4/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A084	"Faith Mark" Wooden doorset	Faith Mark Consultants Ltd.	60	60	SAC	PSB Corporation	54S023086/2/JC	12/8/2005	26/8/2008	30/4/2007	
BD-A085	Non acoustic CECD door	Hinrich	240	-	UKAS	Building Research Establishment (BRE)	CC88573	25/3/2003	25/3/2008	30/4/2007	
BD-A086	1/2-hr. FRP single leaf timber door	Wai Yip First Top Engineering Ltd.	30	30	1) International Accreditation New Zealand (IANZ) 2) HOKLAS	1) BRANZ 2) Research Engineering Development Façade Consultants Limited	1) FR2847 2)R05D17	24/1/2001 9/6/2005	Indefinite 8/6/2007	30/4/2007	
BD-A087	-	Kin Hing Door & Wood Co. Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	Ref : 21082325 & 21083388 Test Report No. Chiltern FEA/F00020 Revision C	25/5/2002	25/5/2007	30/4/2007	
BD-A088	Polynorm	Yee Hong Kee	30	30	UKAS	Building Research Establishment (BRE)	CC 90100A	11/1/2002	24/12/2006	30/4/2007	
BD-A089	wooden Door	Faith Mark Consultants Limited	30	30	SAC	PSB Corporation	54S0237 24/JC & 54S0222 54/CYW	12/8/2005	21/9/2008	30/4/2007	
BD-A090	Timber Door with vision Panel	alliances Marking Pie Ltd.	240	30	UKAS	Warrington Fire Research Centre Ltd.	TE7298B with SC2489 B App. 2, App. 4 & App. 10	1/4/2002	31/3/2007	30/4/2007	
BD-A091	H.W. S/C. door	Winbo	60	60	BRANZ	Building Technology Limited	BRANZ Report FR2496 & BTL Assessment Report 96/931	4/7/1996 3/9/1998	Indefinite	30/4/2007	
BD-A092	Glazing Door	Shenzhen Icewall New Construction Material Co., Ltd.	30	30	CNACL	Warrington Fire Research Centre Ltd.	BETC-2001-F-017 BETC-2001-F-018 SC2688	7/8/2001	30/6/2008	30/4/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A093	Fire Doors	New Century Engineering Co. Alliances Marketing Pte Ltd.	60 60 60 60	- - - 30	UKAS	Warrington Fire Research Centre Ltd. Chiltern International fire Ltd. Warrington Fire Research Centre Ltd. Loss Prevention Council (FIRTO)	WFRS SC2669 WFRAP 002849.1 Chilt/RF01019 Chilt/RF01020 WFRS SC2489C TE5861C	20/3/2003 2/11/2004 6/8/2001 6/8/2001 1/4/2002 9/10/1992	31/5/2008 30/11/2009 6/8/2006 6/8/2006 1/4/2007	30/4/2007	
BD-A094	"WINBO" Wooden Door	Tung Far Kee	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FR2497	3/9/1998	Indefinite	30/4/2007	
BD-A095	Fire Resistance Doorset	UNI-FOUNG LIMITED	60	60	UKAS	Warrington Research Centre Ltd.	WFRC No. R12991.3 Warres No. C61454, 61473, 63153, R12625, C81142	21/2/1997	31/3/2008	30/4/2007	
BD-A096	One hour F.R.P. Timber door	East Centre Ltd	60	-	UKAS	Chiltern International Fire Limited	FEA/F99128 Revision B	21/1/2001	21/8/2006	30/4/2007	
BD-A097	Steel Door	Honestice Engineering Co., Ltd.	60	-	UKAS	Building Research Establishment (BRE)	CC 90901	25/4/2002	24/4/2007	30/4/2007	
BD-A098	Timber Fire Door	Kin Hing Door & Wood Co. Ltd.	60	60	UKAS	Chiltern International Fire Ltd	FEA/F00020 Rev. C	25/5/2002	25/5/2007	30/4/2007	
BD-A099	Fire Door	Kamet Fire Eng.	30	30	UKAS	Chiltern International Fire Ltd	Chilt A04049	30/4/2004	30/4/2009	30/4/2007	
BD-A100	Laminated Core Doorsets	Wai Yip First Top Engineering Ltd.	61	61	IANZ	Building Research Association of New Zealand (BRANZ)	FR3101 FAR1915	5/4/2002	-	30/4/2007	-

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A101	Fire Rated Doorsets	Tung Fai Kee	65	65	IANZ	Building Research Association of New Zealand (BRANZ)	FR2496	3/9/1998	-	30/4/2007	
BD-A102	Faithmark H-60	Faith Mark Consultants Ltd.	60	60	SAC Singapore	PSB Singapore	Test Report 54S022286/KKC Assessment Report 54S023086/2/JC	29/02/02 26/08/02	26/8/2008	30/4/2007	
BD-A103	Fire Resisting Timber Doorsets	Hung Kwong Timber Works	60	60	HOKLAS	Research Engineering Development Façade Consultant Ltd	R05M07A	9/12/2005	8/12/2007	30/4/2007	
BD-A104	CRS Rockwool Fireseal FS60	Strepoint Ltd	120	120	SAC	PSB Singapore	25T 0000364/MW	26/7/2000	-	31/1/2007	
BD-A105	Faithmark H-60	Chuen Fung Wooden Doors Ltd.	60	60	Faith Mark Consultants Ltd.	PSB Corporation	54S023086/2/JC	26/8/2005	26/8/2008	31/1/2007	
BD-A106	Door and door frame	R & R Fire Material Co.	30	30	UKAS	Chiltern International Fire Ltd.	UA-Y06-C0125	4/9/2002	4/9/2007	31/1/2007	
BD-A107	Uni-door Fire-rated Timber Door-set	Uni-Found Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	14M22	8/3/2005	7/3/2007	31/1/2007	
BD-A108	FRP Timber Door	Leung's Wooden Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	WARRES No.122029	27/11/2001	25/11/2006	31/1/2007	
BD-A109	Timber Door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd	FEA/F9912 8 Revision B	21/8/2001	21/8/2006	30/4/2007	
BD-A110	1 hour fire rated door	Faith Mark Consultants Limited	60	60	SAC Singapore	PSB Singapore	54S023086/2/JC	26/8/2002	26/8/2008	30/4/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A111	Long Dian	SPV Contrafi Ltd	30	30	CNACL	Building Engineering Testing Centre (BETC) of China Academy of Building Research	BETC-NH-2002-69	4/11/2002	Indefinite	22/11/2007	
BD-A112	Fire-rated door	Wai Yip First Top Engineering Ltd.	42	42	IANZ	Building Research Association of New Zealand (BRANZ)	FR2847	24/1/2001	Indefinite	22/11/2007	
BD-A113	F.R. Timber Door	Kin Hing Door & Wood Co. Ltd.	60	60	UKAS	Chiltern International Fire Ltd	Chiltern FEA/F00020 Revision C	25/5/2002	25/5/2007	22/11/2007	
BD-A114	1 hour FRP timber door	Yauley Timber Co. Ltd.	60	60	SAC	PSB Corporation	PSB assessment report no. 54S023086/2/JC	26/8/2002	26/8/2008	22/11/2007	
BD-A115	Timber Door with vision Panel	alliances Marking Pie Ltd.	240	30	UKAS	Warrington Fire Research Centre Ltd.	TE7298B with SC2489 B App. 2, App. 4 & App. 10	1/4/2002	31/3/2007	22/11/2007	
BD-A116	Fire rated timber doorset	Yokah International Ltd..	60	60	UKAS	Building Research Establishment (BRE)	BRE assessment report no. CC211123	21/2/2003	21/2/2008	22/11/2007	
BD-A117	Firetech - 60E	First Top Engineering Ltd.	60	60	UKAS NATA	Warrington Fire Research Centre CSIRO-National Building Technology Centre	WFRS no. SC2525 S12007 (reference report in WFRS no. SC 2525)	1/6/2002 21/5/1987	1/6/2007 --	22/11/2007	
BD-A118	GIRAFFE FIRE Resistance Steel Door	GIRAFFE Industries Pte Ltd.	240	-	UKAS	Building Research Establishment (BRE)	CC 90901	25/4/2002	25/4/2007	22/11/2007	
BD-A119	S.S. Doorset	Pilot Firerated Company "New Century Engineering Company"	120	30	UKAS	Warrington Fire Research Centre	Test Report: WFRC #SC2489C; TE5860D; TE5861C	1/4/2002	1/4/2007	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A120	Ali-Porte	Tak Woo Engineering (Hong Kong) Limited	240	-	HOKLAS	Research Engineering Development Facade Consultants Limited	I4A01	25/2/2004	25/2/2006	22/11/2007	
BD-A121	Fire Resistant Steel Doorset	First Top Engineering Limited	120	-	UKAS	Warrington Fire Research Centre Ltd.	SC2666 (with manufacturer certificate 3602-CDS1-TEL)	14/4/2003	14/4/2008	22/11/2007	
BD-A122	"Phoenix" Fire-rated Steel Door-set	Joint Billion International Ltd.	120	-	UKAS	Warrington Fire Research Centre Ltd.	SC2669	20/5/2003	31/5/2008	22/11/2007	
BD-A123	F.R.P. Door	Ming Wah Engineering (Development) Co. Ltd.	60	60	UKAS	Warrington Fire Research Consultancy	141501 W00109B 141500 W00109A 141499 W00109 C124928 C112686	12/8/2004 29/7/1999 23/5/2002 3/3/2000	12/8/2004 1/9/2009 1/6/2007	22/11/2007	
BD-A124	Timber door FD 2014	Tung Fai Kei Wooden Materials Co., Ltd.	65	65	IANZ	Building Research Association of New Zealand (BRANZ)	FR 2496	3/9/1998	Indefinite	22/11/2007	
BD-A125	Yokah	Yokah International Ltd.	120	60	IANZ	Building Research Association of New Zealand (BRANZ)	Certification No: YBS-B-0032 FAR 2397	1/3/2006 1-Mar-06	Indefinite	22/11/2007	
BD-A126	Wooden Door	Kin Hing Door&Wood Co. Ltd.	60	60	UKAS	Chiltern Int'L Fire Ltd.	FEA/FD0020 Revision C	25/5/2002	25/5/2007	22/11/2007	
BD-A127	Laminated core doorsets (Timber doors)	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd	FEA/F99128 (Rev. C)	22/6/2006	22/6/2011	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A128	Kin Hing	Kin Hing	60	-	UKAS	Chiltern International Fire Ltd	FEA/ F00020 Revision B	22/5/2002	25/5/2007	22/11/2007	
BD-A129	Fire Resisting Doorset	Ming Wah Eng. (Davel.) Co. Ltd.	60	-	UKAS	Warrington Fire Research Centre Ltd.	C112686, C124928, C110162, C123531	3/3/2000	01/06/2007	22/11/2007	
BD-A130	Kin Hing Door & Wood Co. Ltd.	-	30	30	UKAS	Chiltern International Fire Ltd	CHILT/A 04049	25/5/2002	25/5/2007	22/11/2007	
BD-A131	Steel Metal Fire Doorset	ABLA Co. Ltd.	240	10	UKAS SAC	Warrington Fire Research Consultancy PSB Corporation	002768 54S0366021/KKC 54S050035/JC	23/6/2004 20/12/2003 4/1/2005	30/6/2009 4/1/2008	22/11/2007	
BD-A132	Steel Double Leaf Fire Steel Door with View Pane	Shenzhen PJLD Security Products Co., Ltd.	72	62	CNACL	Building Engineering Testing Center, China Academy of Building Research	BETC-NH-2004-196	13/4/2004 21/6/2004	-	22/11/2007	
BD-A133	1/2 hour FRP door	Kamet Fire Engineering and Consultancy	30	30	UKAS	Chiltern International Fire Ltd.	Chilt/A04049	30/4/2004	30/4/2009	22/11/2007	
BD-A134	Access Panel (52x(800+800)x2100 mm)	Hung Tat Timber Trading Co.	60	60	UKAS	Warrington Fire Research	WFRS No. SC2286/A	2/5/1996	31/1/2008	22/11/2007	
BD-A135	Fire Rated Door	Faith Mark	30	30	SAC	PSB Corporation	54S023724/JC	16/7/2002	21/9/2008	22/11/2007	
BD-A136	Giraffe	Leung Kit Kee Metal Works	241	-	SAC UKAS	PSB Corporation Building Research Establishment Ltd	G45838/TSM CC90901	10/10/1997 25/4/2002	25/4/2007	22/11/2007	
BD-A137	Fire Foor Hung Kwong Timber Works	Hung Kwong Timber Works	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R06A18A	6/2/2006	5/2/2008	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A138	'Honestice' Steel Door	Honestice Engineering Company Ltd.	241	-	UKAS	Building Research Establishment Ltd.	BRE CC90901	25/4/2002	25/4/2007	22/11/2007	
BD-A139	1 hr. FRP Timber Double Doorset	Tung Fai Kee Wooden Materials Co. Ltd	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	BRANZ FR2497	3/9/1998	Indefinite	22/11/2007	
BD-A140	Hausner SD-Series steel doorsets	Hausner (Hong Kong) Ltd.	60	-	UKAS	Warrington Fire Research Centre Limited	Wfra Report No. 45903	31/3/2006	31/3/2011	22/11/2007	
BD-A141	Fire Rated Wooden Door Fire Rated Wooden Door	R&R Fire Material Co. R&R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R05L27 R05L27	7/4/2006	6/4/2009	22/11/2007	
BD-A142	Wooden Door	Tung Fai Kee Wooden Materials Co. Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FR2496	3/9/1998	Indefinite	22/11/2007	
BD-A143	Phoenix	New Century Engineering Co.	120	-	UKAS	Warrington Fire Research Centre Ltd	002849.1	2/11/2004	30/11/2009	22/11/2007	
BD-A144	Timber Door	Faith Mark Consultant Ltd.	30	30	SAC	PSB Corporation	54S023724/JC	21/9/2002	21/9/2008	22/11/2007	
BD-A145	"Hausner" steel doorset	Hausner (Hong Kong) Ltd.	60	-	UKAS	Warrington Fire Research Centre	45903	23/3/2006	31/3/2011	22/11/2007	
BD-A146	Double -leaf Single-leaf timber w/vision panel	Armorcont (HK) Limited	30	30	UKAS	Warrington Fire Research Centre	WFTS SC1344.1	14/6/2004	30/6/2009	22/11/2007	
BD-A147	Timber Door	Faith Mark Consultants Ltd.	60	-	SAC	PSB Corporation	54S023086/2/JC	26/8/2002	26/8/2008	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A148	"Ming Wah" Wooden doorset	"Ming Wah" Engineering Co., Ltd.	60	60	UKAS	Warrington Fire Research Centre	C112686	22/9/2006	1/10/2011	22/11/2007	
BD-A149	Steel Door	New Century Engineering Co.	120	-	UKAS	Chiltern International Fire	RF01020 A01147 Rev.B	10/8/2006 16/6/2006	10/8/2011 16/6/2011	22/11/2007	
BD-A150	Fire Rated Wood Door	Pamon (Panyu) Timber Co. Ltd	60	60	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-NH-2004-572	15/9/2004	15/9/2006	22/11/2007	
BD-A151	Timber Doorsets	Kwong Yin Wing Koo Timber Co., Ltd.	30	30	UKAS	Warrington Fire Research Centre	WFRS-SC2678.2	17/7/2003	30/6/2008	22/11/2007	
BD-A152	Fire Rated Wood Single Leaf Door	Cheung Wah Building Material Ltd.	60	60	UKAS	Building Research Establishment Ltd.	CC211123	21/2/2003	21/2/2008	22/11/2007	
BD-A153	Faithmark H-60	Faith Mark Consultants Limited	60	60	SAC	PSB Corporation	54S023086	29/7/2002	20/8/2008	22/11/2007	
BD-A154	Fire resisting door	Uni-Found Limited	60	60	UKAS	Warrington Fire Research Centre	WFRC No. R12991.3 Issue 2	-	31/3/2008	22/11/2007	
BD-A155	Fire resisting door	ABLA Co. Ltd.	60	-	UKAS	Warrington Fire Research Centre	45816	20/12/2003	30/6/2010	22/11/2007	
BD-A156	1 Hour FR SS Door	Joint Billion Internation Ltd.	144	13	UKAS	Chiltern Int. Fire Ltd.	FAR1879	21/8/2002	Indefinite	22/11/2007	
BD-A157	1/2 Hour F.R.P.Door Set 1 Hour F.R.P. Door Set	Faith Mark Consultant Limited	49 60	49 60	SAC	PSB Corporation	54S023724/JC 54S023086/2/JC	20/9/2002 20/9/2002	21/9/2008 26/8/2008	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A158	Double leaf door (s.steel)	Honestice Engineering	120	-	UKAS	WARRINGTON FIRE RESEARCH CENTRE LTD	WFRS No. SC2513	16/5/2002	15/5/2007	22/11/2007	
BD-A159	Laminated Core doorsets (Timber door)	East Centre Ltd.	60	60	UKAS	Chiltem Int'l Fire Ltd.	FEA/F99128 (Rev. C)	22/6/2006	22/6/2011	22/11/2007	
BD-A160	Timber door	Kin Hing Door & Wood Co. Ltd.	30	30	UKAS	Chiltern Int'l Fire Ltd.	CHILT/A00021 Rev. F	25/5/2002	25/5/2007	22/11/2007	
BD-A161	Timber door	Kin Hing Door & Wood Co. Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	CHILT/A00021 Rev. F	25/5/2002	25/5/2007	22/11/2007	
BD-A162	Timber Doorsets Modified Doorset	Uni-Found Ltd.	30 60	30 60	HOKLAS	Research Eng. Development Façade Consultants Ltd.	14M22A	26/6/2006	25/6/2008	22/11/2007	
BD-A163	Fire-rated Timber door	Kamet Fire Engineering & Consultancy Ltd.	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 Rev.B	1/8/2006	1/8/2011	22/11/2007	
BD-A164	-	Daily Full Engineering Ltd.	30	30	IANZ	Building Research Association of New Zealand (BRANZ)	FR 2436 FAR 1639 Issue 3	24/12/1997 5/5/2006	Indefinite	22/11/2007	
BD-A165	Timber Doorsets Modified Doorset	Kwong Yin Wing Koo Timber Co. Ltd. Tyco Building Products Pty Ltd.	30 60 120	30 60 30	UKAS	Warrington Fire Research Centre International Fire Consultants Ltd. Warrington Fire Research Centre	WFRS-SC2678.2 IFCA-95017 Rev.C WFRS-SC2526	17/7/2003 5/2004 1/6/2002	30/6/2008 5/2007 1/6/2007	22/11/2007	
BD-A166	Timber Doorset	Uni-found Limited	60	60	HOKLAS	RED Fire & Façade Consultants Limited	14M22A	26/6/2006	25/6/2008	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A167	Fire-rated Wooden door	R & R Fire Material Co.	30 60	30 60	UKAS	Chiltern Int'l Fire Ltd.	Chilt/A02160 Chilt/A02164	4/9/2002	4/9/2007	22/11/2007	
BD-A168	Faithmark H60	Onare Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	SC 1978 002771A	23/7/1999 23/3/2004	31/3/2009	22/11/2007	
BD-A169	fire resisting doorset	Kin Hing Door & Wood Co. Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F00020 Revision C	25/5/2002	25/5/2007	22/11/2007	
BD-A170	Fire Rated Door	New Century Engineering Co.	60	60	UKAS	Chiltern International Fire Ltd	CHILT/A011 47 Rev. B	16/6/2006	16/6/2011	22/11/2007	
BD-A171	Cheung Wah Door	Cheung Wah Building Material Ltd	60	-	IANZ	Branz Limited	FAR1763 Appendices 1,3,7,11,21	6/3/2003 20/12/2001 8/1/2004	Indefinite	22/11/2007	
BD-A172	Doors supplied by Ming Wah	Ming Wah Eng. Co., Ltd.	30/60	30/60	UKAS	Warrington Fire Research	W00109A No. C141500 WFRC No. C110162 WFRC No. C123531 WFRC No. C112686 WFRC No. C124928	27/5/1999 12/8/2004 21/9/1999 28/2/2002 3/3/2000 23/5/2002	1/9/2009 1/10/2001 1/3/2007 1/4/2002 1/6/2007	22/11/2007	
BD-A173	Fire Rated Doorset	Faith Mark Consultants Ltd.	60	60	SAC	PSB Corporation Fire Test Laboratory	54SD23086/2/JC	26/8/2002	26/8/2008	22/11/2007	
BD-A174	Wooden Door	-	60	60	SAC	PSB Corporation	24S023086/2/JC	21/12/2005	26/8/2008	22/11/2007	
BD-A175	Timber Door	Kamet Fire Engineering and Consultancy	30	-	UKAS	Chiltern International Fire Ltd	CHILT/A04049	30/4/2004	30/4/2009	22/11/2007	
BD-A176	Fire Resist Door	Crown Wood Eng. Ltd.	30	30	UKAS	Warrington Fire Research Ltd.	WFRS No. SC2019	15/10/1999	31/3/2009	22/11/2007	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A177	Timber Door (lift control room door)	Uni-Found Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	14M22A	26/6/2006	25/6/2008	22/11/2007	
BD-A178	1/2 hr FRP	Kamet Fire Engineering & Consultancy	30	30	UKAS	Chiltern International Fire Ltd	Chilt/A04049	30/4/2004	30/4/2009	22/11/2007	
BD-A179	Kin Hing Door	King Hing Door & Wood Co Ltd	60	60	UKAS	Chiltern International Fire Ltd	FEA/F00020R (C)	25/5/2002	25/5/2007	22/11/2007	
BD-A180	Forbes	Joint Billion Int. Ltd	120	60	HOKLAS	RED Fire and Façade Consultants	R06F18C	30/10/2006	30/10/2008	22/11/2007	
BD-A181	1 Hour FR S.S. Door	Joint Billion Internation Ltd.	144	13	UKAS	Chiltern International Fire Ltd	FAR 1879	21/8/2002	-	7/1/2008	
BD-A182	Firetech - 60FT	First Top Engineering Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FR3028 FAR 1948	20/12/2001 06/11/2002	-	7/1/2008	
BD-A183	"WINBO"	Tung Fai Kee Woodern Materials Co., Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FR2496	03/09/98	-	7/1/2008	
BD-A184	Fenlite	Yee Hong Kee Wood Works Co., Ltd.	120	60	UKAS	Building Research Establishment (BRE)	CC206647 Review 1	19/12/2001	19/12/2007	7/1/2008	
BD-A185	Laminated Core Doorsets	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99	22/6/2006	22/6/2011	7/1/2008	
BD-A186	Halspan 30 Prima Doorset	Halspan Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	FEA/F97174 Revision C	21/8/2003	21/8/2008	7/1/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A187	Halspan	Power Creation Engineering Ltd.	30	30	UKAS	Chiltern International Fire Ltd	FEA/F97 174	21/8/2003	21/8/2003	7/1/2008	
BD-A188	Timer doors	East Centre Ltd.	120	120	CNACL	National Centre for Quality Supervision and Testing of Fire Bldg. Mat'l	200690084	8/9/2006	-	7/1/2008	
BD-A189	1 hour FRP H.W. S.C. Door	Tung Fai Kee	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	Fire Test report: BRANZ FR2496 Assessment for variations: BRANZ 99/1433 Assessment for Ironmongery: BRANZ FAR 1652	3/9/1998 17/8/1999 26/3/2002	-	7/1/2008	
BD-A190	1 hr FRP Door	Prettyroy Co. Ltd.	61	61	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-NHPG 2006-19	14/7/2004	14/7/2009	7/1/2008	
BD-A191	Unidoor FD30	Uni-Found Ltd.	30	30	HOKLAS	Research Engineering Development Facade Consultants Limited (RED)	14M22A	26/1/2006	25/6/2008	7/1/2008	
BD-A192	Fire rated Wooden Door	R & R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Facade Consultants Limited (RED)	R05:27	7/4/2006	6/4/2009	7/1/2008	
BD-A193	Double Leaf with vision panel	Firetech Eng. Ltd.	47	47	UKAS	Warrington Fire Research Centre Ltd.	APC2748	3/10/2001	31/12/2008	7/1/2008	
BD-A194	Wooden Door	Armorcoat (HK) Limited	30	30	UKAS	Warrington Fire Research Centre Ltd.	SC1344.1	14/6/2004	30/6/2009	7/1/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A195	1/2 hr rated timber doorset	Armorcoat (HK) Limited	30	30	UKAS	Warrington Fire Research Centre Ltd.	WFRS No. SC1344.1	14/6/2004	30/6/2009	7/1/2008	
BD-A196	1hr Fire Resisting Timber Doorset	Kwong Yin Wing Koo Timber Co. Ltd.	60	-	PNAP 251	International Fire Consultants Ltd.	IFCA/95017 Rev D	1/4/2007	1/4/2012	7/1/2008	
BD-A197	Fire rated timber door	Research Engineering Development Façade Consultant Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited (RED)	R06C11	16/3/2006	15/3/2008	7/1/2008	
BD-A198	THERMOSAFE	Joint Billion International Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited (RED)	14D03	30/4/2004	28/4/2008	7/1/2008	
BD-A199	Fire Rated Wooden Door	R & R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited (RED)	R05L27	7/4/2006	6/4/2009	7/1/2008	
BD-A200	Fire Rated Door	New Century Engineering Co.	60	-	UKAS	Warrington Fire Research Centre Ltd.	WFRS No. SC2669 WFRAP No. 002849.1	21/5/2001 2/11/2004	31/5/2008 30/11/ 2009	7/1/2008	
BD-A201	Fire Rated Door	New Century Engineering Co.	60	60	UKAS	Warrington Fire Research Centre Ltd.	SC2489C Assessment : 002849.1	20/12/1998 22/05/2001	30/11/2009	7/1/2008	
BD-A202	Suzuki Fire Shutter	-	240	-	UKAS	Warrington Fire Research Centre Ltd.	C124741	20/6/2002	1/7/2007	7/1/2008	
BD-A203	Fire Resisting Doorsets	Kin Hing Door and Wood Co.	60	60	UKAS	Chiltern International Fire Ltd	FEA/F00020 Revision C	25/5/2002	25/5/2007	7/1/2008	
BD-A204	Winbo	Tung Fai Kee Wooden Mat. Co. Ltd.	65	65	IANZ	Building Research Association of New Zealand (BRANZ)	FR2496	3/9/1998	-	7/1/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A205	UNI-DOOR	UNI-FOUND LIMITED	60	60	HOKLAS	Research Engineering Development Facade Consultants Limited (RED)	14M22A 14G08	26/6/2006 22/07/2004	25/06/2008 indefinite	7/1/2008	
BD-A206	Phoenix Steel Door	New Century Engineering	144	12	UKAS	Chiltern International Fire Ltd	Chilt/RF01020	10/8/2006	9/8/2010	7/1/2008	
BD-A207	"Ying Kee" timber doorset Double leaf w/ vision panel	Ying Kee Wooden Works'	30	30	UKAS	Warrington Fire Research Centre Ltd.	FR3030/WFRAP No. APC2748 Appendix 3, 4 & 8	3/10/2001	31/12/2008	7/1/2008	
BD-A208	1/2 hour Fire resisting door D1 (S.L. in Shop-G27)	Walusion Industries Ltd.	30	30	SAC	PSB Corporation	54S025374/KKC 54S025408/TSM 54S030595/JC	16/12/2002 16/12/2002 28/1/2003	31/3/2009	7/1/2008	
BD-A209	Cafco 280	Isolatek International	120	120	UKAS	The Loss Prevention Council Building Research Establishment	376.3 CC376.3	12/1993 17/3/2003	1/1997 17/3/2008	7/1/2008	
BD-A210	1/2 hour timber door	East Centre Ltd.	30	30	UKAS	Chiltern International Fire Ltd	FEA/F99133 Rev. C	22/6/2006	22/6/2011	7/1/2008	
BD-A211	Faithmark H-60	Faithmark Consultants Ltd.	60	60	SAC	PSB Corporation	54S023086/2/JC	12/8/2005	26/8/2008	7/1/2008	
BD-A212	FRP Doorset	Armorcoat (Hong Kong) Limited	30	30	HOKLAS	Warrington Fire Research Consultancy	WFRC No. SC1344.1	14/6/2004	30/6/2009	7/1/2008	
BD-A213	Timber Doorsets	Kin Hing Door and Wood Co. Ltd.	30	30	HOKLAS	Research Engineering Development Facade Consultants Limited (RED)	RED R07F06	15/6/2007	14/6/2010	7/1/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A214	Kin Hing Door	Kin Hing Door and Wood Co., Ltd.	60	60	UKAS	Chiltern Int. Fire Ltd.	FEA/F00020RC	25/5/2002	9/8/2007	7/1/2008	
BD-A215	Fire Joint Filler	Hilti (HK) Ltd.	-	-	-	-	-	-	-	-	moved to BD-D
BD-A216	Wood Doorset	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 (Rev. B)	1/8/2006	1/8/2011	20/8/2008	
BD-A217	Fire Steel doorsets	Shenzhen PJLD Security Products Co.	60	36	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-2001-F-008	15/6/2001	indefinite	20/8/2008	
BD-A218	Wooden Door	Tung Fai Kee Wooden Materials Co., Ltd.	60	60	IANZ	BRANZ Limited	FR2496	3/9/1998	Indefinite	20/8/2008	-
BD-A219	Uni-Door	Uni-Found Ltd.	110	83	UKAS	Warrington Fire Research Centre	WFRC C81143	7/3/2003	31/3/2008	20/8/2008	-
BD-A220	Doors	KAMET FIRE 興記木門	68	-	PNAP 251	International Fire Consultants Ltd.	54S020109/CYW	13/7/2007	1/8/2011	20/8/2008	-
BD-A221	Pyrogem glass door	Fu Kin Technology (H.K.) Fire Protection Glass Development Ltd.	60	60	-	THE FIRE LAB OF BETC, CABR	BETC - NH- 2005-792 & BETC-NHPG-2005-44	-	24/10/2007	20/8/2008	-
BD-A222	Fire Resistant Timber Doorsets	Halspan Ltd.	30	30	UKAS	Chiltern International Fire	FEA/F97174 (Rev. D)	11/2/2005	1/2/2010	20/8/2008	
BD-A223	-	Chung Fai Wooden Door Ltd.	68	-	PNAP 251	International Fire Consultants Ltd.	IFCA/ 06179B	1/8/2006	1/8/2011	20/8/2008	-

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A224	Faith Mark Consultants Ltd.	Faith Mark Consultants Ltd.	60 30	60 30	SINGLAS	Singapore Productivity and Standards Board	54S022286/KKC 54S022254/CYW	29/7/2002	26/8/2008	20/8/2008	
BD-A225	Lamcore doorsets	Luck Rainbow Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	CHILT/A02156 REV.B	30/8/2007	30/8/2012	20/8/2008	-
BD-A226	Lamcore doorsets	Luck Rainbow Ltd.	30	30	UKAS	Chiltern International Fire Ltd	Chilt/A02156 REV. B	30/8/2007	30/8/2012	20/8/2008	-
BD-A227	Metal Door	Chan Chu Kee Engineering Ltd.	30	-	UKAS	Chiltern International Fire Limited	Chilit/Rf01020	10/8/2006	10/8/2011	20/8/2008	
BD-A228	Q5D41 double leaves doorset	Tung Fai Kee Wooden Matereal Co., Ltd.	30 (44)	30 (44)	HOKLAS	Research Engineering Development Façade Consultants ltd.	R05E01	2/6/2005	Indefinite	20/8/2008	
BD-A229	1/2 HR FRP Timber Doorset 13K10	SHK Trading & Building Co., Ltd	30	30	HOKLAS	Warrington Fire Research centre Ltd.	WFRAP Assessment Report No. 002.763.2 & RED Test Report No. 13K10, 13G17B, 14A16	1/7/2004	31/7/2009	20/8/2008	
BD-A230	-	Uni-Found Limited	60	60	HOKLAS	RED	14M22A R06C11	26/6/2006 16/3/2006	25/6/2008 15/3/2008	20/8/2008	
BD-A231	Faithmark H-30	Faith mark Consultants Ltd.	30	30	PSB Corporation	-	54S023724/JG	21/9/2002	21/9/2008	20/8/2008	
BD-A232	Fire Resisting doorset	Kin Hing Door & Wood Co. Ltd.	60	60	UKAS	Research Engineering Development Façade Consultants Limited	R07F32	15/6/2007	14/6/2010	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A233	Fire Rated S.S. doorset	Choi Kee Eng. (HK) Co. Ltd.	60	-	UKAS	Chiltern International Fire Limited	Chilit/RF01019	10/8/2006	-	20/8/2008	
BD-A234	Fire Resisting Timber Door	Uni-Found Limited	60	30	UKAS	Research Engineering Development Façade Consultants Limited	I4M22A	26/6/2006	25/6/2008	20/8/2008	
BD-A235	Faith Mark H-30	Faithmark Consultant Ltd.	49	49	Sac-Singlas	PSB Corp. Pte Ltd.	54S0237 24/JC	21/9/2002	21/9/2008	20/8/2008	
BD-A236	Fire Resisting Doorsets	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179	1/8/2006	1/8/2011	20/8/2008	
BD-A237	1/2 hr FRP Timber doorset with viewing panel	Leung's Wooden Company	30	30	IANZ	Building Research Association of New Zealand (BRANZ)	FR 2930	24/1/2001	-	20/8/2008	
BD-A238	Faithmark H-60 Timber Doorset	Faith Mark Consultants Limited	60	60	Singapore Accreditation Council	PSB Corporation	Assessment Report no. 54S023086/2/JC	26/8/2002	26/8/2002	20/8/2008	
BD-A239	Promat Board (2-hr FRP)	Promat Internal (Asia Pacific) Ltd.	181	130	UKAS	BRE Testing	CC24611	19/5/2006	19/5/2011	20/8/2008	
BD-A240	Laminated Core Doorsets	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/FF99128 Rev. C	22/6/2006	22/6/2011	20/8/2008	
BD-A241	Timber doorset	Cheung Wah Building Material Ltd.	60	60	UKAS	Building Research Establishment Ltd.	CC211123	21/2/2003	21/2/2008	20/8/2008	
BD-A242	Forbes	Joint Billion Fire Engineering Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	R06F18C	31/10/2006	30/10/2008	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A243	Faithmark H-60	Faithmark	60	60	Singapore Accreditation Council	PSB Corporation	PSB No 54S023086/2/JC	20/8/2002	26/8/2008	20/8/2008	
BD-A244	G.M.S. Doorset 1270(W) x 2000(H)	New Century Engineering Company	60	60	UKAS	Chiltern International Fire Ltd.	Chilt/RF01019	10/8/2006	10/8/2011	20/8/2008	
BD-A245	FRP Steel Door	Honestice Engineering Co., Ltd.	120	-	NATA, Australia	Warrington Fire Research (Aust.) PTY Ltd.	WFRA No. 45987	23/5/2006	31/5/2011	20/8/2008	
BD-A246	1/2 HR FRP Double Leaf Door	Kin Hing Door & Wood Co. Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	RED R07F32	15/6/2007	14/6/2010	20/8/2008	
BD-A247	Fire Rated Door	New Century Engineering Co.	144	12	UKAS	Chiltern International Fire Ltd.	CHILT/RF01020	22/5/2001	-	20/8/2008	
BD-A248	GMS doorset - single leaf	Pilot Firerated Co. Ltd.	144	-	UKAS	Chiltern Int'l Fire Ltd.	CHILT/RF01020	22/5/2001 10/8/2006	9/8/2006 9/8/2011	20/8/2008	
BD-A249	GMS doorset - single leaf - double leaf	Pilot Firerated Co. Ltd.	120 120	-	UKAS	Chiltern Int'l Fire Ltd.	CHILT/RF01020 & Test Report Review CHILT/RF01019 & Test Report Review	22/5/2001 10/8/2006 21/5/2001 10/8/2006	9/8/2006 9/8/2011 9/8/2006 9/8/2011	20/8/2008	
BD-A250	P&R Fire resistant wooden door	P&R Fire Material Co.	60	60	HOKLAS	Research Eng Development Façade Consultants Ltd. (RED)	ROSL27	7/4/2006	6/4/2009	20/8/2008	
BD-A251	FIRETECH-60FT & 60W	Wai Yip First Top Engineering Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	FAR 1948	6/11/2002	-	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A252	Promat H Board	Promat	120	120	IANZ	Building Research Association of New Zealand (BRANZ)	96/876 ISSUE 2	14/8/2002	-	20/8/2008	
BD-A253	FRP Door	East Centre Ltd.	60	60	UKAS	Chiltern Int'L Fire Ltd.	FEA/F99128 Revision B	21/8/2001	21/8/2001	20/8/2008	
BD-A254	FRP Door	East Centre Ltd.	60	60	UKAS	Chiltern Int'L Fire Ltd.	FEA/F99128 Revision B	21/8/2001	21/8/2001	20/8/2008	
BD-A255	FRP Door	East Centre Ltd.	60	60	UKAS	Chiltern Int'L Fire Ltd.	FEA/F99128 Revision B	21/8/2001	21/8/2006	20/8/2008	
BD-A256	Kamet Frp Doors	Kamet Fire Eng Consultancy	60	60	PNAP 251	International Fire consultants Ltd.	IFCA/06179 rev. B	1/8/2006	1/8/2011	20/8/2008	
BD-A257	1/2 hr Fire Resisting Steel Door	Hop Kwan Engineering Company Limited	144	-	UKAS	Chiltern International Fire Limited	Chilt/RF01019	21/5/2001	Indefinite	20/8/2008	
BD-A258	"CSR" Rockwool Insulating	CSR South East Asia Pte Ltd	-	-	SAC	PSB	G41847/HT	2/10/1996	-	20/8/2008	
BD-A259	Fire rated steel doorset	Power Creation Engineering Ltd.	120	-	UKAS	Warrington Fire Research	WFRS No. SC2671	6/5/2003	31/5/2008	20/8/2008	
BD-A260	Timber Door	Faith Mark Consultants Ltd	30	30	SAC	PSB Corporation	54S023724/JC	20/9/2002	20/9/2002 21/9/2008	20/8/2008	
BD-A261	Fire rated Timber Doorset	East Centre Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	FEA/F99133 Revision C	22/6/2006	22/6/2011	20/8/2008	
BD-A262	Two Panel, Centre-Opening Lift Landing Doorset	Tecnolama SA	60	60	UKAS	Warrington Fire Research Centre (WFRC)	WFRC No. 137699	19/2/2004	1/3/2009	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A263	Faith Mark H-60	Faith Mark Consultants Ltd.	60	60	SAC (Singapore)	PSB Corporation	54S023086/2/JC 54S022286/KKC	29/7/2002	26/8/2008	20/8/2008	
BD-A264	Single Leaf Door with Firelite	-	120	12	UKAS	Chiltern	Chilt/RF01020	22/5/2001	16/6/2011	20/8/2008	
BD-A265	F.R. Timber Door	Kin Hing Door & Wood Co., Ltd.	60	60	HOKLAS	RED	R07F32	15/6/2007	14/6/2010	20/8/2008	
BD-A266	Fobres	Sherex Fire-Proof Metarial Co.	120	-	HOKLAS	Red Façade Consultants Limited	R06F18B	3/10/2006	2/10/2008	20/8/2008	
BD-A267	Fobres	Sherex Fire-Proof Material Co.	120	-	HOKLAS	Red Façade Consultants Limited	R06F18B	3/10/2006	2/10/2008	20/8/2008	
BD-A268	Wooden Fire resisting door	Kamet Fire Engg & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 Rev B	1/8/2006	1/8/2011	20/8/2008	
BD-A269	1 hr FRP wooden door	Leung's Wooden Co.	60	60	UKAS	Warrington Fire Research Centre Ltd	Warres No. 122029 WF Report No. 160835 WFRC assessment No. C122077	27/11/2001 11/1/2007 23/9/2003	1/2/2012 1/10/2008	20/8/2008	
BD-A270	"Tennyson" fire resisting doorset	Tennyson company Ltd.	62	62	Sac-Singlas (Singapore)	PSB Corporation	54S05451/TSM	28/12/2001	-	20/8/2008	
BD-A271	1 Hr. FIRE RATING	KAMET FIRE ENGINEERING & CONSULTANCY	68	60	International Fire Consultancy Ltd.	-	IFCA/ 06179	1/8/2006	-	20/8/2008	
BD-A272	Fire Resistance Doorset	Kin Hing Door & Wood Co., Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	R08A19	31/1/2008	30/1/2010	20/8/2008	
BD-A273	1 HR FRP Door Timber Floor	Wai Yip First Top Engineering Co., Ltd.	60	57	BRANZ	The Resource Centre for Building Exerise	FR3101	5/4/2002	indefinite	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A274	Laminated Core Doorsets	East Centre Ltd	60	60	UKAS	Chiltern International Fire Ltd	FEA/F99128 Revision C	22/6/2006	22/6/2011	20/8/2008	
BD-A275	FRP Glass Doorset	Sherex Engineering Ltd	60	60	HOKLAS	Research Engineering Development Façade ConsultantsLtd	14D03B	30/4/2004	28/4/2008	20/8/2008	
BD-A276	1hr FRP Fire rated doorset	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128 Rev. C	22/6/2006	22/6/2011	20/8/2008	
BD-A277	Laminated Core Doorsets	East Centre Ltd	30	30	UKAS Accreditation	Chiltern International Fire Ltd	FEA/F99133	22/6/2006	22/6/2011	20/8/2008	
BD-A278	Fire Rating Glass Door	Fu Kin Technology (HK) Fire Protection Glass Development Ltd.	30	30	CNACL	Building Engineering Testing Centre	BETC-NH-2005-206 BETC-NHPG-2007-40	17/8/2005 6/9/2007	6/9/2010	20/8/2008	
BD-A279	UNI-DOOR FR Timer Door	UNI-FOUND Ltd	120	120	UKAS	Warrington	WFRC C81143	1/3/1995	1/4/2013	20/8/2008	
BD-A280	Single Leaf Door with Firelite	Single Leaf Door with Firelite	120	120	UKAS	Chiltern	Chilt/RF01020	22/5/2001	16/6/2011	20/8/2008	
BD-A281	1/2 HR Fire Rated Timber Door	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/0679 Rev. B	1/8/2006	1/8/2011	20/8/2008	
BD-A282	Timber Doorset	R & R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultant Ltd.	R05L27 (Appraisal to R05L22)	7/4/2006	6/4/2009	20/8/2008	
BD-A283	High Performance Fire Rated Door-sets	Kwong Yin Wing Koo Timber Co., Ltd	60	60	International Fire Consultants Ltd.	Warrington Fire Research Centre (Redhill)	IFCA-95017 (Revision D)	6/10/1994	30/4/2012	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A284	Fire Resisting doorset	Onare Company	60	60	UKAS	Warrington Fire Research Centre Ltd.	WFRS No. SC1978 WFRAP 002771A	23/7/1999 23/3/2004	22/7/2001 31/3/2009	20/8/2008	
BD-A285	-	Ling Lap Stainless Steel Engineering Ltd	61	45	HOKLAS	Research Engineering Development Façade Consultants Limited	R06D07A	29/9/2006	-	20/8/2008	
BD-A286	Laminated Core Door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128 Revision C	22/6/2006	22/6/2011	20/8/2008	
BD-A287	Fire Rated Steel Doorset	Fire Proof Door & Shutters Co. Ltd	60	-	IANZ	BRANZ (N.Z.)	FAR2129-2	16/6/2003	-	20/8/2008	
BD-A288	Thermosafe' Fire Rated Glass Doorset	Joint Billion Internation Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	14D03	29/4/2006	28/4/2008	20/8/2008	
BD-A289	Fireproof Glass Door	Shenzhen Longdian Sci-Tech Industrial Co., Ltd.	62	60	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-2001-F-002BC-2	5/11/2002	Indefinite	20/8/2008	
BD-A290	Timber Doorset	Elewinton Ltd	60	60	UKAS	Warrington Fire Research Centre Ltd	WFRS No. 5C2356 WFRA Report No. 21881	25/6/2001 20/8/2007	25/6/2003 31/8/2012	20/8/2008	
BD-A291	FD60	Hing Kee Wooden Door Co., Ltd.	60	-	PNAP 251	International Fire Consultants Ltd.	IFCA/06179B	1/8/2006	1/8/2011	20/8/2008	
BD-A292	Double Leaf Door with Firelite	-	120	13	Chiltern	UKAS	Chilt/RF01019	21/5/2001	16/6/2011	20/8/2008	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A293	Timber Door	Halspan' 60 Prima Doorsets	60 60	- -	UKAS	Chiltern International Fire Ltd.	FFA/F96103	1/7/2003	1/7/2008	20/8/2008	
BD-A294	Faithmark H-60	Faith Mark Consultants Ltd	60	60	SAC Singles	PSB Corporation	54S0230 86/KKC	29/7/2002	26/8/2008	20/8/2008	
BD-A295	Fobres	Sherex Fire-Proof Material Co.	-	-	HOKLAS	Red Façade Consultants Ltd	R06F18B	3/10/2006	2/10/2008	20/8/2008	
BD-A296	F.R.Door	Wise Business Eng. Ltd.	65	65	UKAS	Warrington Fire Research	W00039B	10/12/1998	-	20/8/2008	
BD-A297	Fire Door	Kamet Fire Eng. K Consultancy	68	-	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 REV.B	1/8/2006	1/8/2011	20/8/2008	
BD-A298	Fire Rated Timber Door	Kin Hing Door & Wood Co. Ltd	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R07F32	15/6/2007	14/6/2010	20/8/2008	
BD-A299	Lever autoclaved aerated concrete block	Yau Lee Construction Materials & Technology Ltd. and Shenzhen Zhanyi Lightweight Wall Material Co. Ltd.	242	242	UKAS	Warrington Fire Research Centre	WFRC Assessment Report no. 142533 WFRC Report no. W00136	22/11/2004 28/11/1999	30/11/2009 28/10/2004	20/8/2008	
BD-A300	"Tennyson" fire resisting doorset	Tennyson company Ltd.	62	62	SAC	PSB Corporation	54S056788/2/JC	16/12/2005	15/12/2010	20/8/2008	
BD-A301	1hr FRP Timber Door with vision panel	Kwong Yin Wing Koo Timber Co. Ltd.	60	-	UKAS	Warrington Fire Research (Aust) Pty Ltd.	WFRA No. 45994	21/6/2006	30/6/2011	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A302	Kamet	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	06179	1/8/2006	1/8/2011	24/2/2009	-
BD-A303	Timber door (S1,V1,VS, AD1)	Faith Mark Consultants Ltd	60	60	SAC	PSB Corporation	Test report 54S022286/KKC Assessment Report 54S023086/2/JC S08MEC00 584/JC S07MEC00 260/JC 14E08	15/7/2002 12/08/2005 25/01/2008 25/01/2008	- 26/08/08 25/01/13 25/01/13	24/2/2009	
BD-A304	Kwong Yin Wing Koo	Kwong Yin Wing Koo Timber Co., Ltd.	30	303	UKAS	Warrington Fire Research Centre	WFRS No. SC 2678.2	17/7/2003	30/6/2008	24/2/2009	
BD-A305	Supalux	Intumex Asia Pacific Pte Ltd.	240	-	UKAS	Warrington Fire Research Centre Ltd.	150962	16/1/2006	1/2/2011	24/2/2009	
BD-A306	Timber Door Steel Door	Uni-Found Limited Standard Fire Protection Company	60 144 120	60 13 -	HOKLAS UKAS	Research Engineering Development Façade Consultants Limited Chiltern International Fire Ltd.	R08D09 Chiltern/ RF01019 CHILT/ A01147 Revision B	28/4/2008 10/8/2006 16/6/2006	27/4/2010 9/8/2011 16/6/2011	24/2/2009	
BD-A307	FAITH MARK H-60	FAITH MARK CONSULTANTS LIMITED	60	60	SAC	PSB CORPORATION	54S0222 86/KKC	29/7/2002	26/8/2008	24/2/2009	
BD-A308	Forbes Steel doorset	Joint Billion Fire Engineering Co.	120	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R06F18C	31/10/2006	30/10/2008	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A309	1500/1500* 3000mm Fire Rated Door	First Top Engineering Ltd.	120	-	IANZ	Branz Limited	FAR 1763	8/1/2004	-	24/2/2009	
BD-A310	DOUBLE LEAF TIMBER DOOR	UNI-FOUND LIMITED	60	60	HOKLAS	RED	I4M22A I4G08	26/6/2006 22/7/2004	25/6/2008 -	24/2/2009	
BD-A311	Forbes Fire Rated Steel Doorset	Sherox Eng. Ltd.	120	-	HOKLAS	Research Eng. Development Façade Consultant Ltd.	R06F188	3/10/2006	2/10/2008	24/2/2009	
BD-A312	Fire Resistance Door	Kamet Fire Engineering Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 Rev. B	1/8/2006	1/8/2011	24/2/2009	
BD-A313	Uni-Door FD60	Uni-found United	60	60	UKAS	Warrington Fire Research Centre Ltd.	WFRC R 12991.3 WF Report No. 171731	21/2/1997 14/3/2008	1/4/2013	24/2/2009	
BD-A314	Timber door set (single leaf)	Kamet Firre Engineering & Consultancy	30	30	UKAS	Chiltern International Fire	Chilt/A04049	30/4/2004	30/4/2009	24/2/2009	
BD-A315	Timber door	Kwong Yin Wing Koo	66	66	HOKLAS	Red	R06A17A	30/1/2007	-	24/2/2009	
BD-A316	"FORBES" Fire-rated Single Steel Doorset	Joint Billion International Ltd.	60	-	HOKLAS	Research Engineering Development Façade Consultants Limited	R06F18C	24/9/2003	30/10/2008	24/2/2009	
BD-A317	1 hr. FRP Glazing door	Kwok Shing	60	60	HOKLAS	RED	R07B04	9/2/2007	8/2/2009	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A318	Fire Resistance Timber Door	Kin Hing Door & Wood Company Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R07F32	15/6/2007	14/6/2010	24/2/2009	
BD-A319	GIRAFFE	R.O.C.	120	-	PSB	G45838/TSM & BRE	C90901	28/3/2008	-	24/2/2009	
BD-A320	2 hrs. Fire Rated Door Sets	Hang Yick Gate Eng. Ltd.	125	-	CNAS	Building Engineering Testing Centre, China Academy of Building Research	BETC-NH-2003-360BC	25/10/2006	24/10/2009	24/2/2009	
BD-A321	FD-60	R&R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	R07J17	2/10/2007	1/10/2009	24/2/2009	
BD-A322	NCO-41DB-TAF(FR3101)	KJP International Ltd.	61	52	UKAS	Warrington Fire Research Centre	2839	25/10/2004	31/10/2009	24/2/2009	
BD-A323	Timber Door	PRC	60	-	IANZ	Building Research Association of New Zealand (BRANZ)	FR3101	5/4/2002	-	24/2/2009	
BD-A324	Fire Rated Wooden Door	Shen Zhen Shi Bao An Qu Gong Ming Hong An Yuan Timber Products Factory	35	35	CNAL	Building Engineering Testing Centre	BETC-NH-2007-455	23/7/2007	22/7/2012	24/2/2009	
BD-A325	FRP Timber Door at corridor	Uni-Found Limited	120	120	NATA	Warrington Fire Research Consultancy	C81143 171732	4/7/2008	1/4/2013	24/2/2009	
BD-A326	Fire Resistant Glazing Screen and Door Assemblies	Lee Cheong Construction & Building Materials Ltd.	62	62	CNAL	Building Eng. Testing Center	BETC-NH-2003-509	2/12/2003 5/3/2004	-	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A327	Fire Rated Doorset	Uni-found Ltd.	60	60	UKAS	Research Engineering Development Façade Consultants Ltd.	R08D09	28/4/2008	27/4/2010	24/2/2009	
BD-A328	Stainless Steel Door SD1	KJP International Ltd	120	-	UKAS	Warrington Fire Research Centre Ltd.	SC2671	6/5/2004	31/5/2009	24/2/2009	
BD-A329	Halspan	Halspan Ltd.	30	-	UKAS	Chiltern International Fire Ltd.	FEA/ F97174	11/2/2005	11/2/2010	24/2/2009	
BD-A330	-	Luck Rainbow Ltd.	30	30	UKAS	Chiltern International Fire Ltd.	Chilt/A02156 Rev B	30/8/2007	30/8/2012	24/2/2009	
BD-A331	KAMET FIRE ENG. & CONSULTANCY	KAMET	60	60	PNAP 251	International Fire Consultants Ltd.	1 FCA/06179 Rev. B	1/8/2006	1/8/2011	24/2/2009	
BD-A332	Timber door set	UNI-FOUND Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R08F19	4/7/2008	3/7/2010	24/2/2009	
BD-A333	Uni-Foung	Uni-Found Ltd.	60	60	UKAS	Warrington Fire Search Ltd	WPRC R12991.3 WFRS SC2643B	21/2/1997 7/3/2003	- 31/3/2008	24/2/2009	
BD-A334	Timber Doorset	Hung Kwong Timber Works	60	60	HOKLAS	Research Engineering Facade Consultants Ltd	R08B11A	3/3/2008	2/3/2010	24/2/2009	
BD-A335	Fire rated timber door (D1& D2)	Joint Billion International Ltd	30	-	UKAS	Warrington Fire Research Consultancy Testing	WFRC R12991.2	30/1/1997	1/4/2013	24/2/2009	
BD-A336	Timber Door FD60	Kamet Fire Eng. & Cons	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179	1/8/2006	1/8/2011	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A337	Faithmark H-60	Faith Mark Consultants Limited	60	60	SAC	PSB Singapore Corporation Fire Test Laboratory	Test Report 54S022286/KKC Assessment Report 54S023086/2/JC	29/2/2002 26/8/2002	26/8/2008	24/2/2009	
BD-A338	Fire Resisting Doorset	Tung Fai Kee Wooden Materials Co. Ltd	30	30	International Accreditation New Zealand of New Zealand	Building Research Association of New Zealand (BRANZ)	FR2125 (Issue 3) FAR 1652 (Issue 6)	1/12/2005 16/10/2006	-	24/2/2009	
BD-A339	Evo-Stik Intucrylic	Bostik Limited	240	30	UKAS	Warrington	174353 154655	20/6/2008 26/7/2006	17/2010 26/7/2008	24/2/2009	
BD-A340	1hr Fire Resisting Glass door	VIC-FORM	60	-	UKAS	Warrington Fire Search	WFRA22116	8/8/2007	31/8/2012	24/2/2009	
BD-A341	Timber Doorsets Modified Doorset	Uni-Found Ltd.	60	60	HOKLAS	Research Eng. Development Façade Consultants Ltd.	R06L18C I4M22A	23/1/2008 26/6/2008	22/1/2010 25/6/2008	24/2/2009	
BD-A342	Wooden Door	East Centre Ltd.	60	60	UKAS	Chiltern International Ltd.	FEA/F99128 Revision C	11/6/2006	22/6/2011	24/2/2009	
BD-A343	Wooden Door	R & R Fire Material Co.	60	60	HOKLAS	Research Eng. Deve.	R07J17	2/10/2007	1/10/2009	24/2/2009	
BD-A344	"FD-60" Fire resisting doorsets	R & R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R07J17	2/10/2007	1/10/2009	24/2/2009	
BD-A345	1 hour FRP steel door set	"Forbe"	120	-	HOKLAS	Red Façade Consultants Ltd.	R06F18B	3/10/2006	19/10/2010	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A346	Meilux	Hung Team Building Material	60	30	SAC	PSB Corporation	Test Report No.54S034300/1/KKC; Assessment Report No.S08MEC00561/JC	24/1/2008	23/1/2013	24/2/2009	
BD-A347	Faithmark H-30	Faith Mark Consultants Ltd.	49	49	SAC	PSB Corporation	54S022254/CYW	16/7/2002	21/9/2011	24/2/2009	
BD-A348	Fire-resistant Steel Doorsets	Giraffe Industries Pte. Ltd.	120	-	NATA	Bodycote Warringtonfire Research (Aus) Pty Ltd.	BWA Report No.22651-00	14/4/2008	30/4/2013	24/2/2009	
BD-A349	Steelcraft	Steelcraft Manufacturing Inc	240	30	UKAS	WFRC	C102262 Issue 3 SC 2673A C80573 SC2581 C81279 56845	20/04/2000 12/05/2003 26/03/1993 18/09/2002 12/05/1994 12/09/2003	01/05/2001 31/05/2008 - 18/09/2007 - 30/09/2008	24/2/2009	
BD-A350	Lift landing door - 3201- HYDRA Series	Wittur S.p.A.	60	60	UKAS	Warrington Fire Research Centre Ltd.	WFRC No. C135623	6/11/2003	1/12/2008	24/2/2009	
BD-A351	Faithmark H-60	-	60	60	SAC	PSB Corporation	54S023086/2/JC	12/8/2005 13/8/2008	26/8/2008 16/8/2011	24/2/2009	
BD-A352	Fire resisting Steel Door	New Century Engineering Co.	60	60	UKAS	Chiltern	CHILT/RF01020	22/5/2001	10/8/2011	24/2/2009	
BD-A353	1 Hr FRP door	Armorcoat (HK) Limited	60	60	UKAS	Warrington Fire Research Consultancy	WFRS No. SC180/1.1	14/6/2004	30/6/2009	24/2/2009	
BD-A354	Modified Timber Doorsets	Armorcoat (H.K.) Limited	60	60	UKAS	Warrington Fire Research Centre Ltd.	WFRS No. SC1801.1	14/6/2004	30/6/2009	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A355	1 hr. Fire Rating Door	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/ 06179	1/8/2006	1/8/2011	24/2/2009	
BD-A356	1 hr F.R.P. Timber Doorset	ARMORCOAT (H.K.) Ltd.	65	65	UKAS	Warrington Fire Research	WFRS No.SC1801.1	18/7/1997	30/6/2009	24/2/2009	
BD-A357	FRP DOOR	MNI-FOUND LIMITED	60	60	HKAS	RESEARCH ENG. DEVELOPMENT FAÇADE CONSULTANTS LIMITED	R08F19	4/7/2008	3/7/2010	24/2/2009	
BD-A358	1/2 hr and 1 hr Fire Doorsets	Tung Fai Kee Wooden Materials Co. Ltd.	60	60	IANZ	Building Research Association of New Zealand (BRANZ)	98/1274	23/7/1998	-	24/2/2009	
BD-A359	-	KAMET FIRE ENGINEERING & CONSULTANCY	60	-	PNAP 251	INTERNATIONAL FIRE CONSULTANTS LTD.	IFCA/ 06179 REV.B	1/8/2006	2/8/2011	24/2/2009	
BD-A360	50mm THK. TIMBER DOORSET (FD60)	KAMET FIRE ENGINEERING & CONSULTANCY	68	-	PNAP 251	International Fire Consultants Ltd.	IFCA/ 06179 (REV.B)	1/8/2006	1/8/2011	24/2/2009	
BD-A361	Fire Rated Block (125 mm thick) / (150 mm thick)	Kin Lee Construction Products Co.	180/240	180/240	UKAS	Bodycote Warrington fire	121901 issue 5	3/11/2006	1/11/2011	24/2/2009	
BD-A362	Faithmark H-60	Faithmark Consultants Ltd.	60	60	SAC	PSB Corporation TUV SUD PSB Pte Ltd	54S023086/2/JC	26/8/2002 12/8/2005 13/8/2008	25/8/2005 26/8/2008 26/8/2011	24/2/2009	Central Date Bank ref:BD-A263 BD-A243
BD-A363	1 Hr FRP Steel Door	Girafee Industries Pte Ltd	60	-	SAC NATA	PSB BWA	G45838/TSM 22651-00	10/10/1997 14/4/2008	30/4/2013	24/2/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A364	Fire Doorset - 30 minutes	Hung Kwong Timber Works	30	30	HOKLAS	Research Engineering Development Façade ConsultantsLtd	I4E06 R06J10B	24/5/2004 20/9/2006	19/9/2008	24/2/2009	
BD-A365	Timber Fire Door	R & R Fire Material Co	60	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R05L27	7/4/2006	6/4/2009	24/2/2009	
BD-A366	Fire Resistance Door	East Centre Ltd	60	60	UKAS	Chiltern International Fire	FEA/F99128 Revision C	22/6/2006	22/6/2011	24/2/2009	BD-A126
BD-A367	2 hrs FRP timber doorset	New Sea Enterprises Ltd.	120	120	UKAS	Warrington Fire Research Centre	WARRES No. 114515 WRFC No. C115539 WF No. 149056 WRFC No. 149055 WFRA No. 21304	17/7/2000 19/9/2000 1/9/2005 1/9/2005 27/9/2006	- 1/10/2002 1/9/2010 1/9/2010 30/9/2011	24/2/2009	
BD-A368	Fire Doorset	Tian Lian Engineering Co. Ltd.	60	60	Ianz	Building Research Association of New Zealand (Branz)	FAR 1787	1/10/2001	-	24/2/2009	
BD-A369	Forbes	Joint Billion Int. Ltd	120	60	HOKLAS	Research Engineering Development Facade Consultants Limited	R06F18C	30/10/2006 20/10/2008	30/10/2008 19/10/2010	2/11/2009	
BD-A370	Fire resisting steel doorset	Famtek Eng. Ltd	120	-	IANZ UKAS	BRANZ The Loss Prevention Council	FAR 2889 TE81377A	7/5/2007 11/1991	-	2/11/2009	
BD-A371	1 F.R.P. Door (D1A) at L1 & L3	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/ 06179 Rev.B	1/8/2006	1/8/2011	2/11/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A372	Fire-Rated Timber Door	UNI-Found Ltd	120	120	UKAS	Warrington Fire Research Consultancy	WFRC C81143	7/3/2003	1/4/2013	2/11/2009	
BD-A373	1 Hr FRP door (D2)	Crownwood Engineering Ltd	60	60	UKAS	Warrington Fire Research	WFRS No. SC 1978	23/3/2004	31/3/2009	2/11/2009	
BD-A374	2 hrs. FRP timber doorset	Faith Mark Consultants Ltd.	120	120	SAC	PSB	54S023086/1/JC	23/8/2002	23/8/2011	2/11/2009	
BD-A375	Fire Rated Glazed Doorset W11, W11a	Keenven Limited	30	30	HOKLAS	Research Engineering Development Façade Consultants Limited	R05G02 R07J14	04/08/2005 02/10/2007	- 1/10/2010	2/11/2009	
BD-A376	Faithmark H-60	Faithmark	60	60	Singapore Accreditation	PSB Corporation	54S023086/2/JC	29/7/2002	26/8/2011	2/11/2009	BD-A243
BD-A377	"Faithmark H-60" Timber Doorset	Faith Mark Consultants Ltd	60	60	SAC-SINGALAS (Singapore)	PSB Corporation Pte Ltd	54S023086/2/JC	26/8/2002	26/8/2011	2/11/2009	
BD-A378	Fire Resisting Timber Door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/ F99128	22/6/2006	22/6/2011	2/11/2009	
BD-A379	Fire Resisting Timber Door	Kwong Yin Wing Koo Timber Co., Ltd.	30	30	UKAS	WFRC	SC2678.2	17/7/2003	17/7/2008	2/11/2009	
BD-A380	FRP Timber Door	United - Pilot Firerated door company	63	62	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R07M14B	29/4/2008	3/7/2011	2/11/2009	
BD-A381	DOOR	UNI-FOUND LIMITED	60	60	HOKLAS	RED	R08F19	4/7/2008	3/7/2010	2/11/2009	
BD-A382	DOORSET	HUNG TAT TIMBER TRADING CO.	60	60	UKAS	Warrington Fire Research Consultancy	SC 2286/A	2/5/1996	1/3/2013	2/11/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A383	Fire Resistant Timber Door with Vision Panel	UNI-FOOD LTD	60	30	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R08F19	4/7/2008	3/7/2010	2/11/2009	
BD-A384	Five Resistant Steel Doorset	Hang Yick Gate Engineering Limited	120	120	CNACL	Building Engineering Testing Centre	BETC-NHPG-2007-30	4/9/2007	4/9/2010	2/11/2009	
BD-A385	Fire Door	Uni-found Ltd	60	60	HOKLAS	Research Engineering Facade Consultants Ltd	R08F19	4/7/2008	3/7/2010	2/11/2009	
BD-A386	Laminated Timber cored FD 60 door leaves hung in timber frames	Kamet Fire Engineering & Consultancy	60	60	UKAS	International Fire Consultants Ltd	IFCA/06179 Rev.B	Aug 2006	Aug 2011	2/11/2009	
BD-A387	FORBES	Sherex fire-proof Material Co.	120 / 60	60	HOKLAS	Research Engineering Development Facade Consultants Limited (RED)	R08E17A	18/11/2008	17/11/2010	2/11/2009	
BD-A388	Timber Doorset FIRETECH-60W	Wai Yip First Top Engineering Ltd.	60	60	UKAS	Bodycote Warrington (Ans) Pty. Ltd.	22809-02	28/8/2008	31/7/2013	2/11/2009	
BD-A389	TANDA S.S. 304 Single Leaf Doorsets	RED Research Engineering Development Facade Consultants Ltd.	60	60	HOKLAS	Roxas (H.K.) Ltd.	R08C22B	22/10/2008	21/10/2011	2/11/2009	
BD-A390	1/2 hour FRP door	Kamet Fire Engineering & Consultancy	30	30	UKAS	Chiltern International Fire Ltd.	Chilt/A04049	30/4/2004	30/4/2009	2/11/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A391	Double Leaf Stainless Steel Doorset	China Sky Fire Engineering Ltd.	120	-	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC-NH-2007-126	12/3/2007	12/3/2012	2/11/2009	
BD-A392	Fire Door	Kamat Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd	IFCA/ 06179 Rev.B	1/8/2006	1/8/2011	16/12/2009	
BD-A393	Halspan 60 Prina	Sing Field Engineering Limited	60	60	UKAS	Chiltern International Fire Ltd.	FEA/ F96103 Revision G	11/2/2005	11/2/2010	16/12/2009	
BD-A394	Double Leaf Doorset	Uni-Found Ltd.	60	60	HOKLAS	Research Eng. Development Facade Consultants Ltd.	R08F19	4/7/2008	3/7/2010	16/12/2009	
BD-A395	Halspan	Halspan Ltd.	60	-	UKAS	Chiltern International Fire Ltd.	FEA/ 96103	11/2/2005	11/2/2010	16/12/2009	
BD-A396	Double leaf steel doorset	New Century Engineering Co	144	13	UKAS	Chiltern International Fire Ltd.	Chilt/FR01019	10/8/2006	10/8/2011	16/12/2009	
BD-A397	Laminated Core Doorsets	East Centre Limited	30	30	UKAS	Chiltern International Fire Ltd.	FEA/F99133 Revision C	22/6/2006	22/6/2011	16/12/2009	
BD-A398	50 mm thick laminated timber coned doors in timber frames	Kamat Fine Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179	1/8/2006	1/8/2011	16/12/2009	
BD-A399	WINS board ceiling system (9mm thk.)	WINS Consultants Ltd.	61	61	CNAL	BETC	NH-2003-407	3/12/2003	-	16/12/2009	
BD-A400	1/2 hr Fire Resisting Timber Door	Kin Hing Door & Wood Co., Ltd.	30	30	HOKLAS	RED Facade Consultants Limited	R06E03	8/6/2007	23/10/2009	16/12/2009	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A401	"FD-60" Fire-resisting doorsets	R & R Fire Material Co.	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	R07J17	2/10/2007	1/10/2009	16/12/2009	BD-A321
BD-A402	D1 D2	Kamet Fire Eng. & Consultancy Ltd.	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/ 06179 Rev.B	1/8/2006	1/8/2011	16/12/2009	
BD-A403	Switch Room Door	Fire Proof Doors & Shutters Co. Ltd	120	-	IANZ	BRANZ	FAR 2129-2	16/6/2003	-	16/12/2009	
BD-A404	Laminated core doorsets 60min. fire resistance	East Centre Ltd.	60	60	UKAS	Chiltern Int. Fire Ltd.	FEA/F99128 Revision C	22/6/2006	22/6/2011	16/12/2009	
BD-A405	Fire Resistance Door	East Centre Ltd.	60	60	UKAS	Chiltern Int. Fire Ltd.	FEA/F99128 Revision C	22/6/2006	22/6/2011	16/12/2009	
BD-A406	Forbes Fire Rated Stainless Steel Doorset	Sherex Fire-Proof Material Co.	60	-	HOKLAS	Research Engineering Development Façade Consultants Limited	R06F18B	3/10/2006 20/10/2008	2/10/2008 19/10/2010	16/12/2009	
BD-A407	Laminated Core Doorsets	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd	FEA/F99128 Rev. C	22/6/2006	22/6/2011	16/12/2009	
BD-A408	1/2 Hour Fire Rated Timber Door	United-Pilot Firerated Door Company	30	-	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R08D21	4/7/2008	3/7/2011	16/12/2009	
BD-A409	Timber doorsets	Uni-Found Limited	60	60	UKAS UKAS	Bodycote Warrington Warrington Fire Research	WF Report No. 171731 WFRC No.R12991.3	14/3/2008 21/2/1997	1/4/2013 31/3/1999	23/2/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A410	1/2 hr FRP Timber Doorset with Viewing Panel	Leung's Wooden Co. Ltd.	42	42	IANZ	BRANZ	FR2930	24/1/2001	Indefinite	23/2/2010	
BD-A411	Forbes Fire Rated Steel Door Set	Sherex Fire-Proof Material Co.	60	60	HOKLAS	Research Engineering Development Facade Consultants Limited	R06F18B	3/10/2006	19/10/2010	23/2/2010	
BD-A412	Wooden Door	Uni-Found Limited	60	60	HOKLAS	Research Engineering Development Facade Consultants Limited	R08F19	4/7/2008	3/7/2010	23/2/2010	
BD-A413	Fire Resisting Timer Door	Sherex Fire-proof Material Factory	30	30	HOKLAS	Research Engineering Development Facade Consultants Limited	R08F19	4/7/2008	3/7/2010	23/2/2010	
BD-A414	Double leaf timber Door at (G/F-D4) (2/F-D4)	Wai Yip First Top Engineering Ltd.	60	60	IANZ	BRANZ	FR3028 FAR 1948	20/12/2001 6/11/2002	-	23/2/2010	
BD-A415	Fire Rated Wood Double Leaf Door	Prettyroy Furniture Factory	61	61	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC - NH-2004-150	19/4/2004	-	23/2/2010	
BD-A416	1/2-hr fire rated timber doorset	Tennyson Co. Ltd.	36	36	SAC	PSB Corporation Pte Ltd.	54S05280/KKC 54S056788/1/JC	10/12/2001 13/12/2005	- 13/12/2010	23/2/2010	
BD-A417	Wooden Door	Kamet Fire Eng. & Consultancy	30	30	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 Rev B	1/8/2006	1/8/2011	23/2/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A418	30mm Loading FRP glazing door	Long Dian Safety Technology Research Co. Ltd.	78	78	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC-2000-F-012	1/11/2000	-	23/2/2010	
BD-A419	Fire Rated Door	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/F99128 REV. C.	22/6/2006	22/6/2011	23/2/2010	
BD-A420	Timber Door	Kamet Fire Engineering & Consultancy	60	-	PNAP 251	International Fire Consultants Ltd	IFCA/06179 Rev B	1/8/2006	1/8/2011	23/2/2010	
BD-A421	Fire Resistance Doorset	Wood Art Timber Co Ltd	60	-	UKAS	Chiltern International Fire	CHILT/A06168A	5/10/2006	5/10/2011	23/2/2010	
BD-A422	Single 60min FRP Timber Doorsets	Tung Fai Kee	60	60	IANZ	BRANZ	FR2496	3/9/1998	Indefinite	23/2/2010	
BD-A423	"Forbes" Fire Rated Stainless Steel Door-Set (Grade 316)	Sherex Fire-Proof Material Co.	60	-	HOKLAS	Research Engineering Development Facade Consultants Limited	R06F18B	3/10/2006	19/10/2010	23/2/2010	
BD-A424	Door Mark "D4" on GBP (1 hr FR door)	Shen Zhen City Bao An District Gong Ming Hong An Yuan Timber Products Factory	60	60	CNAS	Building Engineering Testing Center	BETC-NH-2007-678 & BETC-NHPG-2007-53	27/12/2007	27/12/2010	23/2/2010	
BD-A425	Fire Rated Door	Uni-Found Ltd.	60	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R08F19	4/7/2008	3/7/2010	23/2/2010	
BD-A426	FRP Timber Door	Fire Research Pty Limited	240	30	NATA	Warrington Fire Research Centre	WFRA 21896	16/5/2007	31/5/2012	23/2/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A427	Single Leaf Timber Door Fire Rated Glass Door-set w/ Fixed Panel	Uni-Found Ltd. Sherex Engineering Ltd.	60 60	60 60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R08F19 R08D10A	4/7/2008 6/5/2008	3/7/2010 5/5/2010	23/2/2010	
BD-A428	Fire Rated Wooden Door	Daily Full Engineering Ltd	60	60	IANZ	BRANZ	FR2515 (Issue 2) FR 2516 FAR 1639(Issue 3)	17/6/2003 23/12/1998 5/5/2006	-	23/2/2010	
BD-A429	Minimum 50mm thick laminated timber cored FD60 door leaves hung in timber frames	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd	IFCA/ 06179 Rev.B	1/8/2006	1/8/2011	23/2/2010	
BD-A430	Laminated Core Doorsets	East Centre Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/ F99128 Rev. C	22/6/2006	22/6/2011	23/2/2010	
BD-A431	Fire Resistance Timber Doorset	Kin Hing Door & Wood Company Ltd.	60	60	HOKLAS	Research Engineering Development Facade Consultants Limited	R07F32	15/6/2007	14/6/2010	23/2/2010	
BD-A432	1 Hr. FRP Timber door sets	Armorcoat (HK) Ltd.	60	60	NATA	Bodycote Warringtonfire (Aus) Pty Ltd.	BWA23706-00	12/6/2009	30/6/2014	23/2/2010	
BD-A433	FD 60	Kamet Fire Engineering & Consultancy	60	60	PNAP 251	International Fire Consultants Ltd.	IFCA/06179 Rev.B	1/8/2006	1/8/2011	23/2/2010	
BD-A434	Thermosafe	Sherex Eng. Ltd.	60	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R08D10A	6/5/2008	5/5/2010	23/2/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A435	Two side hung timber doorsets	Leung's Wood Company	30	30	IANZ	BRANZ	FR2930	24/1/2001	Indefinite	23/2/2010	
BD-A436	Modified Doorset FSV 0305	Seal Fire Pte Ltd	60	60	UKAS	Warrington fire research	WFRA 45798 Issue 45798.1 WFRS SC2350	1/5/2005 6/08/2001	30/5/2010 6/8/2003	23/2/2010	
BD-A437	One Hour FRP Timber Doorset	SHK Trading & Building Co, Ltd.	60	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	I4A15	3/2/2004	-	23/2/2010	
BD-A438	Solid & Glazed 30, 60, 90 and 120 Minute Fire Resisting Steel Doorsets	Alliances Marketing (H.K.) Ltd	120	30	NATA	Warrington Fire Research (Aust) Pty Ltd.	WFRA Report No.21829	12/6/2007	30/6/2012	23/2/2010	
BD-A439	50mm Thick Timber Doorset (FD60)	Kamet Fire Engineering & Consultancy	60	60	PNAP APP-118	International Fire Consultants Ltd.	IFCA/06179 Revision B	1/8/2006	1/8/2011	25/5/2010	
BD-A440	Gensteel	Gensteel Doors	30	-	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R09E11	26/5/2009	25/5/2011	25/5/2010	
BD-A441	Lecture Room Doors, Multi-Purpose Room Doors, Store Room Door	Faith Mark Consultants Limited	30	30	SAC	PSB Corporation Pte Ltd	54S023724/JC	21.9.2002 13.8.2008	20.9.2005 21.9.2011	25/5/2010	
BD-A442	D1 FRP S/S Door	Hang Yick	120	-	CNACL	BETC	BETC-NHPG-2009-13	2/7/2009	2/7/2012	25/5/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A443	Double leaf timber doorset	Kamet Fire Engineering & Consultancy	60	60	PNAP APP-118	International Fire Consultants Ltd.	IFCA/06179 Revision B	1/8/2006	1/8/2011	25/5/2010	
BD-A444	1/2 Hr. F.R.P. Timber doorset	United-Pilot Firerated Door Company	30	30	HOKLAS	Research Engineering Development Facade Consultants Ltd	R07E20A R08D21	29.4.2008 4.7.2008	- 3.7.2011	25/5/2010	
BD-A445	Fire Research E-core plywood faced two leaf door set	Trafalgar Bldg Products Pty Ltd.	60	60	NATA	Warrington Fire Research Consultants	WFRA 21894	16/5/2007	31/5/2012	25/5/2010	
BD-A446	Timber Door	East Center Ltd.	60	60	UKAS	Chiltern International Fire Ltd.	FEA/ F99128 Rev.C	22/6/2006	22/6/2011	25/5/2010	
BD-A447	One hour timber door	Uni-Found Limited	60	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R08F19	4/7/2008	3/7/2010	25/5/2010	
BD-A448	Laminated Core Doorsets Timber doors	East Centre Ltd.	30	30	UKAS	Chiltem International Fire Ltd.	FEA/F99133 Rev .C	22/6/2006	22/6/2011	25/5/2010	
BD-A449	Timber Door Set	Daily Full Engineering Ltd.	60	60	IANZ	Branz	FR 2516	23/12/1998	-	25/5/2010	
BD-A450	Firetech-60FT	First Top Engineering Ltd	60	60	IANZ	BRANZ	FR 3101 FAR 1915 FAR 1948	5.4.2002 5.4.2002 6.11.2002	Indefinite	25/5/2010	
BD-A451	Fire-resistant Steel Doorset	Giraffe Industries Pte. Ltd	120	-	SAC NATA	PSB Singapore Bodycote Warrington (Aus) Pty Ltd	G45838/TSM BWA 22651-00	10.10.1997 14.4.2008	- 30.4.2013	25/5/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A452	FS-01	Finetec Shutter Co. Ltd	242	-	UKAS IANZ	Warrington Fire Research Ltd BRANZ	W00133 FAR2593	21.9.1999 11.10.2005	21.9.2004 -	25/5/2010	
BD-A453	Single Leaf Steel Doorsets	New Century Engineering Co.	60	-	UKAS	Chiltern Int'l Ltd. Warrington Fire Research Centre Ltd Bodycote Warringtonfire	Chilt / RF01020 WFRS SC2669 BWA 22806	10.8.2006 20.5.2003 17.6.2008	9.8.2011 31.5.2008 30.6.2013	25/5/2010	
BD-A454	1 hour Fire rated door	United-Pilot Fire-rated Door Co.	60	60	HOKLAS	Research Eng. Dev. Facade Consult. Ltd.	R08D21A	4/7/2008	3/7/2011	25/5/2010	
BD-A455	Triple 60 min. FRP Timber Doorsets	Tung Fai Kee Wooden Material Co. Ltd.	60	60	IANZ	BRANZ	FAR 1666 Issue 2 FR 2497	4.8.2000 3.9.1998	-	25/5/2010	
BD-A456	Door with self-closing and vision panel	Hung Tat Timber Trading Co.	60	60	UKAS	Bodycote Warringtonfire	171053	19/2/2008	1/3/2013	25/5/2010	
BD-A457	Forbes fire rated steel doorset	Sherex Fire-Proof Material Co.	120	60	HOKLAS	Research Engineering Development Facade Consultants Ltd.	R06F18B	3/10/2006	19/10/2010	25/5/2010	
BD-A458	Firedoor	Kamet Fire Engineering & Consultancy	30	30	PNAP APP-118	International Fire Consultants Ltd	IFCA/08164	Feb 2009	Feb 2014	25/5/2010	
BD-A459	Timber Doorset Assembly (60min FRP)	Wai Yip First Top Engineering Ltd.	60 65	- 62	IANZ	BRANZ	FAR 1948 FAR 3028	6.11.2002 20.12.2001	Indefinite Indefinite	25/5/2010	
BD-A460	Single Leaf Doorset with Vision Panel	Trafalgar Building Products Pty Ltd.	240	30	UKAS	Warrington Fire Research Centre	WFRA 21896	16/5/2007	31/5/2012	25/5/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A461	1/2 hr. FRP timber doorset	Lahine Engineering Ltd.	30	30	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-NHPG-2008-17	22/9/2008	21/9/2011	25/5/2010	
BD-A462	Faithmark H-60	Faith Mark Consultant Ltd	60	60	SAC	PSB Corporation Pte Ltd.	54S022286/KKC 54S023086/2/JC	29.7.2002 20.8.2002	- 26.8.2011	25/5/2010	
BD-A463	-	Granter Woodwork Engineering Co., Ltd	60	60	HOKLAS	Research Eng. Dev. Facade Consultant Ltd	I3C17 R08D06	28.3.2003 8.4.2008	- 7.4.2010	25/5/2010	
BD-A464	Fire Resistant Wooden Door	Shen Zhen Shi Bao An Qu Gong Ming Hong An Yuan Timber Products Factory	60	60	CNACL	Building Engineering Testing Centre, China Academy of Building Research	BETC-NH-2007-678 BETC-NHPG-2007-53	27.12.2007 27.12.2007	- 27.12.2010	25/5/2010	
BD-A465	Modified steel doorset	Pilot Firerated Co., Ltd.	60	-	NATA	Exova Warringtonfire	21835-01	5/11/2009	31/10/2014	7/7/2010	
BD-A466	1 Hr. FR timber doorset	r&r Fire Material Co	60	60	HOKLAS	RED	R09L08	16/11/2009	15/11/2011	7/7/2010	
BD-A467	Laminated Core Doorsets Timber doors (60 min. FRP)	East Centre Ltd.	60	60	UKAS (United Kingdom)	Chiltem International Fire Ltd.	FEA/F99128 (Rev.D)	30/9/2009	30/9/2014	25/8/2010	
BD-A468	Steel Pair Doorset	First Top Engineering Ltd	120	8	IANZ	Branz	FR 2869	30/11/2000	Indefinite	25/8/2010	
BD-A469	Double Leaf 700+700 X 2050	United Pilot Fire rated Door Co.	60	60	HOKLAS	RED Research Engineering Development Façade Consultants Limited	Assessment Report R09J09A	27/10/2009	26/10/2011	25/8/2010	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A470	'Steel Master' Stainless Steel Door	Roxas (Asia) Engineering Limited	240	-	HOKLAS	Research Engineering Development Façade Consultants Ltd.	RED Assessment Report no. R10A14; R09J02A	2.2.2010	1.2.2012	20/10/2010	
BD-A471	GMS Door	Tong Chi	60	-	HOKLAS	RED	R09C09B	21.4.2009	12.5.2011	20/10/2010	
BD-A472	FIREROOF GLASS DOOR (WINDOW)	MASTER FIRE PROTECTED GLAZING DOOR & WINDOW CO., Ltd.	60	60	CNAS	Building Engineering Testing Centre China Academy of Building Research	No. BETC-NH-2008-1418	20.8.2008	19.7.2013	20/10/2010	
BD-A473	LAMCORE	Shield Fire Engineering & Consultancy Ltd.	30	30	UKAS	Chiltern International Fire	FEA/F00104A Rev. C	4/1/2010	5/1/2015	20/10/2010	
BD-A474	Glass Doorset	King Cheung Glass Fire Eng. Co., Ltd	120	120	HOKLAS	RED Research Engineering Development Façade Consultants Limited	R09C20	31.3.2009	30.3.2011	20/10/2010	
BD-A475	Thermosafe 22 mm thk. E160/60	Joint Billion International Limited	30	30	HOKLAS	Research Engineering Development Façade Consultants Limited	R10E16A	8/6/2010	7/6/2012	16/12/2010	
BD-A476	FRP Timber Doors	Lahine Engineering Ltd.	120	120	UKAS	Chiltern International Fire Ltd	Chilt/A07176 Rev A	20.11.2009	20.11.2014	16/12/2010	
BD-A477	Stainless Steel Fire Rated Door	Hang Yick Gate Eng. Ltd.	120	-	CNAS	Building Engineering Testing Centre, China Academy of Building Research	BETC-NHPG-2009-25	19-Oct-2009	18/10/2012	13/1/2011	
BD-A478	Meilux FRP Access Hatch	Meilux	120	-	HOKLAS	Research Engineering Development Façade Consultants Limited	R09F18A	26/8/2009	25/8/2011	17/2/2011	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A479	"HILTI-CP606" Gap Sealing System	Hilti Entwicklungsgesellschaft mbH	240	36	UKAS	Exova Warringtonfire	Review of Assessment WF Report No. 195712/C 175522C Test Report WARRES No. 69754/C Supplement No. 1 WARRES No. 69754/C	29.7.2010 30.7.2008	1.8.2012 1.8.2010 15.1.1999	17/2/2011	
BD-A480	Fire Resistance Glazed Doorset System	Po Shing (Worldwide) Company Limited	60	60	HOKLAS	Research Engineering Development Façade	R10J09A	29/10/2010	28/10/2012	31/8/2011	
BD-A481	Double Leaf Glass Door with Fire-Proof and Fireblocking System	Shenzhen Fuhaoda Industry Co. Ltd.	61	61	CNAS	Building Engineering Testing Centre, China Academy of Building Research	BETC-NH-2009-1410	20/7/2009	20/7/2014	31/8/2011	
BD-A482	Fire Doorset	China Sky Fire Engineering Ltd	165	60	CNAS	The Fire Lab of Building Engineering Testing Centre (BETC), China Academy of Building Research (CABR)	BETC-NH-2007-676 BETC-NHPG-2010-23	11/9/2007 9/8/2010	10/9/2012 8/8/2013	31/8/2011	
BD-A483	Fire Resistance Lightweight Block Wall System 75mm thick	Falk Country	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R07J09B R09M10	20/11/2007 14/12/2009	- 13/12/2011	13/10/2011	
BD-A484	FRP Steel	Power Creation Engineering	120	-	HOKLAS	Red Ltd.	R10E22	6/7/2010	5/7/2012	13/10/2011	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A485	Single-leaf S.S. door (1 hr FRP)	Yijin Stainless Steel Decoration Co. Ltd.	60	-	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R08C12, R10F19 (Issue 1)	30-Jul-10	29/7/2012	13/10/2011	
BD-A486	Timber Doorset Assemblies (F1)	Hung Kwong Timber Works	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	Assessment Report No. R10B17A R08B11A Test Report No. 14E08	2.3.2010 3.3.2008 24.5.2004	1.3.2012 2.3.2010 -	13/10/2011	
BD-A487	Fire Rated Glass Door	Sherex Fire-proof Material factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R10E16B	08.06.2010	07.06.2012	29/12/2011	
BD-A488	Timber doorset Double and single leaf (with or without vision panel)	R&R Fire Material Company	60	60	HOKLAS	RED	Review Report: R10F27 Assessment Reoport: R07J17 Test Report: R05L22	13.07.2010 02.10.2007 20.01.2006	12.07.2012 01.10.2009 -	7/2/2012	
BD-A489	Fire Resisting Steel door -30min glazing assembly - Fire glazing door	Master Fire Protected Glazing Door & Window Co., Ltd	30	30	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC-NH-2008-1417	20.08.2008	20.08.2013	7/2/2012	
BD-A490	Timber Door	Faith Mark Consultants Limited	60	60	HOKLAS	RED	R11E28	26-Aug-2011	25/8/2013	7/2/2012	
BD-A491	Steel Doorsets	New Century Engineering Co.	144	-	UKAS	Chiltern International Fire Ltd.	Chilt/RF01020 Rev. A	15.8.2011	15.08.2016	7/2/2012	
BD-A492	1/2 Hr FRP Timber Door	Tung Fai Kee	30	30	HOKLAS	RED	R10F16	06.07.2010	05.07.2012	17/9/2012	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A493	Tanda Fire Resistance Steel Doorset	Greatec Engineering Limited	120	-	HOKLAS	Research Engineering Development Façade Consultants Limited (RED)	R10D04 R08C22B	22/4/2010 22/10/2008	21/4/2012 21/10/2011	17/9/2012	
BD-A494	1/2 hr F.R.P. Timber doorset	United Pilot Firerated Door Co	30	30	HOKLAS	Research Engineering Development Façade Consultants Ltd	R09J09 with letter R11K05	22/10/2009	21/10/2014	17/9/2012	
BD-A495	FORBES FIRE RATED STEEL DOOR	Joint Billion Internation Ltd.	30	-	HOKLAS	FORTETESTING AND CONSULTANT CO. LTD	IA10-023	19/11/2010	18/11/2015	17/9/2012	
BD-A496	1 hr FRP Single Leaf Door with or with out vision glazing	Kwong Yin Wing Koo Timber Co., Ltd.	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	IA11-061	08.02.2012	08.02.2017	26/10/2012	
BD-A497	Fire Resistance of Timber Door with 30 min Integeity & Insulation	Kin Hing Door Wood Company Limited	30	30	HOKLAS	1. Forte Testing And Consultants Co., Ltd 2. Research Engineering Development Façade Consultants Limited	1. IA11-030 2. R06E03	09.08.2011 20.07.2006	09.08.2016 -	28/12/2012	
BD-A498	Timber door	United Pilot Fire rated Door Co.	60	60	HOKLAS	RED Research Engineering Development Façade Consultants Limited	R11K05A	13.10.2011	26.10.2014	19/2/2013	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A499	Timber Doorsets	Faith Mark Consultants Ltd	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	R11E28	26.8.2011	25.8.2013	19/2/2013	
BD-A500	60 Minute Fire Resisting Door Sets	Shield Fire Engineering & Consultancy Limited	60	60	UKAS	Chiltern Internation Fire Ltd.	FEA/F00104B Revision C	8/1/2010	8/1/2015	2/4/2013	
BD-A501	Timber doorset	Faith Mark Consultants Ltd	30	30	HOKLAS	Research Engineering Development Façade Consultant Ltd	R11E27	26.8.2011	25.8.2013	2/4/2013	
BD-A502	Fire Rated S.S.Doorset	New Century Engineering Company	120	-	UKAS	Chiltern International Fire Limited	Chilt/A01147 Revision C	29.7.2011	29.7.2016	2/4/2013	
BD-A503	Timber Doorset Assmblies	Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	RED Façade Consultants Limited	Assessment Report R11K18	21.11.2011	20.11.2013	2/7/2013	
BD-A504	Fire-rated doorest	Honestice Engineering Co. Ltd.	120 mins	n/a	UKAS(UK)	Exova Warringtonfire	EWA Report No. 26000-00	25.05.2011	31.05.2016	4/9/2013	
BD-A505	East Centre Laminated Core Door Sets	East Centre Ltd	60	60	UKAS	Chiltern International Fire Test Centre	FEA/F99128 Rev. D	30.9.2009	30.9.2014	25/10/2013	
BD-A506	Fire resisting timber door W(560+560) x H2105mm Double Leaf with 45 x 130mm door frame (D1)	UNI-FOUND LIMITED	60	60	HOKLAS	Forte Testing and Consultants Co. Ltd.	IA11-015R1	24.01.2013	26.05.2016	6/1/2014	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A507	Fire resisting timber door W(595+595) x H2400mm Double Leaf with 45 x 220mm door frame (D2)	UNI-FOUND LIMITED	60	60	HOKLAS	Forte Testing and Consultants Co. Ltd.	IA11-015R1	24.01.2013	26.05.2016	6/1/2014	
BD-A508	Fire resisting timber door W844 x H2065 Single Leaf with 60 x 150mm steel door frame (D3)	UNI-FOUND LIMITED	120	120	HOKLAS	Forte Testing and Consulatants Co. Ltd.	IA12-059	18.10.2012	16.10.2017	6/1/2014	
BD-A509	1.0H Timber Fire Resistance Door	Panyu (Guangzhou) Timber Co.Ltd.	61	61	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC-NH-2011-2923	24.10.2011	23.10.2016	11/4/2014	
BD-A510	Timber door	Sherex Fire-Proof Material Company	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IA11-015-R1	24.01.2013	26.05.2016	11/4/2014	
BD-A511	GMS Door	Kwok Shing Construction Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	RI3J36	29.10.2013	28.10.2015	11/4/2014	
BD-A512	East Centre Laminated Core Doorsets 30 Minutes Fire Resistance	East Centre Limited	30	30	UKAS	Chiltern International Fire Limited	FEA/F99133 Rev. D	05.07.2011	05.07.2016	22/9/2014	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A513	Lift Landing Door Panels (For Lift No. L1 to L18)	Wittur S.p.A.	60	60	UKAS	Exova Warringtonfire Warrington Fire Research Consultancy Testing Istituto Giordano S.p.A.	WF Assessment Report 322702B WFRC Assessment Report C127000 Test Report 141223/2132RF	9.10.2012 27.9.2002 28.9.2000	1.11.2017 1.10.2007 Not mentioned	22/9/2014	
BD-A514	Uni-Door Timber Door System	Uni-Found Limited	120	120	HOKLAS	Forte Testing and Consultants Co. LTD.	IA13-084	24.07.2013	24.07.2018	22/9/2014	
BD-A515	Fire Resisting Doorset	Co Well Partners Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd. -Fire and Façade Testing Laboratory	R13J04_Issue2 R13J05	19.02.2014 30.10.2013	29.10.2015 29.10.2015	24/3/2017	
BD-A516	Fire rated wood double leaf door	Prettyroy Company Limited	61	61	CNAS	Building Engineering Testing Centre China Academy of Building Research	BETC-NHPG-2014-36	11.10.2014	10.10.2017	24/3/2017	
BD-A517	1/2 hr. FRP glass doorset	Master Fire Protected Glazing Door & Window Co. Ltd.	30	30	CNAS	Building Engineering Testing Centre China Academy of Building Research	BETC-NHPG-2011-14	28.6.2011	27.6.2014	24/3/2017	
BD-A518	“FORBES” Fire Resisting Timber Door with “SLEEV-IT” Smoke Seal	Sherex Engineering Limited & Sherex Fire-Proof Material Company SLEEV-IT Fire Systems (Hong Kong) Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	Test Report IT 14-002 Assessment Report IA 14-033 Test Report IT 14-137 Assessment Report IA 14-147 (Version 3)	28.3.2014 5.11.2014 23.6.2014 3.9.2015	- 5.11.2019 - 3.9.2020	24/3/2017	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A519	Single-leaf metallic composite door	Roxas (Asia) Engineering Ltd.	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT 13-198	19.5.2014	-	24/3/2017	
BD-A520	Two Single-leaf Composite Timber Door	Kin Hing Door & Wood Co. Ltd.	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT 14-005 IT 14-040 IT 14-065	5.3.2014 28.4.2014 30.6.2014	- - 30.6.2019	24/3/2017	
BD-A521	Fire Rated Glazing System	Master Fire Protected Glazing Door & Window Co. Ltd.	60	60	CNAS HOKLAS	Building Engineering Testing Centre China Academy of Building Research Forte Testing and Consultants Company Limited	BETC-NHPG-2014-26 IT 13-228-A	17.6.2014 5.5.2014	16.6.2017 -	24/3/2017	
BD-A522	Fire Resisting Timber Doorset	Kamet Fire Engineering & Consultancy	60	60	UKAS	International Fire Consultants Ltd.	IFCA/06179 Rev. C	1.6.2011	1.6.2016	24/3/2017	
BD-A523	1 hour FRP Timber Doorset	Timberset Door Solutions Ltd	60	60	UKAS	Chiltern International Fire Ltd.	Chilt/A03145 Revision B	29.11.2010	29.11.2015	24/3/2017	
BD-A524	Timber Door	Lahine Engineering Ltd.	30	30	CNAS	Building Engineering Testing Centre China Academy of Building Research	BETC-NHPG-2013-13	29.3.2013	28.3.2016	24/3/2017	
BD-A525	Fire Resisting Timber Door with Smoke Seal	Sherex Engineering Ltd.	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 12-025	25.9.2012	-	24/3/2017	
BD-A526	Fire Resisting Timber Door	UNI-FOUND Ltd.	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IA 11-015	27.5.2011	26.5.2016	24/3/2017	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A527	Fire Resisting Glazed Doorset	Firewall Company Limited	72	72	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R11H04-3 R13G33A	30.11.2011 7.10.2013	-	24/3/2017	
BD-A528	Timber Door Set	Faith Mark Consultants Ltd	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd	R13G17	25/11/2013	-	8/3/2019	
BD-A529	Timber Door Set	Faith Mark Consultants Ltd	-	-	HOKLAS	Research Engineering Development Façade Consultants Ltd	R13L03-1	21/1/2014	-	8/3/2019	
BD-A530	Kinguard EI120 FRR Single-Leaf Door	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (GuangZhou) Ltd	G14254FU150106 G14254FU150085	11.1.2016 4.11.2015	-	8/3/2019	
BD-A531	IHR FRR Glazed Door - Single Leaf	Guangdong Mingan Fire Resistant Glass Technology Co. Ltd.	70	61	HOKLAS	Fugro Technical Services (GuangZhou) Ltd	G14254FU150062 G14254FU150072	18.8.2015 26.8.2015	- -	8/3/2019	
BD-A532	2hrs FRR Self-closing timber door	Kwong Yin Wing Koo Timber Company Limited	120	120	HOKLAS	FORTE	Assessment Report IA14-080 (version 3) IT13-202 IT13-146	20/1/2018 28/10/2013 9/12/2013	- -	8/3/2019	
BD-A533	1/2 hr FRP Single Leaf Timber Doorset with Glazed Element	SHK Trading and Building Company Limited	30	30	HOKLAS	Forte Testing and Consultants Company Limited	Report Number IT 16-092 Report Number IT 13-023 Report Number IT 13-028	17 Feb 2017 17 Apr 2013 17 Apr 2013	-	8/3/2019	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A534	Single acting double leaf composite timber door with single glazed element installed with intumescent fire seals, door rebate smoke seal and conceal bottom smoke seal	Garish Crown Fire Engineering & Consultancy	-	-	HOKLAS	Forte Testing and Consultants Co. Ltd. (FORTE)	IT13-153	9.8.2013	-	8/3/2019	
BD-A535	Fire Rated Timber Door	Pine Wood (F.E.) Int'l Ltd	60 60 60	60 60 60	HOKLAS	Research Engineering Development Façade Consultants Limited	Test Report No. R14D34 Test Report No. R17D09-1A Assessment report No. R17M11-1A Smoke Test Report No. R14A11	11.6.2014 5.5.2017 27.12.2017 20.1.2014	- - 26.12.2019 -	8/3/2019	
BD-A536	Fully Insulated Single-acting, Unequal Double-leaf composite Timber Doorset	R&R Fire Material Company Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	Test Report No. R12L20-1 Assessment Report No. R13C03 Issue 2	4.2.2013 14.11.2015	- 13.11.2018	8/3/2019	
BD-A537	Glazing door set	Master Fire Protected Glazing Door & Window Co., Ltd	60	60	CNAS	Buliding Engineer Testing Centre, China Academy of Building Research FORTE testing and consultants Co., Ltd	CABR-NHPG-2017-20 BETC-NH-2014-3217 IT15-111	13.06.2017 23.04.2014 26.08.2015	13.06.2020 23.4.2019 -	8/3/2019	
BD-A538	-/60/60 FRR Single Leaf Timber Door	SHK Trading and Building Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 16-093	25/11/2016	-	8/3/2019	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A539	Two Hour Fire Rated Inspection Metal Door	Roxas (Asia) Engineering Limited Hang Tak Engineering Co. Ltd.	120	120	HOKLAS	Forte Testing and Consultants Co. Ltd.	IA18-159 L1	09.07.2018	-	8/3/2019	
BD-A540	Smoke and fire rated wooden doors	United-pilot Firerated Door Company	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	Test Report no. R14H03-2 Assessment Report No.R14E21-1 Assessment Report No.R14D31-1 Test Report No.R13H43-1 Test Report No.R12G18-3	14.01.2015 27.8.2014 03.06.2014 13.11.2013 12.11.2013	- 26.08.2019 02.06.2019 - -	1.8.2019	
BD-A541	Insulated Timber Doorsets	United-pilot Firerated Door Company	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd	Assessment Report: R16F27-1	13.10.2016	12.10.2018	1.8.2019	
BD-A542	60min FRR Single or Double leaf Timber Door with or without vision panel	R&R Fire Material Company Ltd	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	Assessment Letter R19A28-1A Assessment report R16M33-1A R13F25-2B R13K34 R13C08 Issue 1	22.01.2019 16/1/2017 29/7/2013 24/10/2013 28/3/2013	21/1/2021 15/1/2019 - - -	1.8.2019	
BD-A543	"Forbes" fire rated stainless steel door-set (grade 316)	Sherex Fire-Proof Material Company	120	-	HOKLAS	FORTE Testing and Consultants Co., Ltd Research Engineering Development Façade Consultants Limited	Assessment Report IA10-022R1 (version 2) Test Report R06D08F	14/1/2016 28.5.2007	14/1/2021 -	1.8.2019	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A544	Fire rated wooden doors	Wah Shing Wood Products & Engineering	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	Assessment report: IA16-081 Test report: IT15-147 Test report: IT16-054	31.05.2016 29.03.2016 03.05.2016	31.05.2021 - -	1.8.2019	
BD-A545	FRR timber door	FAITH MARK CONSULTANT LIMITED	60	60	UKAS	TUV SUD PSB'S Fire test lab.	7191033074 -MEC12/02-MW	04.05.2012	01.11.2021	1.8.2019	
BD-A546	Faith Mark H-60 timber doorset	Faith Mark Consultants Limited	60	60	SAC & NATA	TUV SUD PSB Singapore & Warrington Fire	Assessment Report 3004752-01 Test Report 54S071009/RAH	25.2.2019 5.3.2017	31.7.2023 -	13.12.2019	
BD-A547	"FORBES" Fire Resisting Timber Door-set	Sherex Engineering Ltd.	120	120	HOKLAS	Forte Testing And Consultants Co., Ltd.	Assessment Report IA14-003_Version 3	23.10.2017	23.10.2022	13.12.2019	Assessment Report for IT14-002
BD-A548	"FORBES" Fire Resisting Timber Door-set	Sherex Engineering Ltd & Sherex Fire-Proof Material Company	120	120	HOKLAS	Forte Testing And Consultants Co., Ltd.	Assessment Report IA14-227	10.10.2014	10.10.2019	13.12.2019	
BD-A549	2 Hrs FRR Timber Doorset with Smoke Seal	SHK Trading and Building Company Limited	120	120	HOKLAS	Forte Testing And Consultants Co., Ltd.	IT 15-006 IT 15-101	27.7.2015 2.10.2015	-	13.12.2019	
BD-A550	F:通道門 (Fully Insulated Single-acting Composite Timber Doorsets)	HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	Assessment Report R16L13-1A Test Report R16G02-1A R17C15-2A	10.11.2016 1.9.2016 23.5.2017	9.11.2018 - -	13.12.2019	
BD-A551	Smoke control for single leaf door	Leung's Wooden Co., Ltd.	-	-	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 13-068	9.8.2013	-	13.12.2019	Door with smoke seal tested against BS EN 1634-3:2004

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A552	Fire rated glass door (Unequal Door)	Sherex Engineering Ltd.	120	120	HOKLAS	Forte Testing And Consultants Co., Ltd.	Extended Application Reports (EAR) IA14-036 IA14-079	3.6.2014 2.5.2014	3.6.2019 2.5.2019	13.12.2019	IA14-036 - EAR for Test Report IT13-238, IT13-145 IA14-079 - EAR for Test Report IT13-133, IT13-142
BD-A553	120 min Fire Rated Glazing System	Master Fire Protected Glazing Door & Window Co., Ltd.	133	133	CNAS	Building Engineering Testing Center, China Academy of Building Research	Test Report No. BETC-NH-2014-3217	23.04.2014	-	22.06.2020	
		SAM TAT ENGINEERING (DEVELOPMENT) LTD.			HOKLAS	Forte Testing and Consultants Company Limited	Test Report No. IT 13-228-A	05.06.2014	-		
		CNAS			China Academy of Building Research	Assessment Report No.CABR-NHPG-2017-37	07.07.2017	10.07.2022			
BD-A554	Insulated Composite Timber Doorsets	Hop Wo Development Limited	68	61	HOKLAS	Research Engineering Development Façade Consultants Limited	R17A21-1A R17M06-1A	20.02.2017 19.03.2018	- 18.03.2023	22.06.2020	
BD-A555	Composite Timber Doorsets	HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R16G02-1A	01.09.2016	-	22.06.2020	
							R16L13-1A_Issue 1	11.04.2017	09.11.2018		
							R17C15-2A	23.05.2017	-		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A556	1 hr FRP Composite Timber Door	Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Forte Testing and Consultant co.tld	Fire Report no.IT 13-125 Smoke Report no.IT 13-153 Assessment Report no. IA 14-171	11.07.2013 09.08.2013 28.07.2014	- - 28.07.2019	22.06.2020	
BD-A557	Fire Rated Glazing Door	Master Fire Protected Glazing Door & Window Co., Ltd.	60	60	CNAS	Building Engineering Testing Center China Academy of Building Research China Academy of Building Research	BETC-NH-2008-1418 CABR-NHPG-2015-19	20.08.2008 24.07.2015	- 24.07.2018	22.06.2020	
BD-A558	Composite Timber Doorset	Chuen Fung Wooden Doors Limited	120	120	HKLAS	RED	R14F42A R15C06C R15K41B R17L24-1C (Review Letter)	22.09.2014 17.06.2015 19.11.2015 14.11.2017	- - 18.11.2017 19.11.2019	22.06.2020	
BD-A559	Composite Timber Doorset	HK Sam Fai Wooden Factory	60	60	HOKLAS	RED Fire & Façade Consultants	R16L13-1A	10.11.2016	09.11.2018	22.06.2020	
BD-A560	Composite Timber Doorset	HK Sam Fai Wooden Factory	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd	R17A12-1A R17D17-1A	17.03.2017 27.04.2017	- 26.04.2019	22.06.2020	
BD-A561	-/120/120 FRR Composite Timber Door	Garish Crown Fire Engineering & Consultancy	127	127	HOKLAS	Forte Testing and Consultants Company Limited	IT13-153 IT13-155	09.08.2013 19.08.2013	- -	22.06.2020	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A562	Composite Timber Doorset	Tung Fai Kee Wooden Materials Co. Ltd.	30	30	HOKLAS	Research Engineering Development Façade Consultants Limited	R14F27 (Smoke Control Test)	11.09.2014	-	13.07.2020	
							R16G10-1A (Smoke seal, assessment report)	19.07.2016	18.07.2018		
					IANZ	Building Technology Limited	96/931 (Assessment report)	04.07.1996	-		
						BRANZ Limited	99/1433 (Assessment Report)	17.08.1999	-		
						BRANZ Limited	FR2125 Issue 3	01.12.2005	-		
BD-A563	Composite Timber Door	Dong Guan Ming Peng Construction Materials Co., Ltd.	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 16-140	11.08.2016	-	13.07.2020	
							IA17-026	16.02.2017	16.02.2022		
							IT 16-246 (Version 2)	02.05.2017	-		
BD-A564	Smoke Control for Timber Doorset	Tung Fai Kee Wooden Materials Co. Ltd.	-	-	HOKLAS	RED Façade Consultants Limited	R14F27	11.09.2014	-	13.07.2020	Door with smoke seal tested against BS EN 1634-3: 2004
							R16G10-1A	19.07.2016	18.07.2018		
							R18F22-1A	20.06.2018	11.06.2021		
BD-A565	Composite Timber Door	East Centre Ltd.	120	120	HOKLAS	Forte Testing and Consultants Company Ltd.	IT13-059	27.08.2013	-	13.07.2020	
							IA14-043	02.05.2014	02.05.2019		
BD-A566	Composite Timber Doorset	Leung's Wooden Co., Ltd. Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 13-125	11.07.2013	-	13.07.2020	
							IA 14-171	28.07.2014	28.07.2019		
							IT 13-147	05.08.2013	-		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A567	Composite Timber Doorsets	HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R18K21-1A	08.11.2018	08.11.2020	13.07.2020	
BD-A568	Timber Doorset	Si Hui Tai Wah Wooden Furniture Co., Ltd.	128	121	HOKLAS	Fugro Technical Services (GUANGZHOU) Limited	G16450FU170023 G16450FU170025	09.06.2017 09.06.2017	- -	13.07.2020	
BD-A569	Composite Timber Doorset	Sing Wan Timber Company Ltd. Chuen Fung Wooden Doors Limited	60	60	HOKLAS	Research Engineering Development Façade Consultant Limited	R15C06A R16H21-1A R16H21-1C R16K10-1C R14L24B	17.06.2015 13.10.2016 07.11.2016 07.11.2016 31.12.2014	- - - 06.11.2018 -	13.07.2020	
BD-A570	Composite Timber Doorset	Fame Hill Engineering Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 14-125 IT 14-177	13.06.2014 25.07.2014	- -	13.07.2020	
BD-A571	Composite Timber Doorset	Tung Fai Kee Wooden Materials Co. Ltd	60	60	HOKLAS	Research Engineering Development Façade Consultant Limited	R14K02B R15E07B R17H30-1A	10/12/2014 31/07/2015 21/08/2017	- 30/07/2017 20/08/2020	13.07.2020	
BD-A572	Composite Timber Doorset	Tung Fai Kee Wooden Materials Co., Ltd.	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R14M27B R15E07B R17H30-1A R14F27 R16G10-1A	27.04.2015 31.07.2015 21.08.2017 11.09.2014 19.07.2016	- 30.07.2017 20.08.2020 - 18.07.2018	26.02.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A573	Timber Door	Guang Xian Yong Gu Wooden (Shenzhen) Co., Ltd.	41	41	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 12-052	03.10.2012	-	26.02.2021	
			60	60			IA13-220A	18.02.2014	17.02.2019		
BD-A574	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R14J21-3 R15A38-1 R15A38-2 R15A38-3	09.10.2014 23.12.2014 22.04.2015 08.05.2015 08.05.2015	- - 21.04.2020 07.05.2020 07.05.2020	26.02.2021	
BD-A575	"FORBES" Fire Resisting Timber Doorset	Shenzhen Sherex Fire-Proof Material Ltd.	150	150	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 14-002 IA14-227 IT 14-130 IA14-147 (Ver.3)	28.03.2014 10.10.2014 23.06.2014 03.09.2015	- 09.10.2019 - 02.09.2020	26.02.2021	
BD-A576	Composite Metallic Door	Shenzhen Sherex Fire-Proof Material Ltd.	240	240	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 15-007 IA18-279 IT 14-129 IA14-092	19.10.2015 30.11.2018 23.06.2014 16.05.2014	- 29.11.2023 - 15.05.2019	26.02.2021	
BD-A577	Metalic Composite Door with Glazed Elements and Air Grille System	Shenzhen Sherex Fire-Proof Material Ltd.	120	120	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 13-149 IT 13-238 IT 13-185 IA14-223	18.12.2013 23.01.2014 10.06.2014 30.09.2014	- - - 17.09.2019	26.02.2021	
BD-A578	Timber Door	Ya Zhou Jing Dian Craft Products (Dongguan) Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Ltd.	G17502FU170059 G17502FU170083 G17502FU170138	22.08.2017 20.09.2017 19.03.2018	- - 18.03.2023	26.02.2021	
BD-A579	Glazed Door Assembly	Sherex Engineering Limited	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	IA 14-079 IA 14-287	02.05.2014 12.01.2015	01.05.2019 11.01.2020	26.02.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A580	Composite Timber Doorsets	Hop Wo Development Ltd.	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd. - Fire and Façade Testing Laboratory	R15F05-1 R17F42-1A R17F42-1A_s2 R14M34-1 R14M34-2 R15C10-2 R17K15-1A R17M06-1A	29.07.2015 30.10.2017 25.08.2015 25.08.2015 28.10.2015 30.11.2017 19.03.2018	- - - - 27.10.2020 29.11.2019 18.03.2023	26.02.2021	
BD-A581	Timber Doorset Assemblies	Garich Grown Fire Engineering & Consultancy	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R07L06B R13H40	05.03.2008 17.09.2013	- 16.09.2015	26.02.2021	
BD-A582	Composite Timber Door	Shen Zhen Shi Bao An Qu Gong Ming Hong An Yuan Timber Product Factory	120	120	HOKLAS	FORTE Testing and Consultants Co., Ltd.	IA16-016 IA16-238 IT15-107	08.08.2016 23.03.2017 26.09.2016	- 23.03.2022 -	26.02.2021	
BD-A583	Composite Timber Door	Dongguan Tung Fai Kee Wooden Products Co., Ltd.	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd. FORTE Testing and Consultants Company Limited	R13H12 IA14-204	04.12.2013 01.09.2014	- 01.09.2019	26.02.2021	
BD-A584	Composite Timber Door	Guang Xian Yong Gu Wooden (Shenzhen) Co., Ltd.	74	74	HOKLAS	FORTE Testing and Consultants Co., Ltd.	IT13-143	25.09.2013	-	26.02.2021	
BD-A585	Composite Timber Doorset	Prettyroy Company Limited	72	72	HOKLAS	Research Engineer Development Façade Consultants Limited	R15G43-1A R16B07-1A	30.06.2016 12.08.2016	- -	26.02.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A586	Composite Timber Doorset	HK Sam Fai Wooden Factory	120	120	HOKLAS	Research Engineer Development Façade Consultants Limited	Test Report No. R17A12-1A	17.03.2017	-	26.02.2021	
							Assessment Report No. R17D17-1A	27.04.2017	26.04.2019		
							R19E17-1A	14.05.2019	13.05.2021		
BD-A587	TANDA Fire Resistance Steel Doorset Assemblies	Greatec Engineering Ltd.	120	-	HOKLAS	Research Engineer Development Façade Consultants Limited	R10D04	22.04.2010	21.04.2012	26.02.2021	
							R16C37-1A	11.04.2016	11.04.2019		
BD-A588	Glazed Doorset	Firewall Company Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R13C11A	15.04.2013	-	26.02.2021	
							R14C32	22.07.2014	21.07.2019		
BD-A589	Composite Timber Doors with Glazed Elements	Kin Hing Door & Wood Company Ltd.	120	120	HOKLAS	Forte Testing and Consultants Co Ltd	IT14-005	05.03.2014	-	26.02.2021	
							IA14-065 (Ver.2)	22.12.2015	29.06.2019		
BD-A590	Metal Doorset	First Top Engineering Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	130222FU140075A	19.08.2015	-	26.02.2021	
							151756ST150412C	17/12/2016	16.12.2021		
							142466FU150012	19.06.2015	-		
BD-A591	Composite Timber Doorset with Smoke Seal	HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R16G02-1C	01.09.2016	-	26.02.2021	
							R16L13 -1B_Issue 1	11.04.2017	08.11.2018		
							R18K21-1B	14.11.2018	13.11.2020		
							R17C15-2B	23.05.2017	-		
							R16G31-1C	24.10.2016	-		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A592	Composite Timber Doorset	Faith Mark Consultants Ltd.	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited - Fire and Façade Testing Laboratory	R18C99-1A	03.04. 2018	-	26.02.2021	
					UKAS	Warrington Fire	3002073-03	18.01.2019	30.1.2024		
					HOKLAS	Research Engineering Development Façade Consultants Limited	R13L03-1 R13L03-2	21.01.2014 21.01.2014	- -		
BD-A593	Composite Timber Door with Two Glazed Elements	Dongguan Kin Ying Wood Product Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT15-114_Version 2 IA19-003	18.12.2018 03.01.2019	- 30.01.2022	26.02.2021	
BD-A594	Composite Timber Doorset	Faith Mark Consultants Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R17C16-1A	12.07.2017	-	26.02.2021	
					UKAS	Warringtonfire	3004357-02	01.01.2019	30.03.2023		
					HOKLAS	Research Engineering Development Façade Consultants Limited	R14J21-1 R14J21-3	23.12.2014 23.12.2014	- -		
BD-A595	Composite Timber Doorsets	HK Standard Fire Resisting Door Manufacturing Co., Ltd.	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R17C28-1A R18E02-1A_issue 3 R13L04 R15A48 R19A29-1A	24.07.2017 22.02.2019 17.12.2014 11.02.2015 21.02.2018	- 21.02.2021 - 10.02.2017 31.01.2021	26.02.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A596	Metal Doorset	Faith Mark Consultants Ltd. / Vic-Form Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Ltd.	144097FU140081	13.01.2015	-	26.02.2021	
					UKAS	Exova Warringtonfire	EWA Report No: 3001764-02	12.10.2015	30.04.2020		
BD-A597	Composite Timber Doorsets	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limitd	R14E42-2 R15A38-1A	09.10.2014 22.04.2015	- 20.04.2020	26.02.2021	
BD-A598	Composite Timber Door	Shenzhen Longganng Pinghu Wang Li Change Wooden Factory	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT16-013 IA17-202_Version 2	19.04.2016 23.05.2018	- 22.05.2023	26.02.2021	
BD-A599	Composite Timber Door	Shenzhen Sherex Fire-Proof Material Ltd.	60	60	HOKLAS	FORTE Testing and Consultants Company Limited	IT 13-210 IA14-30_Ver.2 IT 14-133 IA14-146_Ver.2	24.01.2014 10.08.2016 23.06.2014 30.08.2015	- 09.08.2021 - 29.08.2020	26.02.2021	
BD-A600	Composite Timber Door	Shenzhen Longganng Pinghu Wang Li Change Wooden Factory	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT16-013 IT14-257	19.04.2016 27.01.2016	- -	26.02.2021	
BD-A601	Composite Metallic Doorset	Pilot Firerated Company Limited Greatec Engineering Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R18B14-2A R18E04-1B_Issue 1 R13H43-2 R13L12B R17K31-1A	13.04.2018 28.09.2018 21.10.2013 13.11.2013 25.10.2017	- 26.09.2020 - 11.11.2015 23.11.2020	26.02.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A602	Glazed Doorset	Kwok Shing Construction Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R15A08-2 R15H03 R17G24-1B R19G32-1A Issue 1	18.03.2015 02.09.2015 24.08.2017 30.09.2019	- - - 14.09.2021	04.05.2021	
BD-A603	Metalic Composite Door	Shenzhen Zhongxinchang Technology Co., Ltd.	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT13-221 IA15-019 IA15-084	20.08.2014 26.03.2018 19.05.2015	- 06.05.2020 18.05.2020	04.05.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A604	Composite Timber Doorsets	Wai Yip First Top Engineering Ltd.	30	30	IANZ	BRANZ	FR 2847	24.01.2001	-	04.05.2021	
							FAR1809 Issue 2 Appendix 1	18.11.2002	-		
							FAR1809 Appendix 2	-	-		
							FAR1809 Issue 2 Appendix 3	15.09.2004	-		
							FAR1809 Appendix 4	-	-		
							FAR1809 Issue 2 Appendix 5	15.09.2004	-		
							FAR1809 Issue 3 Appendix 6	15.09.2004	-		
							FAR1809 Appendix 7	24.08.2011	-		
							Issue 4	-	-		
							FAR1809 Issue 2 Appendix 8	26.05.2005	-		
							FAR1809 Appendix 9	-	-		
							FAR1809 Issue 2 Appendix 10	-	-		
							FAR1809 Appendix 11	-	-		
							FAR1809 Appendix 12	-	-		
							FAR1809 Appendix 13	-	-		
							FAR1809 Appendix 14	24.08.2011	-		
							Issue 2	-	-		
							FAR1809 Appendix 15	24.08.2011	-		
							Issue 2	-	-		
FAR1809 Appendix 16	14.08.2003	-									
FAR1809 Appendix 17	24.08.2011	-									
Issue 2	-	-									
FAR1809 Appendix 18	30.08.2004	-									
FAR1809 Appendix 19	30.08.2004	-									
BD-A605	Composite Timber Door	Shun Hing Wood Working Company Limited	120	120	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 15-005	10.03.2015	-	04.05.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A606	Composite Timber Doorset	Walsunion Industries Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R15K28-1A	18.02.2016	-	04.05.2021	
							R15M25-1A	14.03.2016	12.03.2018		
							R18A36-1A	31.01.2018	13.03.2021		
							R13K41-1	24.01.2014	-		
							R13K41-2	28.02.2014	-		
BD-A607	Composite Timber Door	Leung's Wooden Co., Ltd.	30	30	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT13-053	31.10.2013	-	04.05.2021	
							IA14-279	30.01.2015	29.01.2020		
BD-A608	Composite Metallic Door	Kwok Wah Cheong Hop Lee Timber Company	120	120	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT18-031	29.10.2018	-	04.05.2021	
BD-A609	Glazed Doorset	Guangdong Mingan Fire Resistance Glass Technology Co., Ltd.	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150083	27.10.2015	-	04.05.2021	
							G14254FU150104	19.01.2016	18.01.2021		
BD-A610	Composite Metallic Doors	Yokah International Limited	128	128	HOKLAS	Forte Testing and Consultants Company Limited	IT 14-209	13.11.2014	-	04.05.2021	
BD-A611	Metal Doorset	Vic-Form Co., Ltd.	152	148	HOKLAS	Fugro Technical Services (Guangzhou) Limited	144097FU140081	13.01.2015	-	04.05.2021	
					UKAS	Warringtonfire	3001631-16	02.03.2020	30.01.2025		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A612	Glazed Door with Side Panel	Joint Billion International Ltd.	60	60	HOKLAS	FORTE Testing and Consultants Co., Ltd.	IA15-053 IT12-079 IT12-125 IT13-133 IT13-142 IA14-095	20.03.2015 19.03.2013 27.08.2013 13.12.2013 13.12.2013 16.05.2014	19.03.2020 - - - - 01.05.2019	04.05.2021	
BD-A613	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R19J11-1A R20F13-1A	19.03.2020 28.03.2020	- 27.03.2022	04.05.2021	
BD-A614	Composite Timber Door	East Centre Ltd	120	120	HOKLAS	Forte Testing and Consultants Co, Ltd	IT-13-059 IA14-043_Ver.3 IA14-043_Ver.3_L2	27.08.2013 05.07.2019 23.07.2020	- 06.05.2024 -	04.05.2021	
BD-A615	Composite Timber Doorset	Tai Cheung Decoration & Construction Limited	130 120	130 120	HOKLAS	Research Engineering Development Façade Consultants Limited	R14H25 R15F14-1 R20C09-1A	20.01.2015 28.07.2015 17.03.2020	- 27.07.2020 26.07.2025	04.05.2021	
BD-A616	Timber Doorset	Ya Zhou Jing Dian Craft Products (Dongguan) Co., Ltd.	120	120	HOKLAS	Furgo Technical Services (Guangzhou) Limited	G17502FU180181 G17502FU190145	22.01.2019 29.08.2019	- 28.08.2024	04.05.2021	
BD-A617	Metalic Composite Door	Shenzhen Zhongxinchang Technology Company Limited	120	120	HOKLAS	Forte Testing and Consultants Co. Ltd	IT 14-112 (Ver.2) IA14-282_Ver.3 IA15-019_Ver4_L1	14.04.2015 20.01.2020 07.08.2020	- 19.01.2023 -	04.05.2021	
BD-A618	Glazed Doorset	Guangdong Mingan Fire Resistant Glass Technology Co.,Ltd.	60	60	HOKLAS	Furgo Technical Services (Guangzhou) Limited	G14254FU150098	22.12.2015	-	23.08.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A619	Composite Timber Door	Tin Lee Wooden Company Limited	60	60	IAS	United Testing Limited	UTL-T006-2018	20.12.2018	-	23.08.2021	
					HOKLAS	Fugro Technical Services (Guangzhou) Limited	G18686FU190111(3)	19.08.2019	-		
							G18686FU190111(4)	19.08.2019	-		
BD-A620	Composite Timber Door	Dongguan Well Favour Design Company Limited	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT15-233 IA18-038 IT16-263	25.10.2016 10.05.2018 30.10.2017	- 09.05.2023 -	23.08.2021	
BD-A621	Composite Timber Door	SHK Trading and Building Company Limited / Zhong Shan Xin Di Woodworks Company Limited	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT 16-093 IA16-125_Version 3 IT 13-028	25.11.2016 11.12.2017 17.04.2013	- 10.11.2022 -	23.08.2021	
BD-A622	Composite Timber Door	Best Chance Engineering Limited	120	120	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT16-223 IT14-257	08.02.2017 27.01.2016	- -	23.08.2021	
BD-A623	Glazed Doorset	Guangdong Mingan Fire Resistance Glass Technology Co., Ltd.	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150075 G14254FU150074	15.09.2015 07.09.2015	- -	23.08.2021	
BD-A624	Glazed Door	King Cheung Glass Fire Engineering Company Limited	70	70	HOKLAS	Forte Testing and Consultants Co. Ltd.	IT16-028	12.04.2016	-	23.08.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A625	Firetect-60W Timber Doorset	Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R07L06B	05.03.2008	-	23.08.2021	
					NATA	Exova Warringtonfire Aus Pty Ltd	22810-05	01.12.2010	29.06.2013		
BD-A626	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R15F46 R14J21-1 R14J21-2 R15A39-1 Issue 2 R15A39-2 Issue 1 R15A39-3 Issue 1	06.08.2015 23.12.2014 23.12.2014 05.07.2019 05.07.2019 05.07.2019	- - - 03.07.2024 03.07.2024 03.07.2024	23.08.2021	
BD-A627	Composite Steel Doorset	Power Creation Engineering Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R13M02	24.6.2014	-	23.08.2021	
BD-A628	Composite Timber Doorset	Armorcoat (Hong Kong) Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14K07 R15A02 R20H07-1A R14L23 R16M27-1A R17M16-1A	31.12.2014 04.09.2015 07.08.2020 11.05.2015 28.12.2016 27.12.2017	- 02.09.2017 06.08.2022 - 26.12.2018 25.12.2020	23.08.2021	
BD-A629	Fire Rated Wood Double Leaf Door	Prettyroy Furniture Factory	60	60	CNAS	Building Engineering Testing Center China Academy of Building Research	BETC-NH-2004-150 BETC-NHPG-2008-37	19.04.2004 31.12.2008	- 30.12.2011	23.08.2021	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A630	'Tanda' Insulated Steel Doorset	Pilot Firerated Company Limited / Greatec Engineering Limited	60	60	HOKLAS	Reseach Engineering Development Façade Consultants Limited	R14J27-2 R18E03-1B_Issue 2 R20K16-1A R15B05-2 R15F36-1B R20D26-2A	19.12.2014 22.10.2018 21.10.2020 27.05.2015 25.06.2015 22.04.2020	- 20.10.2020 20.10.2023 - 23.06.2017 23.06.2023	23.08.2021	
BD-A631	Fire Resistant Timber Doorset	Ya Zhou Jing Dian Craft Products (Dongguan) Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G17502FU170059A G17502FU190059 G17502FU170073 G17502FU170138	07.12.2018 02.07.2019 20.09.2017 19.03.2018	- 01.07.2024 - 18.03.2023	23.08.2021	
BD-A632	Firetech-60W Timber Doorset	Wai Yip First Top Engineering Ltd.	60	60	HOKLAS NATA	Research Engineering Development Façade Consultants Limited Warringtonfire Australia Pty Ltd	R07L06A 22809-12	28.02.2008 06.03.2019	- 30.07.2023	23.08.2021	
BD-A633	Composite Timber Doorset	Wing Fu Engineering Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R18L07-1A R19E08-1A R18L22-2A R19E08-2A R19E08-3A	17.01.2019 10.06.2019 10.04.2019 08.07.2019 08.07.2019	- 08.06.2021 - 06.07.2021 06.07.2021	23.08.2021	
BD-A634	Composite Metallic Door	Shenzhen Zhongxinchang Technology Company Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT14-111 IA14-282_Version 3 IA15-084_Version 2	07.08.2014 20.01.2020 23.04.2020	- 19.01.2023 18.05.2023	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A635	120 min Fire Glazing Assembly	Master Fire Protected Glazing Door & Window Company Limited	120	120	CNAS HOKLAS	Building Engineering Testing Center, China Academy of Building Research Co., Ltd. Forte Testing and Consultants Company Limited	BETC-NH-2014-3217 CABR-NHPG-2019-4 CABR-NHPG-2020-36 IT 13-228-A	23.04.2014 21.02.2019 07.05.2020 05.06.2014	22.04.2019 20.02.2024 06.05.2023 -	23.12.2022	
BD-A636	'Pilot' Insulated Steel Doorset	Pilot Firerated Company Limited Greatec Engineering Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R18B14-2A R18E04-1A_Issue 1 R13H43-2 R13L12A R17K11-2A	13.04.2018 28.09.2018 21.10.2013 13.11.2013 12.10.2017	- 27.09.2020 - 12.11.2015 23.11.2020	23.12.2022	
BD-A637	Composite Timber Doorset with Smoke Seal	HK Pro-Tech Fire Prevention Building Material Limited HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R16G02-1C R16L13-1B_Issue 1 R18K21-1B R20K22-1A R17C15-2B R16G31-1C	01.09.2016 11.04.2017 14.11.2018 23.10.2020 23.05.2017 24.10.2016	- 08.11.2018 12.11.2020 11.11.2022 - -	23.12.2022	
BD-A638	Composite Metallic Door	Yokah International Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT 14-209 IA14-228_Version 2 IT 14-038 IA18-148	13.11.2014 20.11.2019 20.08.2014 18.10.2018	- 19.11.2022 - 17.10.2023	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A639	'Pilot' Insulated Steel Doorset	Pilot Firerated Company Limited Greatec Engineering Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R18B14-2A R18E04-1A_Issue 1 R20F21-1A R13H43-2 R13L12A R20F24-1A	13.04.2018 28.09.2018 30.06.2020 21.10.2013 13.11.2013 30.06.2020	- 26.09.2020 26.09.2023 - 11.11.2015 22.11.2023	23.12.2022	
BD-A640	Composite Timber Door	Hung Wan Fire Engineering Company Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT19-053 IT18-126	25.07.2019 28.12.2018	- -	23.12.2022	
BD-A641	Fire Resistant Timber Doorset	Wah Shing Wood Products & Engineering Company Limited / Wah Shing Industrial Company Limited Ya Zhou Jing Dian Craft Products (Dongguan) Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G17502FU170059 G17502FU170068 G17502FU190087 G17502FU170083	22.08.2017 03.10.2017 20.06.2019 20.09.2017	- 02.10.2022 19.06.2024 -	23.12.2022	
BD-A642	Composite Timber Doorset	Faith Mark Consultants Limited Chuen Fung Wooden Door Limited	120	120	HOKLAS NATA	Research Engineering Development Façade Consultants Limited Warringtonfire Aus Pty Ltd	R17C16-1A R14J21-1 R14J21-3 R15A34-2 R13L03-1 R14C18 R19D02-1A 3004357-04 3002073-04	12.07.2017 23.12.2014 23.12.2014 06.03.2015 21.01.2014 04.04.2014 03.04.2019 28.06.2019 28.04.2020	- - - - - - 03.04.2019 01.04.2021 30.03.2023 29.05.2025	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A643	Composite Timber Door	Leung's Wooden Company Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT13-128 (Version 2) IA15-028 (Version 2)	11.09.2014 06.03.2020	- 05.03.2023	23.12.2022	
BD-A644	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R14J21-3 R15A38-1 Issue 1 R15A38-2 R20C19-1A R15A38-3 R20C20-1A	09.10.2014 23.12.2014 05.07.2019 08.05.2015 20.03.2020 08.05.2015 20.03.2020	- - 03.07.2024 06.05.2020 06.05.2025 06.05.2020 06.05.2025	23.12.2022	
BD-A645	Glazed Doorset	Guangdong Migan Fire Resistant Glass Technology Co., Ltd.	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150098A	06.01.2020	-	23.12.2022	
BD-A646	Composite Metallic Door	Yokah International Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT14-104 (Version 2) IA14-228_Version 2 IT16-225	12.09.2014 20.11.2019 19.04.2017	- 19.11.2022 -	23.12.2022	
BD-A647	Composite Timber Door	Hung Kwong Timber Works Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-141 IA12-011_Version 3	23.10.2017 18.03.2020	- 17.03.2023	23.12.2022	
BD-A648	Composite Timber Doorset	Chuen Fung Wooden Doors Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R16H21-1C R16K10-1C R20J39-1A R14F42A	07.11.2016 07.11.2016 06.10.2020 22.09.2014	- 06.11.2018 05.10.2023 -	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A649	Composite Metal Doorset	R&R Fire Material Company Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R17C13-1A R18D02-1A R13F17	21.04.2017 13.07.2018 05.11.2013	- 12.07.2020 -	23.12.2022	
BD-A650	Composite Timber Door	Kin Hing Door & Wood Company Limited Dongguan Kin Ying Wood Product Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT15-114 IA14-138 (Version 4) IT16-005 IA16-011_Version 2	12.10.2015 12.09.2017 23.06.2016 12.09.2017	- 19.01.2022 - 25.08.2021	23.12.2022	
BD-A651	Glazed Doorset	Firewall Company Limited Po Shing (Worldwide) Company Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R17F39-1A R15A17A R13M31 R12B04-1 R12B04-2 R11H04-3 R13G33A R14C29 Issue 1	22.08.2017 26.03.2015 13.02.2014 10.04.2012 10.04.2012 30.11.2011 07.10.2013 14.08.2019	- - - - - - - 13.08.2024	23.12.2022	
BD-A652	Composite Timber Doorset	United-Pilot Firerated Door Company	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R13J13-1	30.12.2013	-	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A653	Composite Timber Door	Leung's Wooden Company Limited Garish Crown Fire Engineering & Consultancy	127	127	HOKLAS	Forte Testing and Consultants Company Limited	IT 13-128 (Version 2) IT 13-068	11.09.2014 09.08.2013	- -	23.12.2022	
BD-A654	Composite Timber Doorset	Hong Kong Standard Fire Resisting Door Manufacturing Co., Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R14D39 R14L01 R18A38-1A R13L04 R15A48 R18B15-1A	13.08.2014 18.11.2014 31.01.2018 17.12.2014 11.02.2015 21.02.2018	- 16.11.2016 04.02.2019 - 09.02.2017 20.02.2019	23.12.2022	
BD-A655	Composite Timber Door	Shun Hing Fire Rated Building Materials Limited Leung's Wooden Company Limited Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Forte Testing and Consultants Company Limited Research Engineering Development Façade Consultants Limited	IT14-008 R13J35B	23.04.2014 14.04.2014	- -	23.12.2022	
BD-A656	Glazed Doorset	Shenzhen Zhongxinchang Technology Company Limited	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited Forte Testing and Consultants Company Limited	G14255FU140086B G14255FU150031 IA15-139_Version 2	05.11.2015 29.12.2015 06.12.2018	- - 05.12.2021	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A657	Glazed Doorset	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150071 G14254FU150086	15.09.2015 04.11.2015	- -	23.12.2022	
BD-A658	Composite Timber Door	Li Shing Decoration & Engineering Limited Lorient Pacific Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT18-150 IT18-283 IT18-285_Version 2	28.12.2018 10.05.2019 23.03.2020	- - -	23.12.2022	
BD-A659	Composite Metallic Door	Yokah International Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT14-004 IA14-228_Version 2 IT14-038	07.05.2014 20.11.2019 20.08.2014	- 19.11.2022 -	23.12.2022	
BD-A660	Composite Timber Doorset	United-Pilot Firerated Door Company	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R12G18-3 R16F27-1 R18K24-1A R13H43-1 R14E21-1 R19H26-1A	12.11.2013 13.10.2016 24.10.2018 13.11.2013 27.08.2014 04.09.2019	- 12.10.2018 22.10.2021 - 26.08.2019 02.09.2022	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A661	'FORBES' Fire Rated Stainless Steel Door	Delta Pyramax Company Limited	253	-	International Accreditation New Zealand (IANZ)	Building Research Association of New Zealand (BRANZ)	FR2230	16.07.1996	-	23.12.2022	
		Sherex Fire-Proof Material Factory	260	-	HOKLAS	Research Engineering Development Façade Consultants Limited	R06D08F	28.05.2007	-		
		Sherex Engineering Limited / Sherex Fire-Proof Material Company	120	-	HOKLAS	Forte Testing and Consultants Company Limited	IA10-022-R1_Version 3	25.11.2020	24.11.2023		
BD-A662	Composite Metallic Door	Sherex Engineering Limited Sherex Fire-Proof Material Company	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT 13-149 IT 14-129 IA14-034_Version 3 IA14-145 (Version 2)	18.12.2013 23.06.2014 25.04.2019 10.01.2017	- - 24.04.2022 09.01.2022	23.12.2022	
BD-A663	Composite Timber Door with Glazed Element	Lee Cheong Fire Engineering Company Limited	132	132	HOKLAS	Forte Testing and Consultants Company Limited	IT 16-166	06.10.2016	-	23.12.2022	
BD-A664	Composite Timber Doorset	Hong Kong Standard Fire Resisting Door Manufacturing Company Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R13G22 R13K14 R16D34-1A R20D02-1A R18E02-1A_issue4 R13H32 R15A48 R20B04-1A	16.09.2013 23.12.2013 25.04.2016 02.04.2020 26.06.2019 24.01.2014 11.02.2015 13.02.2020	- 21.12.2015 25.04.2017 02.04.2022 24.06.2023 - 09.02.2017 13.02.2022	23.12.2022	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A665	Composite Timber Door	Garish Crown Fire Engineering & Consultancy	122	122	HOKLAS	Forte Testing and Consultants Co., Ltd.	IT13-154	19.08.2013	-	23.12.2022	
		Leung's Wooden Company Limited	-	-			IT13-147	05.08.2013	-		
		Shun Hing Fire Rated Building Materials Limited	120	120	NATA	Exova Warringtonfire Aus Pty Ltd	IA20-162	11.01.2021	10.01.2024		
		Massford (HK) Ltd	120	120			3004340-00	08.02.2018	27.02.2023		
BD-A666	Timber Doorset Assemblies	Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R07L06B R16E12-1A	05.03.2008 05.07.2016	- 03.07.2021	23.12.2022	
BD-A667	Composite Steel Doorset	New Century Engineering Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R16A10-1A R18M17-1A Issue 1	02.02.2016 28.05.2020	- 26.05.2022	23.12.2022	
BD-A668	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R16K16-1A R17A12-1A R17D17-1A R16M15-1A R17C15-1A	15.03.2017 17.03.2017 27.04.2019 04.05.2017 23.05.2017	- - 25.04.2021 - -	23.08.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A669	Composite Timber Door	Dongguan Rong Chang Furniture Decoration Company Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT14-025 IT20-075	27.11.2014 03.06.2020	- -	23.08.2024	
BD-A670	Composite Timber Door	SHK Trading and Building Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT19-142 IT13-028	12.02.2020 17.04.2013	- -	23.08.2024	
BD-A671	Glazed Screen and Doorset Assemblies	SPV Contrafi Ltd	68 30 or 60	68 30 or 60	SAC-SINGLAS NATA	PSB Corporation Pte Ltd Warringtonfire Aus Pty Ltd	54S04466/KKC 28971-01	19.10.2001 14.01.2014	- 30.01.2019	23.08.2024	
BD-A672	Double-leaf glazed door with fixed glazed panels	UBM Special Glass Limited	131	131	HOKLAS	Forte Testing and Consultants Company Limited	IT17-025 IT13-165	29-06-2017 20-12-2013	- -	23.08.2024	
BD-A673	Insulated Composite Timber Doorsets	Faith Mark Consultants Limited Yun Kee Shui Tung Wooden Work Co., Ltd.	61 60	61 60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R15A38-1A Issue 1	09.10.2014 22.01.2020	- 20.01.2025	23.08.2024	
BD-A674	Composite Timber Door	Prosper Fame Timber (Hui Zhou) Co., Ltd.	91	91	CNAS	China Academy of Building Research	CABR-NH-2016-01857	27.09.2016	-	23.08.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A675	Composite Timber Door	Tung Fai Kee Wooden Materials Co., Ltd.	135	127	HOKLAS	Research Engineering Development Façade Consultants Limited	R13H12	04.12.2013	-	23.08.2024	
			60 or 120	60 or 120		Forte Testing and Consultants Company Limited	IA14-204_Version 2	14.11.2019	13.11.2022		
BD-A676	Glazed Door	UBM Special Glass Limited	131	131	HOKLAS	Forte Testing and Consultants Company Limited	IT17-025	29.06.2017	-	23.08.2024	
							IT13-164	20.12.2013	-		
BD-A677	Composite Metallic Door	Yokah International Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT14-209	13.11.2014	-	23.08.2024	
							IA14-228	20.11.2014	19.11.2019		
							IT16-225	19.04.2017	-		
BD-A678	Composite Metallic Door	Sherex Engineering Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT14-001	31.03.2014	-	23.08.2024	
							IA14-031 (Version 2)	10.01.2017	09.01.2022		
							IT14-129	23.06.2014	-		
							IA14-145 (Version 2)	10.01.2017	09.01.2022		
BD-A679	Composite Metallic Doorset	Pilot Firerated Company Limited	240	240	HOKLAS	Research Engineering Development Façade Consultants Limited	R15H11-4A	29.03.2016	-	23.08.2024	
		Greatec Engineering Limited					R16F35-1A	23.06.2016	21.06.2018		
		United Aim International Limited					R21F34-1A	29.06.2021	28.06.2024		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A680	Glazed Doorset	Master Fire Protected Glazing Door & Window Co., Ltd.	60	60	CNAS	Building Engineering Testing Center, China Academy of Building Research	BETC-NH-2008-1418	20.08.2008	-	23.08.2024	
					CNAS	China Academy of Building Research Co., Ltd.	CABR-NHPG-2018-42	19.09.2018	18.09.2021		
					HOKLAS	Forte Testing and Consultants Company Limited	IT13-228-A	05.06.2014	-		
BD-A681	Fire resistant timber doorset	World Trend International Company Limited / Granter Woodwork Engineering Company Limited	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	124526FU130003A 171207ST170251B	08.05.2014 07.09.2020	- 04.05.2022	23.08.2024	
						Forte Testing and Consultants Company Limited	IT13-200	05.03.2014	-		
BD-A682	Composite Timber Door	Leung's Wooden Company Limited Garish Crown Fire Engineering & Consultancy	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT13-107	19.08.2013	-	23.08.2024	
BD-A683	Fire Resistant Timber Doorset	Ya Zhou Jing Dian Craft Products (Dongguan) Co., Ltd.	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G17502FU180172	13.12.2018	-	23.08.2024	
							G17502FU190048A	08.06.2020	07.06.2025		
							G17502FU190026	02.02.2019	-		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A684	Composite Metallic Door	Shenzhen Sherex Fire-Proof Material Limited	240	240	HOKLAS	Forte Testing and Consultants Company Limited	IT15-007 IA18-265 IT14-128	19.10.2015 27.11.2018 23.06.2014	- 26.11.2023 -	23.08.2024	
BD-A685	Composite Timber Door	Tai Cheung Decoration & Construction Limited	72	61	HOKLAS	Research Engineering Development Façade Consultants Limited	R14J17	20.01.2015	-	23.08.2024	
BD-A686	Composite Timber Doorset	Pinewood (F.E.) International Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R17D09-1A R18G27-1A	15.08.2017 09.01.2019	- -	23.08.2024	
BD-A687	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R14J21-3 R15A38-1 Issue 2 R15A38-2 R20C19-1A R15A38-3 R20C20-1A	09.10.2014 23.12.2014 08.12.2020 08.05.2015 20.03.2020 08.05.2015 20.03.2020	- - 06.12.2025 06.05.2020 06.05.2025 06.05.2020 06.05.2025	23.08.2024	
BD-A688	Composite Timber Door	SHK Trading and Building Company Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT19-142 IA16-124_ Version 4	12.02.2020 10.05.2021	- 23.05.2024	23.08.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A689	Composite Timber Door	SHK Trading and Building Company Limited	30	30	HOKLAS	Forte Testing and Consultants Company Limited	IT15-099 IT16-092 IA17-098_Version 3 IT13-023 IT13-028 IA13-187_Version 3	02.12.2015 17.02.2017 11.12.2017 17.04.2013 17.04.2013 27.08.2018	- - 10.11.2022 - - 14.11.2022	23.08.2024	
BD-A690	Insulated Glazed Doorset	Hong Kong Firepros Building Materials Limited	129	128	HOKLAS	Research Engineering Development Façade Consultants Limited	R15B11-2	23.06.2015	-	23.08.2024	
		Heshan Hengbao Fire Resistant Glass Factory Co. Limited	120	120			R21J21-1A	29.09.2021	27.09.2023		
BD-A691	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Material Limited / HK Sam Fai Wooden Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R16G02-1C R16L13-1B_Issue 2 R17C15-2B	01.09.2016 30.04.2021 23.05.2017	- 28.04.2023 -	31.10.2024	
BD-A692	Composite Timber Door	Hung Wan Fire Engineering Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-290 IT18-126	20.04.2018 28.12.2018	- -	31.10.2024	
BD-A693	FIRETECH Doorset	FIRETECH Engineering Ltd. / Leung's Wooden Company Limited / Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	130222FU1300075	24.06.2014	-	31.10.2024	
					NATA	Warringtonfire Australia Pty Ltd	3001578-09	07.05.2020	29.03.2025		
					HOKLAS	Forte Testing and Consultants Company Limited	IT13-153	09.08.2013	-		

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A694	FIRETECH Doorset	FIRETECH Engineering Ltd. / Leung's Wooden Company Limited / Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	130222FU130093 142466FU170100	24.06.2014 06.01.2018	- -	31.10.2024	
					NATA	Warringtonfire Australia Pty Ltd	3001578-09	07.05.2020	29.03.2025		
					HOKLAS	Forte Testing and Consultants Company Limited	IT13-147 IT13-153	05.08.2013 09.08.2013	- -		
BD-A695	Composite Timber Door	Leung's Wooden Company Limited	240	240	HOKLAS	Forte Testing and Consultants Company Limited	IT21-003	01.04.2021	-	31.10.2024	
BD-A696	Hausner EI120 Steel Doorsets	Hausner (Hong Kong) Ltd.	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT13-225 IT14-042 IT14-090 (version 2)	25.03.2014 14.05.2014 17.10.2014	- - -	31.10.2024	
						Fugro Technical Services (Guangzhou) Limited	142053FU140038 142053FU160021 142053FU160033 IT15-077	31.12.2015 04.08.2014 18.05.2016 18.05.2016	- - - -		
					NATA	Warringtonfire Australia Pty Ltd	3001006-09	01.09.2019	29.09.2024		
BD-A697	Composite Timber Door	SHK Trading and Building Company Limited / Zhong Shan Xin Di Woodworks Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT15-098 IT16-093 IA16-125_Version 3 IT13-022 IT13-023 IT13-028	20.11.2015 25.11.2016 11.12.2017 17.04.2013 17.04.2013 17.04.2013	- - 10.11.2022 - - -	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A698	Fire Rated Stainless Steel Doorset	Sherex Fire-Proof Material Co.	262	-	HOKLAS	Research Engineering Development Façade Consultants Limited	R09C08A	06.11.2009	-	31.10.2024	
		Joint Billion Fire Engineering Co.	240	-	NATA	Exova Warringtonfire Aus Pty Ltd	24354-05	02.01.2018	30.01.2025		
BD-A699	Insulated Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R21D09-1A R20H31-1A_Issue 1 R21J11-2A	24.05.2021 11.08.2021 06.12.2021	- 04.11.2022 -	31.10.2024	
BD-A700	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R19J11-1A R20F13-1A R19L35-1A R19L35-2A	19.03.2020 28.07.2020 23.06.2020 23.06.2020	- 26.07.2022 - -	31.10.2024	
BD-A701	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R15A38-1 Issue 3 R14J21-3 R15A38-2 R20C19-1A R15A38-3 R20C20-1A	09.10.2014 08.03.2022 23.12.2014 08.05.2015 20.03.2020 08.05.2015 20.03.2020	- 06.12.2025 - 06.05.2020 06.05.2025 06.05.2020 06.05.2025	31.10.2024	
BD-A702	Composite Timber Doorset	Faith Mark Consultants Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14E42-2 R15A38-1 Issue 2 R14J21-3 R15A38-2 R20C19-1A R15A38-3 R20C20-1A R22F01-1A	09.10.2014 08.12.2020 23.12.2014 08.05.2015 20.03.2020 08.05.2015 20.03.2020 09.06.2022	- 06.12.2025 - 06.05.2020 06.05.2025 06.05.2020 06.05.2025 07.06.2024	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A703	Timber Door	Sherex Engineering Limited & Sherex Fire-Proof Material Company	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT10-008-A IA11-015-R1_Version 3 IT14-130 IA14-146_Version 3	17.12.2010 10.09.2019 23.06.2014 11.06.2020	- 09.09.2024 - 10.06.2023	31.10.2024	
BD-A704	Glazed Doorset	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150107	18.01.2016	-	31.10.2024	
BD-A705	Composite Timber Door	Hung Wan Fire Engineering Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-290 IA18-090_Version 2	20.04.2018 21.02.2019	- 20.02.2024	31.10.2024	
BD-A706	Composite Timber Doorset	R&R Fire Material Company Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R12L20-1 R16M33-1A R21A15-1A R13K34 R16D11-1A	04.02.2013 16.01.2017 19.01.2019 22.11.2013 20.06.2016	- 14.01.2019 21.01.2023 - -	31.10.2024	
BD-A707	Composite Timber Doorset	Tung Fai Kee Wooden Materials Co., Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14K02B R15E07B R20J07-1A R14F27 R16G10-1A R21E02-1A	10.12.2014 31.07.2015 11.09.2020 11.09.2014 19.07.2016 07.05.2021	- 29.07.2017 11.09.2025 - 17.07.2018 10.05.2026	31.10.2024	
BD-A708	Composite Timber Door	Huiyang Honghui Wood Products Factory	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-261 IT17-321	23.10.2017 09.01.2018	- -	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A709	Composite Doorset	Faith Mark Consultants Limited	68	68	SAC-SINGLAS	TUV SUD PSB Pte. Ltd.	54S071009/RAH	28.03.2007	-	31.10.2024	
			60	60			7191033074-MEC12/03-MW	07.05.2012	06.05.2017		
							7191270953-MEC21/03	20.10.2021	20.10.2026		
BD-A710	Double-Leaf Glazed Door with Fixed Glazed Panels	Heshan Boan Fire Resistant Glass Technology Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-149_Version 2	10.09.2020	-	31.10.2024	
BD-A711	Composite Timber Door	SHK Trading and Building Company Limited / Zhong Shan Xin Di Woodworks Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT16-093 IA16-125_Version 4 IT13-028 IA13-187_Version 3	25.11.2016 10.05.2021 17.04.2013 27.08.2018	- 09.05.2024 - 14.11.2022	31.10.2024	
BD-A712	Composite Steel Doorset	Hinrich International Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14J18A R17H17-1A_Issue 1 R22G26-1A	06.03.2015 06.08.2018 12.08.2022	- 04.08.2020 11.08.2024	31.10.2024	
BD-A713	Composite Timber Door	Hung On Yuen Fire Engineering Consultant Limited / Shen Zhen Shi Bao An Qu Gong Ming Hong An Yuan Timber Product Factory	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT16-016 IT15-107 IA16-238_Version 3	08.08.2016 26.09.2016 23.09.2021	- - 22.09.2024	31.10.2024	
BD-A714	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R19M24-1A R20H31-1A_Issue 1 R20L42-1A R20L42-2A	24.07.2020 11.08.2021 07.06.2021 07.06.2021	- 04.11.2022 - -	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A715	Glass doorset	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150071 G14254FU180119 G14254FU150086	15.09.2015 17.09.2018 04.11.2015	- 16.09.2023 -	31.10.2024	
BD-A716	Composite Timber Door	Kin Hing Door Engineering Limited / Dongguan Kin Ying Wood Product Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT13-148_Version 2 IA19-003_Version 4	18.12.2018 10.02.2022	- 09.02.2025	31.10.2024	
BD-A717	Composite Timber Door	Sun Win Fire Engineering Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT18-306 IT18-190	01.02.2019 20.11.2018	- -	31.10.2024	
BD-A718	Fire Resistant Glass Doorset	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd.	120	120	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150071 G14254FU150106 G14254FU150060A G14254FU160007A G14254FU150085 G14254FU150086	15.09.2015 11.01.2016 06.01.2020 13.03.2019 04.11.2015 04.11.2015	- - - 12.03.2024 - -	31.10.2024	
BD-A719	Composite Timber Door	Kwok Wah Cheong Hop Kee Timber Company	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT18-010 IA19-039	22.11.2018 08.04.2019	- 07.04.2024	31.10.2024	
BD-A720	Composite Timber Doorset	Pinewood (F.E.) International Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R14D34 R14H23-1 R16J09-2A	30.06.2014 29.09.2014 02.03.2017	- - -	31.10.2024	
BD-A721	Composite Metallic Door	Wealth Pinnacle Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-286 IA21-253	18.10.2018 31.12.2021	- 30.12.2026	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A722	Composite Timber Door	Sun Win Fire Engineering Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT18-027 IT18-190	26.04.2018 20.11.2018	- -	31.10.2024	
BD-A723	Composite Timber Door	Joint Billion Fire Engineering Co. & Joint Billion International Limited	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited Forte Testing and Consultants Company Limited	I4G08 R06D08J IT10-008-A IA11-046-R1_Version 3	19.08.2004 18.06.2007 17.12.2010 11.09.2019	- - - 10.09.2024	31.10.2024	
BD-A724	Composite Metallic Door	Best Chance Engineering Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT22-123 IA22-122	23.08.2022 22.08.2022	- 21.08.2025	31.10.2024	
BD-A725	Composite Timber Door	Shenzhen Longganng Pinghu Wang Li Change Wooden Factory	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT16-013 IT14-257 IT14-258	19.04.2016 27.01.2016 27.01.2016	- - -	31.10.2024	
BD-A726	Composite Timber Door	SHK Trading and Building Company Limited / Zhong Shan Xin Di Woodworks Company Limited	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT16-093 IT19-142 IA16-125_Version 4	25.11.2016 12.02.2020 10.05.2021	- - 09.05.2024	31.10.2024	
BD-A727	Composite Timber Doorset	HK Pro-Tech Fire Prevention Building Materials Limited	120	120	HOKLAS	Research Engineering Development Façade Consultants Limited	R19J11-1A R20F13-1A_Issue 2 R22E09-1A	19.03.2020 23.11.2021 05.05.2022	- 26.07.2022 26.07.2024	31.10.2024	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A728	Composite Timber Door	Kin Hing Door Engineering Limited/ Dongguan Kin Ying Wood Product Company Limited	120	120	HOKLAS	Forte Testing and Consultants Co, Ltd	IT14-005_Version 2 IA19-001_Version 4 IT16-004_Version 2 IA19-002_Version 5	18.12.2018 10.02.2022 18.12.2018 10.02.2022	- 09.02.2025 - 09.02.2025	31.10.2024	
BD-A729	Composite Timber Door	Garish Crown Fire Engineering & Consultancy	60	60	HOKLAS	Forte Testing and Consultants Company Limited Research Engineering Development Façade Consultants Limited Forte Testing and Consultants Company Limited	IT14-047 R13J35 IA14-171_Version 2	23.04.2014 14.04.2014 03.07.2019	- - 02.07.2024	31.10.2024	
BD-A730	Glazed Door Assembly	Sherex Engineering Limited HK	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT 12-079 IA14-287_Version 2	19.03.2013 10.01.2020	- 09.01.2025	03.04.2025	
BD-A731	Composite Timber Door	Hung Kwong Timber Works Company Limited Kowloon, Hong Kong Huiuang Honghui Wood Products Factory	60	60	HOKLAS	Forte Testing and Consultants Co., Ltd.	1A 18-071 IT 17-141	30.04.2018 23.10.2017	29.04.2023 -	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A732	Composite G.M.S Doorset	Hui Li Hardware Factory	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R19L30-1B R20G13-1A R22G34-1A R20M24-2B	13.3.2020 28.7.2020 28.7.2022 8.2.2021	- 26.7.2022 29.7.2027 -	03.04.2025	
BD-A733	Tanda' Insulated Steel Doorset	Greatec Engineering Ltd.	120	120	UKAS	Research Engineering Development Façade Consultants Ltd.	R18E04-1B_Issue 1 R20J32-1A (Review letter)	28.09.2018 25.09.2020	27.09.2020 26.09.2023	03.04.2025	
BD-A734	Single-leaf composite metallic door with two glazed elements & Single-leaf composite metallic door	Yokah International Limited (PRC)	240	240	HOKLAS	Forte Testing and Consultants Co. Ltd	IT16-226	27.03.2017	-	03.04.2025	
BD-A735	Single-leaf timber door with a glazed element	Chung Fai Wooden Ware Company	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IT17-217	22.11.2017	-	03.04.2025	
BD-A736	Smoke & Fire Rated Wooden Door sets	Faith Mark Consultants Limited	60	60	HOKLAS	RED Fire & Façade Consultants	R14E42-2 R14J21-3 R15A38-1 issue 4 R15A38-2 R15A38-3	09.10.2014 23.12.2014 21.09.2022 08.05.2015 08.05.2015	- - 20.09.2027 06.05.2025 06.05.2025	03.04.2025	
BD-A737	Fire Rated Timber Door	HK Sam Fai Wooden Factory	60	60	HOKLAS HOKLAS HOKLAS	RED RED RED	R16G02-1A R17C15-2A R16L13-1A_Issue 2	01.09.2016 23.05.2017 02.02.2021	- - 01.02.2023	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A738	Self-closing Fire Door with F.R.R (-/120/120) w/ Smoke Seal (Double Leaf)	Garish Crown Fire Engineering & Consultancy [a1-12]	120	120	HOKLAS	Forte Testing and Consultants Co., Ltd	IA22-027 IT 13-154 IT 13-147	20.04.2022 19.08.2013 05.08.2013	20.04.2027 - -	03.04.2025	
BD-A739	-60/60 double leaf Fire Rated Timber Door	Garish Crown Fire Engineering & Consultancy; China	60	60	HOKLAS	FORTE TESTING AND CONSULTANTS COMPANY LIMITED	IT 13-125 IT 13-147 IA 14-171_Version 3	11.07.2013 16.08.2019 12.04.2023	- - 3.7.2027	03.04.2025	
BD-A740	Smoke and Fire Rated Metal Door Set	Hung Team Building Material Co. Ltd / Yuhao Co., Ltd (Hong Kong)	60	60	HOKLAS	Fugro Technical Services (Guangzhou) Ltd. Research Engineering Development Façade Consultants Limited (RED) Warringtonfire Testing and Certification Ltd.	G18642FU180145 R18C51-1A 30001611-01	04.03.2019 29.01.2019 11.03.2020	- - 31.3.2025	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A741	Glazed Doorset with glazed panel	Guangdong Mingan Fire Resistant Glass Technology Co., Ltd (China)	68 60	65 60	HOKLAS	Fugro Technical Services (Guangzhou) Limited	G14254FU150098A	06.01.2020	-	03.04.2025	
BD-A742	Timber Doorsets	HK Pro-Tech Fire Prevention Building Material Ltd (China)	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited	R19M24-1A R20H31-1A_Issue 1 R20L42-1A R20H23-1A_Issue2	24.07.2020 05.11.2022 11.08.2021 29.11.2022	- 04.11.2025 - 25.08.2025	03.04.2025	
BD-A743	FRR Glazing Assembly	Hongkong Firepros Building Materials Limited Heshan Hengbao Fire Resistant Glass Factory Co. Ltd.	60	60	HOKLAS	Research Engineering Development Façade Consultants Limited (RED)	R15E14 R16F22-1A R21D11-1A (review letter)	11.08.2015 13.08.2018 25.05.2021	- 12.08.2020 25.05.2024	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A744	Composite Timber Doorset	Faith Mark Consultants Limited	120	120	HOKLAS	Research Engineering Development Façade Consulting Limited	R17C16-1A	12.7.2017	-	03.04.2025	
							R14J21-1	23.12.2014	-		
					NATA	Warrington Australia Pty Ltd	R14J21-3	23.12.2014	-		
							3004357-05	11.06.2021	31.03.2026		
BD-A745	Single-leaf composite timber door with glazed elements and without glazing elements	Tai Wah Construction (Hong Kong / China)	30	30	HOKLAS	RED	R21K13-1A	22.12.2021	-	03.04.2025	
BD-A746	Double-leaf Composite Timber Door with Two Glazed Elements	Fame Hill Engineering Limited (HK)	60	60	HOKLAS	FORTE Testing and Consultants Co., Ltd.	IT 16-195 IT 16-197	14.9.2016 26.9.2016	-	03.04.2025	
BD-A747	Timber Door with Glazed Elements	Leung's Wooden Co. Ltd./ PRC	30	30	HOKLAS	Forte Testing and Consultants Company Limited	IT13-053 IT13-068 IA14-279 (Version 3)	31.10.2013 09.08.2013 07.11.2022	- - 07.11.2025	03.04.2025	
BD-A748	Glass Doorset	Pllot Firerated Company Ltd	60	60	CNAS, HOKLAS	Master Fire Protected Glazing Door & Window Co Ltd	CABR-NH-2019-01288, CABR-NHPG-2020-74 & IT-13-288-A	26.11.2019 6.8.2020 5.6.2014	- 5.8.2023 -	03.04.2025	
BD-A749	Hung Kwong Timber Works Company Ltd.	Huiyang Honghui Wood Products Factory	60	60	HOKLAS	Forte Testing and Consultants Company Limited	IA18-033 IT17-141	08.02.2018 23.10.2017	08.02.2023 -	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A750	DJMI Fire Rated Stainless Steel Doors	Guangdong DJMI doors windows Co., Ltd	120	120	International Accreditation Service Inc. (IAS)	KAS Quality Service (Guangzhou) Co. Ltd	J201216001-1	08.01.2021	-	03.04.2025	
BD-A751	30 Minutes Fire Rated Timber Door (Single Leaf and Double Leave Composite Timber Door)	Prosper Fame Timber (Hui Zhou) Co. Ltd, PRC	30	30	CNAS	China Academy of Building Research Co.Ltd	CABR-NHPG-2019-17 CABR-NHPG-2020-19 BETC-NH-2007-507 CABR-NH-2017-00012	03.04.2019 13.04.2020 28.06.2007 15.03.2017	02.04.2024 12.04.2025 - -	03.04.2025	
BD-A752	Fully Insulated Single-acting Composite Timber Doorset	Faithmark Consultants Limited / PRC	132	132	HOKLAS NATA	Research Engineering Development Façade Consultants Limited- Fire and Façade Testing Laboratory Warrintonfire Australia Pty Ltd	R17C16-1A R14J21-1 R14J21-3 3004357-05	12.07.2017 23.12.2014 23.12.2014 11.06.2021	- - - 31.03.2023	03.04.2025	
BD-A753	Fully Insulated Composite Metallic Doorsets	H K Pro-tech Fire Prevention Building Materials Ltd.	72	72	HOKLAS	RED Fire and Façade Consultants	R21D09-2A	09.08.2021	-	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A754	Insulated Composite Stainless Steel Doorset	Tong Chi Stainless Steel Engineering Limited	120	120	RED Hong Kong Laboratory	Research Engineering Development Façade Consultants Limited (RED)	R14E26-2 R15A42 R14M01 R22M03-1A	10.11.2014 12.10.2015 11.12.2014 29.12.2022	10.12.2016 11.01.2025	03.04.2025	
BD-A755	Single Leaf Stainless Steel Door	Sherex Engineering Limited (Hong Kong)	120	-	UKAS	Warringtonfire Singapore Pte Ltd.	24354-06	05.08.2020	31.08.2025	03.04.2025	
BD-A756	"FORBES' Fire Resisting Timber Door with "SLEEVIT" Smoke Seal	Sherex Engineering Limited & Sherex Fire-Proof Material Company SLEEV-IT Fire Systems (Hong Kong) Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT14-002 IA14-033_Ver.4 IT14-135 IA14-147_Ver.5	28.03.2014 19.07.2021 23.06.2014 26.07.2022	- 19.07.2024 - 26.07.2025	03.04.2025	
BD-A757	Insulated Single-acting Composite Steel Doorsets	Master Fire Protected Glazing Door Window Co. Limited	120	120	HOLKAS	Research Engineering Development Façade Consultants Limited	R17C30-1A R20J12-1A	16.05.2017 30.11.2020	- 29.11.2022	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A758	Insulated Composite Timber Doorsets	Sing Wan Timber Co. Ltd	60	60	HOKLAS	RED Fire and Façade Consultants Limited	R14L24 R16H21-1B R18E02-1B_issue4	31.12.2014 07.11.2016 26.06.2019	- - 25.06.2023	03.04.2025	
BD-A759	60min FRR Self-closing Door with Vision Panel and smoke seal	Faith Mark Consultants Limited (China)	60	60	HOKLAS	RED fire and façade consultants	R15F46 R14J21-1 R14J21-2 R14J21-3 R14E42-2 R15A39-1 Issue 3 R15A39-2 Issue 1 R15A39-3 Issue 1 R15A38-1 Issue 4 R15A38-2 R15A38-3	09.07.2015 23.09.2014 26.09.2014 25.09.2014 25.07.2014 21.09.2022 05.07.2019 05.07.2019 21.9.2022 08.05.2015 08.05.2015	- - - - - 20.09.2027 04.07.2024 04.07.2024 20.09.2027 07.05.2020 07.05.2020	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A760	Composite Timber Doors	Sun Win Fire Engineering Limited	60	60	HOKLAS	Forte Testing and Construction Co., Ltd.	IT18-180 IA20-202	27.03.2019 21.09.2020	- 21.09.2023	03.04.2025	
BD-A761	Composite Timber Doors	Hung Kwong Timber Works Company Limited (PRC)	120	120	HOKLAS	Forte Testing and consultants Company Limited	IA 18-069_Version 2 IA18-193_Version 2 IT17-195 IT17-143 IT17-145	2023.02.28 2023.02.28 2017.11.07 2018.01.09 2018.01.09	2026.04.23 2026.08.20 - - -	03.04.2025	
BD-A762	Glazed Door with or without fixed screen	Sherex Engineering Limited & Sherex Fire-Proof Material Company SLEEV-IT Fire Systems (Hong Kong) Limited	120	120	HOKLAS	Forte Testing and Consultants Company Limited	IT17-106 IA14-036_Ver 2	28.11.2017 03.06.2019	- 03.06.2024	03.04.2025	
BD-A763	Fully Insulated Single-acting, Equal Double-leaf Composite Metallic Doorst Incorporated with Wicket Door	Yau Luen Construction & Engineering Co. Limited (Hong Kong) & Hope Field Hardware Products Co. Ltd.	60	60	HOKLAS	RED Fire and Façade Consultants Limited	R20L01-1A	26.01.2021	-	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A764	Fully Insulated, Single-acting, Unequal Double-leaf Composite Timber Doorset	Faith Mark Consultant Ltd. (China)	240	240	HOKLAS	RED Fire and Façade Consultant	R16B13-A	21.3.2016	-	03.04.2025	
BD-A765	Fire Rated Glazing System	Master Fire Protected Glazing Door & Window Co., Ltd	60	60	CNAS	Building Engineering Testing Centre, China Academy of Building Research	BETC-NH-2014-3217	10.04.2014	-	03.04.2025	
					HOKLAS	Forte Testing and Consultants Co. Ltd	CABRFIRE-NHPG-2023-16	04.04.2023	04.04.2026		
BD-A766	Fire Resistant Metal Doorset	FIRETECH Engineering Ltd.	240	240	HOKLAS	FURGO Technical Services (GuangZhou) Limited	142466FU160039(2)	19.11.2016	-	03.04.2025	
							142466FU150012	19.06.2015	-		
							233808ST233013	25.04.2023	25.04.2028		
BD-A767	Composite Timber Doorset	Li Shing Decoration & Engineering Ltd.	60	60	HOKLAS	FORTE TEST AND CONSULTANTS CO., LTD.	IA19-083_Ver.3	13.01.2023	13.01.2026	03.04.2025	

BD's Reference List under Central Data Bank

(A) Fire resisting Doorsets

Ref. No.	Product Name	Name of Manufacturer	Fire Resisting Performance (minutes)		Details of Test or Assessment Report					Date of Posting on CDB	Remarks/ Comments
			Integrity	Insulation	Name of laboratory accreditation body	Name of laboratory / assessing organization	Report no.	Date of test / assessment report	Validity Date		
BD-A768	Fully Insulated Single-acting Composite Timber Doorset	HK Sam Fai Wooden Door Factory, P.R.C.	120	120	HOKLAS	Research Engineering Development Façade Consultants Ltd.	R23F36-1A (review letter)	06.07.2023	05.07.2025	03.04.2025	
							R17D17-1A	27.04.2017	26.04.2019		
							R17A12-1A	17.03.2017	-		
							R17C15-1A	23.05.2017	-		